Supplemental Table 1: Positive follow-up PCR results in 9 dogs with *B. canis* infection after imidocarb treatment: Day of imidocarb injection, imidocarb dosage and result of PCR test after injection

	1st injection	2nd injection	3rd injection	4th injection	5th injection
Dog 1					
Day of injection	1	33			
Imidocarb dosage	6	2.4			
Day PCR after	Positive 21	Negative 18,			
injection		46, 64, 86			
Dog 2					
Day of injection	1	14			
Imidocarb dosage	4.3	4.3			
Day PCR after	Positive 13,	Positive 8, 18			
injection	22	Negative 50			
Dog 3					
Day of injection	1	33	116	152	
Imidocarb dosage	5.5	3	3.9	6	
Day PCR after	Positive 32	Positive 20, 57	Positive 22	No further	
injection				controlls	
Dog 4					
Day of injection	1	19			

Imidocarb dosage	3	5			
Day PCR after	Negative 18	Positive 8, 31			
injection		Negative 53			
Dog 5					
Day of injection	1	12			
Imidocarb dosage	5	4.6			
Day PCR after	Positive 12	Negative 17			
injection					
Dog 6					
Day of injection	1	15	36		
Imidocarb dosage	5.4	4.3	6		
Day PCR after	Negative 14	Positive 8, 22	Negative 15,		
injection			57		
Dog 7					
Day of injection	1	15	29	41	75
Imidocarb dosage	3	3.8	4.5	5	5
Day PCR after	Positive 9	Positive 10	Positive 11	Positive 28	Negative 34,
injection					67
Dog 8					
Day of injection	1	14			
Imidocarb dosage	3.9	4.9			
Day PCR after	Positive 15	ND euthanized			
injection					

Dog 9				
Day of injection	1	18		
Imidocarb dosage	3	5		
Day PCR after injection	Positive 7	Negative 18		