

Appendix C. Estimates from binomial mixed-effects models for any current intimate partner violence against women (age 15-49) in urban areas in Kenya (2014).

Term	Model 1		Model 2		Model 3		Model 4		Model 5		Model 6	
	OR (95% CI)	p	aOR (95%CI)	p	aOR (95% CI)	p	aOR (95% CI)	p	aOR (95% CI)	p	aOR (95% CI)	p
Neighbourhood												
Informal	1.92 (1.31, 2.83)	<0.01	1.49 (0.99, 2.23)	0.05	1.79 (1.21, 2.64)	<0.01	1.88 (1.28, 2.78)	<0.01	1.92 (1.29, 2.84)	<0.01	1.87 (1.25, 2.78)	<0.01
Intermediate	1.1 (0.76, 1.59)	0.62	0.93 (0.64, 1.35)	0.7	1.06 (0.73, 1.53)	0.77	1.07 (0.74, 1.55)	0.73	1.12 (0.77, 1.62)	0.56	1.13 (0.77, 1.65)	0.54
Education level												
No schooling			1.56 (0.84, 2.91)	0.16								
Primary/ Secondary			2.48 (1.64, 3.74)	<0.01								
Father beat mother												
Yes					1.82 (1.44, 2.32)	<0.01						
Don't know					1.45 (0.9, 2.34)	0.12						
Marital status												
Cohabiting							1.19 (0.78, 1.80)	0.42				
Separated/ Divorced							2.29 (1.58, 3.33)	<0.01				
Widowed							1.06 (0.55, 2.05)	0.86				
Use of physical violence against partner												
Yes									12.17 (4.66, 31.77)	<0.01		
Partner's alcohol use												
Sometimes drunk											1.88 (1.42, 2.49)	<0.01
Often drunk											6.55 (4.44, 9.65)	<0.01

Note. Estimates in this table are based on binomial mixed-effects models. Any current intimate partner violence (IPV) = emotional, physical and/or sexual IPV. Residence: Reference level (Ref) = Formal; Model 1: unadjusted. Model 2: adjusted for Education attainment (Ref=Higher); Model 3: adjusted for Father beat mother (Ref=No); Model 4: adjusted for Marital status (Ref=Married); Model 5: adjusted for Use of physical violence against spouse/ partner (Ref=No); Model 6: adjusted for Partner's alcohol use (Ref=No alcohol).