

Supplemental Information

SUPPLEMENTAL TABLE 2 Meta-regression Testing Moderators of ADHD and Comorbid ODD in Girls

Moderator	τ^2	CI	<i>P</i>
Year published	0.02	(-0.10 to 0.14)	.75
Age			
Child	0.36	(-1.13 to 1.86)	.63
Adolescent	-0.77	(-2.08 to 0.53)	.25
% White	<0.01	(-0.04 to 0.04)	.99
Sample source			
Clinic versus community	-0.51	(-1.68 to 0.66)	.40
% Medicated	-0.02	(-0.04 to 0.01)	.29
ADHD subtypes	-0.32	(-1.61 to 0.97)	.63
ADHD informant			
Parent + teacher versus parent only	-0.62	(-1.99 to 0.76)	.38
Parent + child versus parent only	-1.33	(-2.47 to -0.19)	.02
ADHD assessment method			
Rating scale only versus interview only	0.24	(-1.22 to 1.69)	.75
Rating scale + interview versus interview only	-0.40	(-2.16 to 1.37)	.66

SUPPLEMENTAL TABLE 3 Meta-regression Testing Moderators of ADHD and Comorbid Anxiety in Girls

Moderator	τ^2	CI	<i>P</i>
Year published	<0.01	(-0.13 to 0.14)	.96
Age			
Child	-0.67	(-1.55 to 0.21)	.13
Adolescent	-0.80	(-1.46 to -0.13)	.02
% White	-0.01	(-0.03 to 0.01)	.59
Sample source			
Clinic versus community	0.68	(0.07 to 1.29)	.03
% Medicated	-0.02	(-0.06 to 0.03)	.48
ADHD subtypes	-0.38	(-1.76 to 0.10)	.59
ADHD informant			
Parent + teacher versus parent only	0.29	(-1.68 to 2.25)	.77
Parent + child versus parent only	-0.50	(-2.18 to 1.17)	.56
ADHD assessment method			
Rating scale only versus interview only	-0.07	(-0.84 to 0.71)	.87
Rating scale + interview versus interview only	1.91	(0.52 to 3.30)	<.01
No. anxiety disorders assessed	-0.06	(-0.29 to 0.18)	.65