

Role of different fuels and sintering temperature on structural, optical, magnetic and photocatalytic properties of chromium containing nickel ferrite: kinetic study of photocatalytic degradation of rhodamine B dye

Sumit Singh, Amit Kumar Atri, Irfan Qadir, Shikha Sharma, Ujwal Manhas and
Devinder Singh*

Department of Chemistry, University of Jammu, Jammu, India

email: drdssambyal@rediffmail.com (Corresponding Author: Devinder Singh)




Figure S1.
refinement plot of

Rietveld
NCFU's




Figure S2. Rietveld refinement plot of NCFG's




Figure S3. N_2 Adsorption-Desorption isotherm for (a) NCFP-2, (b) NCFU-2, (c) NCFG-2




Figure S4. N₂ Adsorption-Desorption isotherm for (a) NCFP-3, (b) NCFU-3, (c) NCFG-3




Figure S5. N_2 Adsorption-Desorption isotherm for (a) NCFP-4, (b) NCFU-4, (c) NCFG-4.




Figure S6. Diffuse reflectance spectra (DRS) spectra of Ni-Cr ferrites nanoparticles (a) NCFP's, (b) NCFU's, and (c) NCFG's




Figure S7. Time dependent UV-Vis spectra of degradation of RhB in the presence of (a) NCFP-2, (b) NCFU-2, (c) NCFG-2 as photocatalyst




Figure S8. Time dependent UV-Vis spectra of degradation of RhB in the presence of (a) NCFP-3, (b) NCFU-3, (c) NCFG-3 as photocatalyst




Figure S9. Time dependent UV-Vis spectra of degradation of RhB in the presence of (a) NCFP-4, (b) NCFU-4, (c) NCFG-4 as photocatalyst

Table S1. EDX analysis of NCFP-1 before and after use.

Elements	NCFP-1	
	Expt. mass % (before use)	Expt. Mass % (after use)
Ni	24.00	23.76
Fe	24.98	25.78
Cr	25.96	24.45
O	25.07	26.01