

**Supplementary Table S1. Multivariable-Adjusted Odds Ratios for 6-Month Mortality.**

Unadjusted Model (Race Only)	OR (95% CI)
Black race	1.98 (1.39-2.83)
Intercept	0.10 (0.09-0.12)
Adjusted Model 1 (Race and Age)	
Black race	2.17 (1.51-3.13)
Age, per year	1.09 (1.07-1.12)
Intercept	0.00 (0.00-0.00)
Adjusted Model 2 (Race, Age, and Clinical)	
Black race	1.70 (1.15-2.53)
Age, per year	1.07 (1.04-1.09)
Length of stay, per day	1.06 (1.04-1.09)
Sleep apnea	2.04 (1.35-3.09)
Peripheral artery disease	1.58 (1.12-2.22)
Initial hemoglobin	0.91 (0.86-0.98)
Heart rate, per bpm <sup>a</sup>	1.09 (1.01-1.17)
Glomerular filtration rate, per mL/min/1.73 m <sup>2</sup>	0.98 (0.98-0.99)
Revascularization <sup>b</sup>	0.61 (0.53-0.71)
Ejection fraction <sup>c</sup>	1.38 (1.21-1.57)
Intercept	0.00 (0.00-0.03)
Adjusted Model 3 (Race, Age, Clinical, and Functional)	
Black race	1.45 (0.97-2.18)
Age, per year	1.06 (1.03-1.09)
Length of stay, per day	1.05 (1.03-1.08)
Sleep apnea	1.95 (1.28-2.99)
Peripheral artery disease	1.50 (1.06-2.12)
Initial hemoglobin	0.95 (0.88-1.01)
Heart rate	1.08 (1.00-1.16)
Glomerular filtration rate, per mL/min/1.73 m <sup>2</sup>	0.99 (0.98-0.99)
Revascularization	0.65 (0.56-0.76)
Ejection fraction	1.34 (1.18-1.53)
Unintentional weight loss > 10 lbs. in past year	1.75 (1.31-2.34)
Hearing impairment	1.16 (1.00-1.35)
SF-12 score <sup>d</sup>	1.35 (1.16-1.56)
Mobility impairment	1.25 (1.08-1.44)
Intercept	0.00 (0.00-0.00)

<sup>a</sup>Heart rate categorized: <50, 50-69, 70-79, 80-89, 90-99, 100-109, 110-129, 130-149, ≥150 beats per minute.

<sup>b</sup>Revascularization categorized: not done, done without percutaneous intervention, done with percutaneous intervention, coronary artery bypass graft.

<sup>c</sup>Ejection fraction categorized: ≥50%, 40-49%, 30-39%, and <30%.

<sup>d</sup>SF-12 score categorized: excellent/very good, good, fair, and poor.