Abbreviated variable name	Full variable name (and indication of reverse-scoring of standardized mean)
Pain Domain	
Manikin: Head, neck, shoulder	Number of pain sites from the upper quarter of the body on the manikin
Neck familiar pain: palpation	Number of pain sites from the cervical region, replicating pain by history
Body familiar pain: palpation	Number of pain sites from the body below the cervical region, replicating pain by history
Body pain: palpation	Number of pain sites from the body below the cervical region
Neck pain: palpation	Number of pain sites from the cervical region
HA: pain days	Number of days of headache over prior 30 days
Manikin: torso, limbs	Number of pain sites from the torso and limbs on the manikin
HA: intensity	Headache: characteristic pain intensity from Graded Chronic Pain Scale
HA: interference	Headache: pain-related interference from Graded Chronic Pain Scale
HA: disability days	Headache: number of disability days from Graded Chronic Pain Scale
TMD Domain	
	Number of seincites and institute of
MM familiar pain: evoked	Number of pain sites, replicating pain by history, from either palpation or motion of
	masticatory muscles excluding temporalis
Non-specific jaw symptoms	Non-specific jaw symptoms
MM pain: evoked	Number of pain sites from either palpation or motion of masticatory muscles excluding
	temporalis
TMD: pain days	Number of days of TMD pain over prior 30 days
TMJ function	TMJ function by history, including clicking and locking
TSK: Somatic	Tampa Scale for Kinesiophobia-TMD: somatic focus
JFLS: Global	Jaw Functional Limitation Scale: global score
TSK: Activity	Tampa Scale for Kinesiophobia-TMD: activity avoidance
OBC: Total	Oral Behaviors Checklist: sum score
Pain-free opening	Pain-free opening of the jaw, mm (r)
TMD: intensity	TMD: characteristic pain intensity from Graded Chronic Pain Scale
Maximum opening	Maximum unassisted opening of the jaw, mm (r)
TMD: disability days	TMD: number of disability days from Graded Chronic Pain Scale
TMD: Interference	TMD: pain-related interference from Graded Chronic Pain Scale
QST Domain	•
PPT: temporalis	PPT: temporalis muscle (r)
PPT: trapezius	PPT: trapezius muscle (r)

Pinprick pain: threshold   Mechanical cutaneous pinprick: threshold (r)	PPT: tibialis	PPT: anterior tibialis muscle (r)
Heat pain: aftersensation Heat pain: rating of after-sensation (0-100)  Heat pain: AUC Heat pain: AUC of pain rating from 10-stimuli (0-100)  Pinprick pain: aftersensation Mechanical cutaneous pinprick: rating of after-sensation (0-100)  Heat pain: 10 stimuli Heat pain: pain rating after series of 10 stimuli (0-100)  Pinprick pain: 10 stimuli Heat pain: pain rating after series of 10 stimuli (0-100)  Heat pain: temporal summation Heat pain: temporal summation (0 to 100)  Heat pain: single stimulus Heat pain: pain rating following a single stimulus (0-100)  Heat pain: single stimulus Heat pain: pain rating following a single stimulus (0-100)  Heat pain: threshold Heat pain: threshold, "C (7)  Pinprick pain: temporal Mechanical cutaneous pinprick: temporal summation (-100 to 100)  Psychosocial Domain  SCL90R: Physical symptoms Symptom Checklist-90-Revised: Somatization subscale  PILL Pennebaker Index of Limbic Languidness  SCL90R: Depression Symptom Checklist-90-Revised: Depression subscale  POMS: Negative affect Profile of Mood States: negative affectivity  STALY State Trait Anxiety Inventory: trait scale  PSS Perceived Stress Scale-14  PTSD Modified Post-traumatic Stress Disorder Symptom Scale (MPSS)  CSQ: Catastrophizing Coping Strategies Questionnaire-Revised: Catastrophizing subscale  LES: sum score Life Experiences Survey: sum of negative impact scores  CSQ: Distraction Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Oping Praying Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Oping Strategies Questionnaire-Revised: Praying subscal	Pinprick pain: threshold	Mechanical cutaneous pinprick: threshold (r)
Heat pain: AUC Heat pain: AUC of pain rating from 10-stimuli (0-100)  Pinprick pain: aftersensation Mechanical cutaneous pinprick: rating of after-sensation (0-100) Heat pain: 10 stimuli Heat pain: pain rating after series of 10 stimuli (0-100) Pinprick pain: 10 stimuli Heat pain: pain rating after series of 10 stimuli (0-100) Heat pain: temporal summation Heat pain: temporal summation Heat pain: temporal summation Heat pain: single stimulus Heat pain: pain rating following a single stimulus (0-100) Heat pain: tolerance Heat pain: threshold Heat pain: threshold, "C (r) Pinprick pain: temporal Mechanical cutaneous pinprick: temporal summation (-100 to 100)  Psychosocial Domain  SCL90R: Physical symptoms Symptom Checklist-90-Revised: Somatization subscale PILL Pennebaker Index of Limbic Languidness SCL90R: Depression Symptom Checklist-90-Revised: Depression subscale POMS: Negative affect Profile of Mood States: negative affectivity STAL-Y State Trait Anxiety Inventory: trait scale PSS Perceived Stress Scale-14 PTSD Modified Post-traumatic Stress Disorder Symptom Scale (MPSS) CSQ: Catastrophizing Coping Strategies Questionnaire-Revised: Catastrophizing subscale LEs: sum score Life Experiences Survey: sum of negative impact scores CSQ: Distraction Coping Strategies Questionnaire-Revised: Distraction subscale CSQ: Coping Coping Strategies Questionnaire-Revised: Distraction subscale CSQ: Coping Coping Strategies Questionnaire-Revised: Praying subscale CSQ: Oping Coping Strategies Questionnaire-Revised: Praying subscale CSQ: Praying PROMIS Fatigue Score Health Domain Fatigue PROMIS Fatigue score Health Conditions Pittsburgh Sleep Quality Index total score for sleep disturbance	Pinprick pain: single stimulus	Mechanical cutaneous pinprick: pain rating following a single stimulus (0-100)
Pinprick pain: aftersensation Mechanical cutaneous pinprick: rating of after-sensation (0-100)  Heat pain: 10 stimuli Heat pain: pain rating after series of 10 stimuli (0-100)  Pinprick pain: 10 stimuli Mechanical cutaneous pinprick: pain rating after series of 10 stimuli (0-100)  Heat pain: temporal summation Heat pain: temporal summation (0 to 100)  Heat pain: single stimulus Heat pain: pain rating following a single stimulus (0-100)  Heat pain: single stimulus Heat pain: tolerance (*C (r))  Heat pain: threshold Heat pain: threshold, *C (r)  Pinprick pain: temporal Mechanical cutaneous pinprick: temporal summation (-100 to 100)  Psychosocial Domain  SCL90R: Physical symptoms Symptom Checklist-90-Revised: Somatization subscale  PILL Pennebaker Index of Limbic Languidness  SCL90R: Depression Symptom Checklist-90-Revised: Depression subscale  POMS: Negative affect Profile of Mood States: negative affectivity  STAI-Y State Trait Anxiety Inventory: trait scale  PSS Perceived Stress Scale-14  PTSD Modified Post-traumatic Stress Disorder Symptom Scale (MPSS)  CSQ: Catastrophizing Coping Strategies Questionnaire-Revised: Catastrophizing subscale  LES: sum score Life Experiences Survey: sum of negative impact scores  CSQ: Distraction Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Distraction Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Graying Coping Strategies Questionnaire-Revised: Praying subscale  Health Domain  Fatigue PROMIS Fatigue score  Health Conditions Number of health conditions  PSQI: total Pittsburgh Sleep Quality Index total score for sleep disturbance	Heat pain: aftersensation	Heat pain: rating of after-sensation (0-100)
Heat pain: 10 stimuli Heat pain: pain rating after series of 10 stimuli (0-100)  Pinprick pain: 10 stimuli Mechanical cutaneous pinprick: pain rating after series of 10 stimuli (0-100)  Heat pain: temporal summation Heat pain: temporal summation (0 to 100)  Heat pain: single stimulus Heat pain: pain rating following a single stimulus (0-100)  Heat pain: tolerance Heat pain: tolerance, "C (r)  Heat pain: threshold Heat pain: threshold, "C (r)  Pinprick pain: temporal Mechanical cutaneous pinprick: temporal summation (-100 to 100)  **Psychosocial Domain**  SCL90R: Physical symptoms Symptom Checklist-90-Revised: Somatization subscale  PILL Pennebaker Index of Limbic Languidness  SCL90R: Depression Symptom Checklist-90-Revised: Depression subscale  POMS: Negative affect Profile of Mood States: negative affectivity  STAI-Y State Trait Anxiety Inventory: trait scale  PSS Perceived Stress Scale-14  PTSD Modified Post-traumatic Stress Disorder Symptom Scale (MPSS)  CSQ: Catastrophizing Coping Strategies Questionnaire-Revised: Catastrophizing subscale  LES: sum score Life Experiences Survey: sum of negative impact scores  CSQ: Distraction Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Oping Coping Strategies Questionnaire-Revised: Oping statements subscale  CSQ: Gnore Pain Coping Strategies Questionnaire-Revised: Praying subscale  Health Domain  Fatigue PROMIS Fatigue score  Health Conditions Number of health conditions  PSQI: total Pittsburgh Sleep Quality Index total score for sleep disturbance	Heat pain: AUC	Heat pain: AUC of pain rating from 10-stimuli (0-100)
Pinprick pain: 10 stimuli Mechanical cutaneous pinprick: pain rating after series of 10 stimuli (0-100)  Heat pain: temporal summation Heat pain: temporal summation (0 to 100)  Heat pain: single stimulus Heat pain: pain rating following a single stimulus (0-100)  Heat pain: tolerance Heat pain: tolerance, "C (r)  Heat pain: threshold Heat pain: threshold, "C (r)  Pinprick pain: temporal Mechanical cutaneous pinprick: temporal summation (-100 to 100)  summation  Psychosocial Domain  SCL90R: Physical symptoms Symptom Checklist-90-Revised: Somatization subscale  PILL Pennebaker Index of Limbic Languidness  SCL90R: Depression Symptom Checklist-90-Revised: Depression subscale  POMS: Negative affect Profile of Mood States: negative affectivity  STAI-Y State Trait Anxiety Inventory: trait scale  PSS Perceived Stress Scale-14  PTSD Modified Post-traumatic Stress Disorder Symptom Scale (MPSS)  CSQ: Catastrophizing Coping Strategies Questionnaire-Revised: Catastrophizing subscale  LES: sum score Uffe Experiences Survey: sum of negative impact scores  CSQ: Distraction Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Coping Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Coping Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Coping Coping Strategies Questionnaire-Revised: Praying subscale  CSQ: Praying Coping Strategies Questionnaire-Revised: Praying subscale  Health Domain  Pittsburgh Sleep Quality Index total score for sleep disturbance	Pinprick pain: aftersensation	Mechanical cutaneous pinprick: rating of after-sensation (0-100)
Heat pain: temporal summation Heat pain: single stimulus Heat pain: pain rating following a single stimulus (0-100) Heat pain: tolerance Heat pain: tolerance Heat pain: tolerance Heat pain: threshold Heat pain: threshold Heat pain: threshold Pinprick pain: temporal Mechanical cutaneous pinprick: temporal summation (-100 to 100)  **Symptom Checklist-90-Revised: Somatization subscale Pill Pennebaker Index of Limbic Languidness SCL90R: Physical symptoms Symptom Checklist-90-Revised: Somatization subscale POMS: Negative affect Profile of Mood States: negative affectivity  **Stal-Y** State Trait Anxiety Inventory: trait scale PSS Perceived Stress Scale-14 PTSD Modified Post-traumatic Stress Disorder Symptom Scale (MPSS)  CSQ: Catastrophizing Coping Strategies Questionnaire-Revised: Catastrophizing subscale LES: sum score Ufe Experiences Survey: sum of negative impact scores CSQ: Distraction Coping Strategies Questionnaire-Revised: Distraction subscale CSQ: Coping Coping Strategies Questionnaire-Revised: Distraction subscale CSQ: Coping Coping Strategies Questionnaire-Revised: Distraction subscale CSQ: Coping Coping Strategies Questionnaire-Revised: Praying subscale CSQ: Coping Coping Strategies Questionnaire-Revised: Praying subscale CSQ: Praying Coping Strategies Questionnaire-Revised: Praying subscale Health Domain Fatigue PROMIS Fatigue score Health Conditions Number of health conditions PSQI: total Pittsburgh Sleep Quality Index total score for sleep disturbance	Heat pain: 10 stimuli	Heat pain: pain rating after series of 10 stimuli (0-100)
Heat pain: single stimulus Heat pain: pain rating following a single stimulus (0-100)  Heat pain: tolerance Heat pain: tolerance, "C (r)  Heat pain: threshold Heat pain: threshold, "C (r)  Pinprick pain: temporal Mechanical cutaneous pinprick: temporal summation (-100 to 100)  **Psychosocial Domain**  SCL90R: Physical symptoms Symptom Checklist-90-Revised: Somatization subscale  PILL Pennebaker Index of Limbic Languidness  SCL90R: Depression Symptom Checklist-90-Revised: Depression subscale  POMS: Negative affect Profile of Mood States: negative affectivity  STAI-Y State Trait Anxiety Inventory: trait scale  PSS Perceived Stress Scale-14  PTSD Modified Post-traumatic Stress Disorder Symptom Scale (MPSS)  CSQ: Catastrophizing Coping Strategies Questionnaire-Revised: Catastrophizing subscale  LES: sum score Life Experiences Survey: sum of negative impact scores  CSQ: Distraction Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Oping Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Coping Coping Strategies Questionnaire-Revised: Ignoring Pain subscale  CSQ: Oping Coping Strategies Questionnaire-Revised: Praying subscale  Health Domain  Fatigue PROMIS Fatigue score  Health Conditions Number of health conditions  PSQ: total Pittsburgh Sleep Quality Index total score for sleep disturbance	Pinprick pain: 10 stimuli	Mechanical cutaneous pinprick: pain rating after series of 10 stimuli (0-100)
Heat pain: tolerance Heat pain: tolerance, "C (r) Heat pain: threshold Heat pain: threshold, "C (r) Pinprick pain: temporal Mechanical cutaneous pinprick: temporal summation (-100 to 100)  **Psychosocial Domain**  **SCL90R: Physical symptoms**  **Symptom Checklist-90-Revised: Somatization subscale**  **PILL Pennebaker Index of Limbic Languidness**  **SCL90R: Depression Symptom Checklist-90-Revised: Depression subscale**  **POMS: Negative affect Profile of Mood States: negative affectivity**  **STAI-Y State Trait Anxiety Inventory: trait scale**  **PSS Perceived Stress Scale-14**  **PTSD Modified Post-traumatic Stress Disorder Symptom Scale (MPSS)**  **CSQ: Catastrophizing Coping Strategies Questionnaire-Revised: Catastrophizing subscale**  **LES: sum score Life Experiences Survey: sum of negative impact scores**  **CSQ: Distancing Coping Strategies Questionnaire-Revised: Distancing subscale**  **CSQ: Coping Coping Strategies Questionnaire-Revised: Distraction subscale**  **CSQ: Coping Coping Strategies Questionnaire-Revised: Distraction subscale**  **CSQ: Goping Coping Strategies Questionnaire-Revised: Praying Pain subscale**  **CSQ: Praying Coping Strategies Questionnaire-Revised: Praying subscale**  **CSQ: Praying PROMIS Fatigue score**  **Health Domain**  **Fatigue PROMIS Fatigue score**  **PILL PROMIS Fatigu	Heat pain: temporal summation	Heat pain: temporal summation (0 to 100)
Heat pain: threshold Heat pain: threshold, "C (r)  Pinprick pain: temporal summation  Mechanical cutaneous pinprick: temporal summation (-100 to 100)  Psychosocial Domain  SCL90R: Physical symptoms Symptom Checklist-90-Revised: Somatization subscale  PILL Pennebaker Index of Limbic Languidness  SCL90R: Depression Symptom Checklist-90-Revised: Depression subscale  POMS: Negative affect Profile of Mood States: negative affectivity  STAI-Y State Trait Anxiety Inventory: trait scale  PSS Perceived Stress Scale-14  PTSD Modified Post-traumatic Stress Disorder Symptom Scale (MPSS)  CSQ: Catastrophizing Coping Strategies Questionnaire-Revised: Catastrophizing subscale  LES: sum score Life Experiences Survey: sum of negative impact scores  CSQ: Distancing Coping Strategies Questionnaire-Revised: Distancing subscale  CSQ: Coping Coping Strategies Questionnaire-Revised: Distanction subscale  CSQ: Coping Coping Strategies Questionnaire-Revised: Coping statements subscale  CSQ: Paying Coping Strategies Questionnaire-Revised: Praying subscale  Health Domain  Fatigue PROMIS Fatigue score  Health Conditions Number of health conditions  PSQ: total Pittsburgh Sleep Quality Index total score for sleep disturbance	Heat pain: single stimulus	Heat pain: pain rating following a single stimulus (0-100)
Pinprick pain: temporal summation  Psychosocial Domain  SCL90R: Physical symptoms Symptom Checklist-90-Revised: Somatization subscale  PILL Pennebaker Index of Limbic Languidness  SCL90R: Depression Symptom Checklist-90-Revised: Depression subscale  POMS: Negative affect Profile of Mood States: negative affectivity  STAI-Y State Trait Anxiety Inventory: trait scale  PSS Perceived Stress Scale-14  PTSD Modified Post-traumatic Stress Disorder Symptom Scale (MPSS)  CSQ: Catastrophizing Coping Strategies Questionnaire-Revised: Catastrophizing subscale  LES: sum score Life Experiences Survey: sum of negative impact scores  CSQ: Distancing Coping Strategies Questionnaire-Revised: Distancing subscale  CSQ: Opistraction Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Coping Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Gping Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Ignore Pain Coping Strategies Questionnaire-Revised: Praying subscale  CSQ: Praying Coping Strategies Questionnaire-Revised: Praying subscale  Health Domain  Fatigue PROMIS Fatigue score  Health Conditions Number of health conditions  PSQI: total Pittsburgh Sleep Quality Index total score for sleep disturbance	Heat pain: tolerance	Heat pain: tolerance, °C (r)
Psychosocial Domain  SCL90R: Physical symptoms Symptom Checklist-90-Revised: Somatization subscale  PILL Pennebaker Index of Limbic Languidness  SCL90R: Depression Symptom Checklist-90-Revised: Depression subscale  POMS: Negative affect Profile of Mood States: negative affectivity  STAI-Y State Trait Anxiety Inventory: trait scale  PSS Perceived Stress Scale-14  PTSD Modified Post-traumatic Stress Disorder Symptom Scale (MPSS)  CSQ: Catastrophizing Coping Strategies Questionnaire-Revised: Catastrophizing subscale  LES: sum score Life Experiences Survey: sum of negative impact scores  CSQ: Distraction Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Opistraction Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Coping Coping Strategies Questionnaire-Revised: Insurance Pain Coping Strategies Questionnaire-Revised: Praying subscale  CSQ: Praying Coping Strategies Questionnaire-Revised: Praying subscale  Health Domain  Fatigue PROMIS Fatigue score  Health Conditions Number of health conditions  PSQI: total Pittsburgh Sleep Quality Index total score for sleep disturbance	Heat pain: threshold	Heat pain: threshold, °C (r)
Psychosocial Domain  SCL90R: Physical symptoms Symptom Checklist-90-Revised: Somatization subscale  PILL Pennebaker Index of Limbic Languidness  SCL90R: Depression Symptom Checklist-90-Revised: Depression subscale  POMS: Negative affect Profile of Mood States: negative affectivity  STAL-Y State Trait Anxiety Inventory: trait scale  PSS Perceived Stress Scale-14  PTSD Modified Post-traumatic Stress Disorder Symptom Scale (MPSS)  CSQ: Catastrophizing Coping Strategies Questionnaire-Revised: Catastrophizing subscale  LES: sum score Life Experiences Survey: sum of negative impact scores  CSQ: Distancing Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Distraction Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Coping Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Ignore Pain Coping Strategies Questionnaire-Revised: Ignoring Pain subscale  CSQ: Praying Coping Strategies Questionnaire-Revised: Praying subscale  Health Domain  Fatigue PROMIS Fatigue score  Health Conditions Number of health conditions  PSQI: total Pittsburgh Sleep Quality Index total score for sleep disturbance	Pinprick pain: temporal	Mechanical cutaneous pinprick: temporal summation (-100 to 100)
SCL90R: Physical symptoms  Symptom Checklist-90-Revised: Somatization subscale  Pennebaker Index of Limbic Languidness  SCL90R: Depression  Symptom Checklist-90-Revised: Depression subscale  POMS: Negative affect  Profile of Mood States: negative affectivity  STAI-Y  State Trait Anxiety Inventory: trait scale  PSS  Perceived Stress Scale-14  PTSD  Modified Post-traumatic Stress Disorder Symptom Scale (MPSS)  CSQ: Catastrophizing  Coping Strategies Questionnaire-Revised: Catastrophizing subscale  LES: sum score  Life Experiences Survey: sum of negative impact scores  CSQ: Distancing  Coping Strategies Questionnaire-Revised: Distancing subscale  CSQ: Distraction  Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Oping  Coping Strategies Questionnaire-Revised: Ignoring Pain subscale  CSQ: Ignore Pain  Coping Strategies Questionnaire-Revised: Praying subscale  Health Domain  Fatigue  PROMIS Fatigue score  Health Conditions  Number of health conditions  PSQ: total  Pittsburgh Sleep Quality Index total score for sleep disturbance	summation	
PILL Pennebaker Index of Limbic Languidness  SCL90R: Depression Symptom Checklist-90-Revised: Depression subscale  POMS: Negative affect Profile of Mood States: negative affectivity  STAI-Y State Trait Anxiety Inventory: trait scale  PSS Perceived Stress Scale-14  PTSD Modified Post-traumatic Stress Disorder Symptom Scale (MPSS)  CSQ: Catastrophizing Coping Strategies Questionnaire-Revised: Catastrophizing subscale  LES: sum score Life Experiences Survey: sum of negative impact scores  CSQ: Distancing Coping Strategies Questionnaire-Revised: Distancing subscale  CSQ: Distraction Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Coping Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Ignore Pain Coping Strategies Questionnaire-Revised: Ignoring Pain subscale  CSQ: Praying Coping Strategies Questionnaire-Revised: Praying subscale  Health Domain  Fatigue PROMIS Fatigue score  Health Conditions Number of health conditions  PSQI: total Pittsburgh Sleep Quality Index total score for sleep disturbance	Psychosocial Domain	
SCL90R: Depression  Symptom Checklist-90-Revised: Depression subscale  POMS: Negative affect  Profile of Mood States: negative affectivity  STAI-Y  State Trait Anxiety Inventory: trait scale  PSS  Perceived Stress Scale-14  PTSD  Modified Post-traumatic Stress Disorder Symptom Scale (MPSS)  CSQ: Catastrophizing  Coping Strategies Questionnaire-Revised: Catastrophizing subscale  LES: sum score  Life Experiences Survey: sum of negative impact scores  CSQ: Distancing  Coping Strategies Questionnaire-Revised: Distancing subscale  CSQ: Distraction  Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Coping  Coping Strategies Questionnaire-Revised: Coping statements subscale  CSQ: Ignore Pain  Coping Strategies Questionnaire-Revised: Ignoring Pain subscale  CSQ: Praying  Coping Strategies Questionnaire-Revised: Praying subscale  Health Domain  Fatigue  PROMIS Fatigue score  Health Conditions  Number of health conditions  PSQI: total  Pittsburgh Sleep Quality Index total score for sleep disturbance	SCL90R: Physical symptoms	Symptom Checklist-90-Revised: Somatization subscale
POMS: Negative affect Profile of Mood States: negative affectivity  STAI-Y State Trait Anxiety Inventory: trait scale PSS Perceived Stress Scale-14  PTSD Modified Post-traumatic Stress Disorder Symptom Scale (MPSS)  CSQ: Catastrophizing Coping Strategies Questionnaire-Revised: Catastrophizing subscale  LES: sum score Life Experiences Survey: sum of negative impact scores  CSQ: Distancing Coping Strategies Questionnaire-Revised: Distancing subscale  CSQ: Distraction Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Coping Coping Strategies Questionnaire-Revised: Coping statements subscale  CSQ: Ignore Pain Coping Strategies Questionnaire-Revised: Ignoring Pain subscale  CSQ: Praying Coping Strategies Questionnaire-Revised: Praying subscale  Health Domain  Fatigue PROMIS Fatigue score  Health Conditions Number of health conditions PSQI: total Pittsburgh Sleep Quality Index total score for sleep disturbance	PILL	Pennebaker Index of Limbic Languidness
STAI-Y  State Trait Anxiety Inventory: trait scale  PSS  Perceived Stress Scale-14  PTSD  Modified Post-traumatic Stress Disorder Symptom Scale (MPSS)  CSQ: Catastrophizing  Coping Strategies Questionnaire-Revised: Catastrophizing subscale  LES: sum score  Life Experiences Survey: sum of negative impact scores  CSQ: Distancing  Coping Strategies Questionnaire-Revised: Distancing subscale  CSQ: Distraction  Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Coping  Coping Strategies Questionnaire-Revised: Coping statements subscale  CSQ: Ignore Pain  Coping Strategies Questionnaire-Revised: Ignoring Pain subscale  CSQ: Praying  Coping Strategies Questionnaire-Revised: Praying subscale  Health Domain  Fatigue  PROMIS Fatigue score  Health Conditions  Number of health conditions  PSQI: total  Pittsburgh Sleep Quality Index total score for sleep disturbance	SCL90R: Depression	Symptom Checklist-90-Revised: Depression subscale
PSS Perceived Stress Scale-14  PTSD Modified Post-traumatic Stress Disorder Symptom Scale (MPSS)  CSQ: Catastrophizing Coping Strategies Questionnaire-Revised: Catastrophizing subscale  LES: sum score Life Experiences Survey: sum of negative impact scores  CSQ: Distancing Coping Strategies Questionnaire-Revised: Distancing subscale  CSQ: Distraction Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Coping Coping Strategies Questionnaire-Revised: Coping statements subscale  CSQ: Ignore Pain Coping Strategies Questionnaire-Revised: Ignoring Pain subscale  CSQ: Praying Coping Strategies Questionnaire-Revised: Praying subscale  Health Domain  Fatigue PROMIS Fatigue score  Health Conditions Number of health conditions  PSQI: total Pittsburgh Sleep Quality Index total score for sleep disturbance	POMS: Negative affect	Profile of Mood States: negative affectivity
PTSD Modified Post-traumatic Stress Disorder Symptom Scale (MPSS)  CSQ: Catastrophizing Coping Strategies Questionnaire-Revised: Catastrophizing subscale  LES: sum score Life Experiences Survey: sum of negative impact scores  CSQ: Distancing Coping Strategies Questionnaire-Revised: Distancing subscale  CSQ: Distraction Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Coping Coping Strategies Questionnaire-Revised: Coping statements subscale  CSQ: Ignore Pain Coping Strategies Questionnaire-Revised: Ignoring Pain subscale  CSQ: Praying Coping Strategies Questionnaire-Revised: Praying subscale  Health Domain  Fatigue PROMIS Fatigue score  Health Conditions Number of health conditions  PSQI: total Pittsburgh Sleep Quality Index total score for sleep disturbance	STAI-Y	State Trait Anxiety Inventory: trait scale
CSQ: Catastrophizing  Coping Strategies Questionnaire-Revised: Catastrophizing subscale  LES: sum score  Life Experiences Survey: sum of negative impact scores  CSQ: Distancing  Coping Strategies Questionnaire-Revised: Distancing subscale  CSQ: Distraction  Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Coping  Coping Strategies Questionnaire-Revised: Coping statements subscale  CSQ: Ignore Pain  Coping Strategies Questionnaire-Revised: Ignoring Pain subscale  CSQ: Praying  Coping Strategies Questionnaire-Revised: Praying subscale  Health Domain  Fatigue  PROMIS Fatigue score  Health Conditions  Number of health conditions  PSQI: total  Pittsburgh Sleep Quality Index total score for sleep disturbance	PSS	Perceived Stress Scale-14
LES: sum score  Life Experiences Survey: sum of negative impact scores  CSQ: Distancing  Coping Strategies Questionnaire-Revised: Distancing subscale  CSQ: Distraction  Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Coping  Coping Strategies Questionnaire-Revised: Coping statements subscale  CSQ: Ignore Pain  Coping Strategies Questionnaire-Revised: Ignoring Pain subscale  CSQ: Praying  Coping Strategies Questionnaire-Revised: Praying subscale  Health Domain  Fatigue  PROMIS Fatigue score  Health Conditions  Number of health conditions  PSQI: total  Pittsburgh Sleep Quality Index total score for sleep disturbance	PTSD	Modified Post-traumatic Stress Disorder Symptom Scale (MPSS)
CSQ: Distancing  Coping Strategies Questionnaire-Revised: Distancing subscale  CSQ: Distraction  Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Coping  Coping Strategies Questionnaire-Revised: Coping statements subscale  CSQ: Ignore Pain  Coping Strategies Questionnaire-Revised: Ignoring Pain subscale  CSQ: Praying  Coping Strategies Questionnaire-Revised: Praying subscale  Health Domain  Fatigue  PROMIS Fatigue score  Health Conditions  Number of health conditions  PSQI: total  Pittsburgh Sleep Quality Index total score for sleep disturbance	CSQ: Catastrophizing	Coping Strategies Questionnaire-Revised: Catastrophizing subscale
CSQ: Distraction  Coping Strategies Questionnaire-Revised: Distraction subscale  CSQ: Coping  Coping Strategies Questionnaire-Revised: Coping statements subscale  CSQ: Ignore Pain  Coping Strategies Questionnaire-Revised: Ignoring Pain subscale  CSQ: Praying  Coping Strategies Questionnaire-Revised: Praying subscale  Health Domain  Fatigue  PROMIS Fatigue score  Health Conditions  Number of health conditions  PSQI: total  Pittsburgh Sleep Quality Index total score for sleep disturbance	LES: sum score	Life Experiences Survey: sum of negative impact scores
CSQ: Coping Coping Strategies Questionnaire-Revised: Coping statements subscale  CSQ: Ignore Pain Coping Strategies Questionnaire-Revised: Ignoring Pain subscale  CSQ: Praying Coping Strategies Questionnaire-Revised: Praying subscale  Health Domain  Fatigue PROMIS Fatigue score  Health Conditions Number of health conditions  PSQI: total Pittsburgh Sleep Quality Index total score for sleep disturbance	CSQ: Distancing	Coping Strategies Questionnaire-Revised: Distancing subscale
CSQ: Ignore Pain  Coping Strategies Questionnaire-Revised: Ignoring Pain subscale  CSQ: Praying  Coping Strategies Questionnaire-Revised: Praying subscale  Health Domain  Fatigue  PROMIS Fatigue score  Health Conditions  Number of health conditions  PSQI: total  Pittsburgh Sleep Quality Index total score for sleep disturbance	CSQ: Distraction	Coping Strategies Questionnaire-Revised: Distraction subscale
CSQ: Praying Coping Strategies Questionnaire-Revised: Praying subscale  Health Domain  Fatigue PROMIS Fatigue score  Health Conditions Number of health conditions  PSQI: total Pittsburgh Sleep Quality Index total score for sleep disturbance	CSQ: Coping	Coping Strategies Questionnaire-Revised: Coping statements subscale
Health Domain  Fatigue PROMIS Fatigue score  Health Conditions Number of health conditions  PSQI: total Pittsburgh Sleep Quality Index total score for sleep disturbance	CSQ: Ignore Pain	Coping Strategies Questionnaire-Revised: Ignoring Pain subscale
Fatigue PROMIS Fatigue score  Health Conditions Number of health conditions  PSQI: total Pittsburgh Sleep Quality Index total score for sleep disturbance	CSQ: Praying	Coping Strategies Questionnaire-Revised: Praying subscale
Health Conditions  Number of health conditions  PSQI: total  Pittsburgh Sleep Quality Index total score for sleep disturbance	Health Domain	
PSQI: total Pittsburgh Sleep Quality Index total score for sleep disturbance	Fatigue	PROMIS Fatigue score
	Health Conditions	Number of health conditions
SF12v2: Mental SF12-version2: Mental Composite Summary	PSQI: total	Pittsburgh Sleep Quality Index total score for sleep disturbance
	SF12v2: Mental	SF12-version2: Mental Composite Summary

SF12v2: Physical	SF12-version2: Physical Composite Summary
Allergies	Number of allergies
SBP	Systolic blood pressure
Heart rate	Heart rate
DBP	Diastolic blood pressure
Sleeping hours	Number hours of sleep
BMI	Body mass index (kg/m²)

MM: masticatory muscle
PPT: pressure pain threshold
TMJ: temporomandibular joint
TMD: temporomandibular disorder

(r): reverse scoring