

human reproduction **SUPPLEMENTARY DATA**

Supplementary Table SI Reasons for record censoring in the Study I cohort, which was sampled to evaluate the association between BMI and chance of pregnancy.

| | BMI category (kg/m ²) | | | | | |
|--|-----------------------------------|-----------------------------------|---------------------------------------|--|---|--|
| | Total N = 9955 | Normal (18.5–24.9) N = 2362 | Overweight (25.0–29.9) N = 2068 | Obesity class I (30.0–34.9) N = 2129 | Obesity class II (35.0–39.9) N = 1768 | Obesity class III (≥40) N = 1628 |
| Pregnancy, n (%) | 1720 (17.3) | 492 (20.8) | 418 (20.2) | 355 (16.7) | 272 (15.4) | 183 (11.2) |
| Prescription for contraceptives, n (%) | 3645 (36.6) | 974 (41.2) | 826 (39.9) | 796 (37.4) | 596 (33.7) | 453 (27.8) |
| Prescription for ovulation-inducing drugs, n (%) | 342 (3.4) | 113 (4.8) | 76 (3.7) | 68 (3.2) | 62 (3.5) | 23 (1.4) |
| Record end, n (%) | 2406 (24.2) | 578 (24.5) | 442 (21.4) | 518 (24.3) | 423 (23.9) | 445 (27.3) |
| Study end, n (%) | 2184 (21.9) | 318 (13.5) | 382 (18.5) | 460 (21.6) | 477 (27.0) | 547 (33.6) |