

	Title	Status	Study Results	Conditions	Interventions	Locations
1	<a href="#">Curcumin and Piperine in Reducing Inflammation for Ureteral Stent-Induced Symptoms in Patients With Cancer</a>	Active, not recruiting	No Results Available	<ul style="list-style-type: none"><li>•Bladder Spasm</li><li>•Malignant Neoplasm</li><li>•Pain</li><li>•Urinary Urgency</li></ul>	<ul style="list-style-type: none"><li>•Drug: Curcumin</li><li>•Other: Laboratory Biomarker Analysis</li><li>•Dietary Supplement: Piperine Extract (Standardized)</li><li>•Other: Quality-of-Life Assessment</li></ul>	<ul style="list-style-type: none"><li>•Mayo Clinic, Rochester, Minnesota, United States</li></ul>
2	<a href="#">Curcumin and Piperine in Patients on Surveillance for Monoclonal Gammopathy, Smoldering Myeloma or Prostate Cancer</a>	Recruiting	No Results Available	<ul style="list-style-type: none"><li>•Prostate Cancer</li><li>•Multiple Myeloma</li><li>•Smoldering Multiple Myeloma (SMM)</li><li>•Monoclonal Gammopathy of Undetermined Significance</li></ul>	<ul style="list-style-type: none"><li>•Drug: Curcumin plus Piperine</li></ul>	<ul style="list-style-type: none"><li>•University of Rochester, Rochester, New York, United States</li></ul>