



Published in final edited form as:

J Health Soc Behav. 2022 June ; 63(2): 191–209. doi:10.1177/00221465221086532.

Analytic Advances in Social Networks and Health in the 21st Century

Alexander Chapman⁽¹⁾, Ashton M. Verdery⁽¹⁾, James Moody⁽²⁾

⁽¹⁾The Pennsylvania State University

⁽²⁾Duke University

Abstract

The study of social networks is increasingly central to health research, for medical sociologists and scholars in other fields. Here, we review the innovations in theory, substance, data collection, and methodology that have propelled the study of social networks and health from a niche subfield to the center of larger sociological and scientific debates. In particular, we contextualize the broader history of network analysis and its connections to health research, concentrating on work beginning in the late 1990s, much of it in this journal. Using bibliometric and network visualization approaches, we examine the subfield's evolution over this period in terms of topics, trends, key debates, and core insights. We conclude by reflecting on persistent challenges and areas of innovation shaping the study of social networks and health and its intersection with medical sociology in the coming years.

Social Networks and Health in the 21st Century

Scholars increasingly recognize that interactions, personal relationships, and social networks are crucial to understanding all manner of health phenomena. However, little research simultaneously studied social networks and health until late in the 20th century, despite long traditions formally studying either social networks (Moreno 1934; Simmel 1902)¹ or health (Graunt 1662; Snow 1855). During the 1990s and early 2000s, stimulated in part by funding and interest in the HIV/AIDS epidemic, sociologists led several key innovations at the intersection of research on social networks and health, building a new scholarly paradigm.

Since 2000, twice as large a proportion of health articles in academic journals reference networks and the number of articles addressing both social networks and health has sextupled; growing quicker than general academic or sociological publishing over the period. Likewise, the total value of grants and contracts awarded to network studies by the National Science Foundation (NSF) and National Institutes of Health has increased ten-fold, also faster than total awards or sociological awards (Figure 1). Prior to 1990, empirical studies of networks primarily addressed topics in organizational sociology (e.g., Granovetter 1973), demography (e.g., Bott 1955), community organization (e.g., Fischer 1982; Wellman 1979), and diffusion of innovations (Rogers 1962). Though there are notable exceptions

¹Research on graph theoretic problems in social systems predates the application of such ideas to interpersonal contacts (e.g., Euler 1741).

(e.g., Berkman and Syme 1979; Cobb 1976; Kandel 1975), few network studies addressed health. However, early innovations in social network research, including methodological works (e.g., Frank and Strauss 1986), brought new and growing attention to the topic. For example, of the 58,000 articles that cite Granovetter's work on the "strength of weak ties" (1973), more than 50,000 post-date 2000 (based on our analysis of Google Scholar data²).

Our thesis is that sociologists were essential to the turning point in social networks and health scholarship in the 1990s and early 2000s. We base this argument on close reading and bibliometric and network visualization analyses of publication, citation, and funding data from numerous sources that allow us to examine the condition of social networks and health research before the late 1990s and its evolution since. We review innovations in theory, substance, data, measurement, and modeling that made such advances possible. The expansion of social networks and health research continues unabated, as there is growing interest in and ability to study social networks and health. Furthermore, once-in-a-century health crises such as coronavirus disease – 2019 (COVID-19) demand additional attention to the relationships between social networks and health, most directly in terms of disease diffusion, the diffusion of (and opposition to) disease mitigation behaviors and policies (e.g., masking and vaccinations), and the effects of social isolation on any number of health outcomes (Pfefferbaum and North 2020). The current period is timely for reflecting on developments during the last three decades and highlighting current challenges and opportunities. Such an effort clarifies where medical sociologists could contribute new insights to the broader scientific community as well as where they could look to import some ideas.

Social Networks and Health: pre-1990

Fifty years ago, little scholarship linked social networks and health (Berkman et al. 2000), which is surprising because early developments in social network analysis concentrated on mental health (Loomis 1941; Moreno 1934) and important mid-century publications deeply connected the concepts (Festinger 1954; Makowsky 1969; Rogers 1962). Much of this work was sociological, but social networks and health scholarship had yet to achieve a broad and lasting purchase in the health sciences more generally.

Preludes to Integrating Social Networks and Health

The 1970s were a key launching point for the widespread use of social network approaches, marked by institution-building (e.g., founding the International Network for Social Network Analysis in 1977), theory expansion (e.g., Granovetter 1973; Wellman 1979), conceptual advances regarding the distinction between selection and influence (Kandel 1975), and breakthrough theories pointing to networks and health linking mechanisms (e.g., Berkman and Syme 1979; Cobb 1976). Despite this activity, the volume of research on social networks and health was scant compared to today. Web of Science and Google Scholar

²-Google Scholar has higher citation counts than other sources (e.g., Web of Science or Scopus) because it indexes dissertations, reports, books, and non-English items with superior coverage, though counts from these three sources are highly correlated across fields (Martín-Martín et al. 2018). An analysis of all articles published in a sociological journal found that the linear relationship between Google Scholar and Web of Science citation counts was $GS = 24.84 + 1.976 \times WoS$ in that field (Alwin and Verdery 2019).

data suggest there were only 16 papers published on both social networks and health between 1970 and 1979³. The influence of these papers is substantial but grew slowly at first and surged in subsequent decades. Take, for example, Sidney Cobb's (1976) Presidential Address to the American Psychosomatic Society about how social support moderates stress. The article has, as of our writing, 10,500 citations according to Google Scholar, and, as a measure of its secondary impact, more than 100 of its citing articles have 1,000 citations or more (such as several prominent works by sociologists James House and Debra Umberson [House 1984; House, Landis, and Umberson 1988; House, Umberson, and Landis 1988; Umberson 1987] and Cohen and Willis's social buffering hypothesis [1985], which itself has over 18,000 citations). However, this impact was slow to build. Only 115 articles cited Cobb's address in the 1970s; 1,610 cited it in the 1980s; 1,460 in the 1990s; 2,200 in the 2000s; and over 5,000 have cited it in the past decade.

The 1980s were also a time of foundational social networks scholarship that produced important contributions to network theory (e.g., Coleman 1988; Wellman and Wortley 1990) and methods (e.g., Frank and Strauss 1986; Holland and Leinhardt 1981; Wasserman 1980). Sociologists made many of these contributions, paving the way for the development of a social networks and health focused literature. Sociologist James Coleman's (1988) connection between social capital and education (thereby connecting to health), remains highly relevant despite being more than 30 years old; it garnered more than 2,800 citations in 2019 alone. Perhaps in reaction to the person-centered rational choice models popular in the 1980s, Bernice Pescosolido, a medical sociologist, led a series of pivotal studies that situated (mental) health choices in social network contexts (Pescosolido 1986; Pescosolido and Georgianna 1989). These efforts are still bearing fruit within research on mental health (Perry and Pescosolido 2012, 2015).

Likewise, the advances in social network analysis techniques of the 1980s would become central components of core network methodologies used in a variety of fields, including the health sciences. Perhaps the clearest of these connections can be traced from work on Markov Random Graph Models (Frank and Strauss 1986), which overcame assumptions of case independence, through p^* models (Anderson, Wasserman, and Crouch 1999), to what is today known as Exponential Random Graph Models (ERGMs). ERGMs enable modeling structural network influences on tie creation, like how friends of friends tend to become friends, while accounting for interdependence concerns (Robins et al. 2007; Snijders 2002; Snijders et al. 2006). These advances and associated tools (Hunter et al. 2008), many authored by sociologists (e.g., Carter Butts, Mark Handcock, Tom Snijders), are widely used in the study of health.

Despite these advances in the 1980s, there remained few studies explicitly at the intersection of networks and health at this time. Scholars published 66 articles in the 1980s on social networks and health, nearly two-thirds of them in 1985–1989. Major sources of external funding for social networks research remained limited, and methodological challenges and a

³.Our index sources are likely incomplete in two ways (a) some items may be omitted – certain journals, almost all books, etc. (b) nuanced meanings of “health” or “networks” that could be included or excluded in our keyword-based searches. These biases likely lead to undercounts of total production. However, there are no reasons to expect such biases to change trends significantly.

lack of social network data posed substantial impediments. For instance, the NSF sponsored only twelve grants on the topic of “network analysis” in the 1980s, averaging \$82,000 per grant, and five of these twelve were funded in 1988 or 1989.

The Dam Breaks: Key Moments of the 1990s and Early 2000s

Three key facilitators spurred rapid development of social networks and health research in the 1990s: the HIV epidemic, research on adolescent networks, and advances in software tools and statistical models that account for the dependent nature of network data.

Role of the HIV epidemic

The deluge of research in social networks and health in the 1990s coincided with rapid research and funding expansion associated with the HIV/AIDS epidemic. At the cusp of the 1990s, there were 100,000 cases of HIV/AIDS reported in the United States, a grim milestone since the country’s first reported case in 1981, and a sizeable fraction of the 8–10 million worldwide total (Chin 1990). In the early 1990s, knowledge of numerous celebrities combating HIV became widespread, furthering public attention. In 1990, the United States Federal government awarded just over \$2 billion to HIV/AIDS grants and contracts, with funding ballooning to \$11 billion by 1999 (Kaiser Family Foundation 2019). This funding expansion catalyzed new scholarship on sexual and needle-sharing contacts, key HIV transmission modalities.

The HIV epidemic demanded network theory development because common epidemiological techniques tuned to easy-to-pass infections like influenza were ineffective for explaining HIV’s spread. This led to a detailed examination of network spread processes, reviving early sociological models (Rogers and Kincaid 1981). The question was how do networks channel and facilitate the spread of hard-to-pass infections. Building on earlier, detailed studies of sexual networks (Klovdahl 1985; Potterat 2015; Rothenberg 1983), sociologist Martina Morris keyed off the expansions, bridging network and epidemiological models (Morris 1993). The dynamics of the HIV/AIDS epidemic never fully matched the traditional mathematical models. Consequently, Morris and colleagues examined partner-timing dynamics (Kretzschmar and Morris 1996; Morris and Kretzschmar 1997), ushering in theoretical and methodological contributions on the diffusion limits due to relational timing, especially “concurrent” sexual relations, relations that overlap in time. Using simulation studies, they showed that higher concurrency rates hasten disease spread, insights later confirmed with empirical data (Aral et al. 2004; HELLERINGER et al. 2014).

The HIV epidemic magnified the need for empirical data on risk networks, both domestically and internationally, such as the work led by epidemiologists and sociologists like Richard Rothenberg, Jonn Potterat, and Susan C. Watkins. In the United States, this push for new data included multiple small-scale studies of HIV risk groups. Perhaps the most impactful was “Project 90” (Klovdahl et al. 1994), which attempted to trace social, drug and sexual contacts of every “high risk” actor in downtown Colorado Springs over multiple years (see Potterat 2015). Importantly, the study focused on multiple types of ties, or multiplex ties, such as sexual contact and co-injecting. Project 90 showcased how complete network data reveals chains of connections indirectly linking not directly

Adolescent health

One result of early concerns over the HIV epidemic was funding for the Add Health study⁵, a landmark investigation of adolescent sexual risk behavior. Developed by a team of sociologists (including J. Richard Udry, Kathleen Mullan-Harris, and Peter Bearman), Add Health collected a first wave of data from a nationally representative sample of students in scores of middle and high schools across the United States in 1994–95, and has thus far followed this cohort over five waves (1994–95, 1996, 2001–02, 2008, and 2016–18). The availability of a largescale, representative survey with substantial data on the social connections between people, and, crucially, a vast assortment of measures of health behaviors, statuses, and outcomes across diverse contexts provided ample fodder for growing recognition that health and networks are intertwined. Some of the most influential works on social networks and health stem from analyses using Add Health. For instance, “Chains of Affection” (Bearman, Moody, and Stovel 2004), has garnered nearly 1,000 citations per Google Scholar, with about 20 of those works being cited 1,000 times or more.

Computational tools and resources

The 1990s & early 2000s saw a rapid rise in reference texts (e.g., Wasserman and Faust 1994) and computational tools and resources that made social network data easier to find, collect, and analyze. The Internet became publicly available in 1991 and broadly changed academic research, but it uniquely influenced social networks and health research. In addition to its facilitation of computation and collaboration, the organization of the Internet became a central idea in the development of network theories (Bandura 2001; Wellman 1997). Outside the academic sphere, the Internet became a new place of community where network ties, from friendship to marriage, were formed (Rainie and Wellman 2014). Likewise, the Internet made it possible to analyze new, historically disorganized and non-digitized sources, revolutionizing the types of data available for network analysis (Watts 1999).

The development of respondent driven sampling (RDS) by sociologist Douglas Heckathorn was another 1990s-era data and methods innovation for social networks and health. RDS is a network sampling protocol that enables network-based sampling of hard-to-survey populations and provides a statistical framework for making sample-to-population inferences (Heckathorn 1997). In RDS, respondents drive peer recruitment, but researchers anonymously track recruitment patterns, which enables statistical inference (Heckathorn 1997; Verdery et al. 2015). RDS achieved substantial purchase in studying populations at high risk of HIV in the early 2000s, cementing its popularity.

The growth of computational resources and advent of new tools went hand-in-hand with growth in social networks and health research broadly, creating a positive feedback cycle as tools enabled research which prompted greater user demand for good tools. This decade

⁵“Add Health” was originally named the “Teen Sex” study and paired with what later became the National Social Life, Health, and Aging Project – with the University of North Carolina focusing on adolescents & Chicago on older adults. That instantiation met with strong congressional opposition. But, the crux of the study, including the focus on adolescent embeddedness in multiple social contexts, was saved by the strong advocacy of key NIH personnel, such as Christine Bachrach. The Add Health network design owes to early work by Coleman & Hollingshead – with the focus on peers and crowds as a core social determinant of health and the proximate work of Robert and Beverley Cairns (Cairns et al. 1995) and Ennet and Bauman (1994) on smoking behavior.

witnessed jumps in computational power for stand-alone network analysis software like UCINET (Borgatti, Everett, and Freeman 2002) — developed by sociologists Lin Freeman, Bruce MacEvoy, and Steve Borgatti in the 1980s — as well as new software for large-scale network visualization and analysis such as PAJEK (Batagelj and Mrvar 1998). As these approaches developed, so too did the R programming language, created in 1993, which came to include extensive tools for networks in Statnet (Krivitsky et al. 2003) and igraph (Csardi 2020).

Improvements in computational power coincided with new statistical analysis methods, particularly the consolidation of research around p^* models, which advanced the theoretical underpinnings for statistical models of networks (Anderson et al. 1999). Though there were many contributors through the 1990s, much of that research was led by sociologist and statistician Stanley Wasserman (Anderson et al. 1999; Wasserman and Pattison 1996). Such work enabled researchers to estimate network models with logistic regression software and standardized and simplified interpretations, improving accessibility. Later, as weaknesses of 1990s modeling techniques became clear (see Handcock et al. 2003; Snijders 2002), methodologists improved ERGM-class models by including new specifications that corrected earlier, over-simplified specifications (Robins et al. 2007; Snijders et al. 2006).

A New World: Social Networks and Health since the 2000s

Research on social networks and health has skyrocketed since these floodgates opened. The share of sociological publications on networks and health after 2000 is more than 5 times greater than that from 1975 to 2000 (based on analysis of Web of Science data⁶). Figure 2 illustrates this point for social science overall (see Supplemental Materials for details). There were only one or two publications per year from 1940 until the 1990s, at which point publications begin to surge but level off by the end of that decade. However, in the early 2000s, an exponential upward trend emerges. There were 1,173 indexed articles in 2013 alone, and the trend shows no signs of weakening as 2,500 articles were indexed in 2019, more than double that of 2013.

This massive growth in research on networks and health was preceded by prominent work in the *Journal of Health and Social Behavior* (*JHSB*). Figure 3 demonstrates this finding by considering cumulative trends in publications (left panel) and citations (right panel) in three journal groups: 1) *JHSB* alone; 2) the “big three” general interest sociology journals (“top soc:” *American Journal of Sociology*, *American Sociological Review*, and *Social Forces*); and 3) all other sociology publications (“other soc,” 225 total outlets; see Supplemental Material for details). Prior to the early 1990s, there were about 10 total publications on social networks and health in *JHSB* and about 10 total in the rest of sociology combined, all of them in the 225-journal “other soc” category and none in the “big three” (publications panel). Then things exploded in all three groups. With respect to publication impact (citations panel), *JHSB* articles had outsized influence early on and even still, despite being just one outlet of more than 200 to publish on the topic. In Supplemental Materials, we

⁶Looking at all articles in journals Web of Science tags as sociology, from 1975–1999, we found 85 papers on networks and health out of 61,157 sociological papers (0.139%). Since 2000, we found 1,091 networks and health papers out of 143,696 sociological papers (0.759%).

demonstrate that *JHSB*'s early citation influence on social networks and health research owes to contemporaneous citations and not rediscovery of classic work.

Theoretical and substantive advances

Work since the 2000s further advanced all the developments introduced in the foundational period for social networks and health scholarship. On the substantive side, research has moved from a core focus on biological contagion of HIV to general contagion of health behaviors and outcomes (Centola and Macy 2007), which has necessitated a deep discussion of causal identification in network influence models (Shalizi and Thomas 2011) as well as growing attention to manipulating network diffusion processes for health interventions (Valente 2012). The availability of network data has exploded, including multiple dynamic data sources, which has itself led to multiple different theoretical and methodological advances.

Spread of health behaviors and conditions

Arguably, the most influential social networks and health work post-2000 is the work of sociologist Nicholas Christakis and coauthors based on the Framingham Heart Study. These data are notable because the original study was never intended to be a network study, but they were discovered as network data in the 2000s. These authors recognized that the survey-tracking information – the people listed as close contacts to facilitate follow-up – combined with the high sampling rate meant that many named contacts were survey participants. This allowed for a unique, long-term dynamic social network and thus the ability to trace network autocorrelation for multiple health outcomes. The blockbuster paper from this work, cited nearly 6,000 times to date (Christakis and Fowler 2007), found a strong correlation between network members' body mass indices (BMI). The team has produced similar results across a host of health outcomes including smoking, depression, happiness and loneliness (Christakis and Fowler 2013). This line of work posits that behavioral health is contagious, just like HIV or other infectious diseases, a notion whose implicit causal claims remain controversial, reinvigorating attention on causal identification challenges in observational network studies (Christakis and Fowler 2013; Cohen-Cole and Fletcher 2008; Shalizi and Thomas 2011). Despite the controversy, the work has been highly influential.

The problem is that networks and behavior are generally endogenous – although it is possible that health behaviors might transmit between people, people pick friends and close contacts based on their (perhaps unobserved) behaviors. This so-called “selection or influence” argument is pervasive, having been recognized early in the field (e.g., Kandel 1975). This debate is also similar to the nature-nurture debates of genetic sources of health behavior (Caspi 2002), with much the same result: most careful attempts to disentangle the two (see methods discussion below) show that almost all health behaviors result from both selection and influence.

While critics fret over causal identification, health advocates and medical researchers have flipped the script and begun using networks actively for health interventions. While there are multiple types of network interventions (Valente 2012, 2017), perhaps the most common

interventions attempt to leverage peer leaders to spread positive behaviors or impede the spread of negative ones (Kim et al. 2015; Osgood et al. 2013). Identified key network players might maximize the spread of trusted information (positive intervention; Kempe, Kleinberg, and Tardos 2015), or they might reduce the spread of unwanted behavior such as smoking (negative intervention; Osgood et al. 2013). Thus far, large-scale randomized trials, such as the Sources of Strength trial that trained peer leaders in suicide prevention (e.g., Wyman et al. 2010) or other network intervention trials to stop those recently infected from spreading HIV (e.g., Nikolopoulos et al. 2016), show promise for both positive and negative network interventions.

Tools and techniques

While peer influence and diffusion have shaped recent substantive developments, the ability to statistically model network formation – rather than merely describe network metrics – has been the primary methodological focus post-2000. The 1990s shift to p^* models of networks moved the field from descriptive toward inferential network modeling. This shift has been substantively fertile, as it enabled testing core theories of network formation, such as the relative importance of preferring to form relations with people like oneself (“homophily”) versus other network processes (“friends of friends become friends;” Goodreau, Kitts, and Morris 2009). These trends also connected network analysis to wider issues in Bayesian statistics (e.g., Hoff, Raftery, and Handcock 2002), a growing area of sociological attention (Lynch and Bartlett 2019).

Prominent new modelling approaches aim to solve the selection or influence endogeneity problem via three distinct approaches. One approach uses instrumental variable models for networks. The basic idea is if social relations can be predicted with a valid instrument (a variable related to the endogenous predictor of interest but, except through that variable, unrelated to the outcome of interest), causal identification is possible (Bollen 2012). While such methods are well known in econometrics, valid instruments are rare. Nonetheless, modern data sources have opened the door for creative efforts. For example, Aral and Nicolaides (2017) used online fitness trackers to test for peer influence on exercise behavior. Because the sample included people from all over the country, they used the weather in a geographically distant peer’s region as an instrument for peer influence (e.g., testing whether those in Phoenix with peers in New York ran more or less depending on peer running behavior predicted by weather patterns in New York). The second approach, stochastic actor-oriented models (SAOMs), simulate longitudinal network data as a set of balanced utilities within actors, where actors face changing their behavior or their ties, and then uses the resulting best-fit parameters to assess the relative contribution of selection or influence. SAOMs, implemented most accessibly in the Siena software package, claim to sidestep the causal identification problem (conditional on model specification). These models are computationally intensive, but they provide regression-like results to assess peer influence, which increases their relevance to sociologists. Example applications include tests of peer influence related to substance use (McMillan, Felmlee, and Osgood 2018) and links between networks and depression (Schaefer, Kornienko, and Fox 2011). Such work is growing in influence: Schaefer et al. has more than 200 citations (according to Google Scholar data). The final approach is to focus on sensitivity analyses of sundry sorts (cf. VanderWeele

2011). These models recast the endogeneity problem fundamentally as one of omitted confounders and allow one to assess the robustness of observed relations, which is especially useful when the data will not allow other approaches.

Network data are everywhere

Since 2000, scholars have begun multiple new networks-focused data collections (e.g., PROSPER), integrated biomarkers, genes, and other individual-level physical measures to existing social network data (e.g., Panel Study of Income Dynamics, Add Health), and found new ways to collect vast amounts of social network data because of internet access and software that enable web-scraping and datamining.

New data sources like PROSPER and others collected in the Netherlands, Germany, Honduras, and elsewhere expanded the number of studies that contained consistently measured, sociocentric network data across multiple contexts (Perkins et al. 2015), which enabled hierarchical linear modeling approaches to understand contextual differences (Kim et al. 2015; Lubbers and Snijders 2007). Adding genetic information to existing data sources allowed researchers to detangle the effects of genes, environments (including social ties), and their interactions (Boardman, Domingue, and Fletcher 2012; Fowler, Dawes, and Christakis 2009). Social media and dating websites offered researchers access to relational ties as well as other relevant health information (Lewis 2013), unveiling research agendas in online romance (Lewis 2013), cyber victimization (Felmlee and Faris 2016), and other health-related consequences of online interactions.

State of the Field

To assess the literature's current state, we use a text-network approach and visualize the key resulting topics (see Supplemental Materials for details). Overall, our results indicate that the most prominent areas of research on social networks and health are: HIV, Social Capital, Social Support and Aging, Health Policy Systems, Influenza and Epidemics, Social Media or Online, Cancer, Adolescent Peer Influence, and Medicaid. Notably, developmental stages (older adulthood, adolescence) seem to cluster with core topics most often researched alongside them.

Papers are rarely about one subject and many topics overlap, but such overlap does not preclude related medical conditions from appearing in distinct parts of the social networks and health literature. Figure 4 shows where three key health topics – body mass index (BMI), diabetes, and hypertension – fall across this intellectual landscape. We chose these topics to highlight three related health conditions that tend to co-occur with people who are obese having adjusted odds ratios of 4.6 and 5.1, respectively, for hypertension and diabetes (Nguyen et al. 2008). Nevertheless, these terms fit in different areas of the social networks and health intellectual landscape (in the figure, proximity is important, but orientation is irrelevant). BMI research clusters in the lower middle with scholarship on adolescents, social support, and to a lesser extent HIV. Hypertension, in contrast, is prominent in the upper left, particularly centered on the clusters associated with aging and social support. Most of the overlap between these three terms is in research on social support and aging. These results highlight the sometimes-particularistic nature of the social networks and health

literature, where attempts to understand social processes rather than biomedical relations between comorbidities often drives the focus. At the same time, these results also highlight that further integration with the biomedical literature might push social networks and health researchers to consider more deeply how interrelated health conditions interact with network structures.

One can also examine how subpopulations are studied across this landscape. Figure 5 displays papers that mention either “race” or “gender” in the abstract (point size proportional to times cited). Both race and gender are studied with other topics and thus found across the landscape. Race is more evenly distributed than gender, which is comparatively neglected in the more institutional topics represented on the left of the diagram.

While research on social networks and health continues to grow, it is unequal. Figure 6 reveals which topics contribute to publication volume in this area since 2000 by graphing time trends in percent of publication volume for each topic. Social Support and Aging dominates early – nearly 15 percent of publications – and online and social media or neurological-based research is rare. By 2020, Social Support and Aging has fallen dramatically while Neurological and Online/Social Media research have seen substantial growth.

Future Directions

The past twenty years have uncovered challenges that point the way for major progress in the future of research on social networks and health, both in medical sociology and beyond. Recent work reveals, somewhat surprisingly, that name generator-based social network data collection can be a critical stumbling block. Decades of efforts have refined network data collection, most notably for egocentric approaches in the General Social Survey (GSS; Burt 1984), but research on increased social isolation in the 2004 GSS (McPherson, Smith-Lovin, and Brashears 2006) was hotly debated (Fischer 2009, 2011; McPherson, Smith-Lovin, and Brashears 2009) and ultimately deemed an artifact of poor network data collection practices (Paik and Sanchagrin 2013). This debate should continue to spur a deep look at ways to improve the validity of collected network data.

The prominence of the debate over social isolation called into question some classic means of network data collection, spawning new quantitative (adams 2020) and qualitative (Small 2017) treatises. The ability to collect such data well is important for understanding people’s social embeddedness through egocentric study designs (e.g., Perry and Pescosolido 2012) and because new tools allow sociocentric inference from such samples (Krivitsky and Morris 2017; Smith 2012). Further, the continued formalization of qualitative network approaches (Hollstein 2011), especially as applied to health (e.g., Small 2017), has highlighted mechanisms through which networks can influence health that traditional survey-based approaches often miss (e.g., the avoidance of strong ties during help-seeking). Such approaches increasingly dovetail with more technologically sophisticated means of network data collection, including through cell phones, wearables, websites, and other sources (Eagle, Pentland, and Lazer 2009; Young, Fujimoto, and Schneider 2018), which permit

partially sociocentric network measurement (Handcock and Gile 2010; Khanna et al. 2018; Mouw and Verdery 2012).

Future Directions: The Role of Technology and Data

As technology continues to advance, and the capture of digital trace data through myriad wearable devices and smartphone applications practically tracks location data, calories burned, sleeping hours and so forth, health data will become more prevalent and more easily linked to various measures of social networks. Already researchers are beginning to estimate physical activity by gender across space using mobile phones (Cesare et al. 2019). Intermittent survey cycles are one of the greatest challenges in health and social sciences, but technological advances are enabling unique, constantly captured network designs (Aral and Nicolaides 2017). New work also experiments with online communities, allowing novel insights into how network structure might influence health behavior spread (Centola 2010); opportunities in this space are only growing (Shirado and Christakis 2017). Technological adoption and advances will herald new and promising ways to measure where people go, what they do, and who they interact with, enabling new insights into the relationship between social networks and health. However, with these opportunities come challenges, especially as relates to core ethical considerations: respect for persons, beneficence, and justice. Two areas of notable concern are privacy and consent.

Evolving communication modalities will also affect social networks and health research. This fact has been crystalized with recent travel restrictions due to the COVID-19 pandemic. Changing how people communicate changes their social ties, and this implicates health (Sayers and Rhoades 2018). Data collection must keep up with the times – perhaps through video mining for expression and pitch. Communication in new ways may be challenging and stressful for some and comforting for others; new health concerns might arise (Ihm 2018).

New sources of administrative data promise major advances for social networks and health. For instance, the Longitudinal Employer Household Dynamics program (Abowd, Haltiwanger, and Lane 2004) contains data linking taxpayers to employers (which can be turned into longitudinal networks) and linked representative Census samples (e.g., https://usa.ipums.org/usa/linked_data_samples.shtml) enable studying long-run kinship networks. Data from electronic medical records, like Medicare, allow researchers to examine patient-sharing (Perry et al. 2019), co-morbidity (Iwashyna et al. 2009), and intrahousehold contagion (de Vaan and Stuart 2019). Death record linkages (e.g., Muennig et al. 2011) create new opportunities for understanding social network contributions to long-term health outcomes.

Future Directions: A COVID-19 Silver Lining

Finally, COVID-19 may act similarly to the HIV epidemic. The number of articles referring to COVID-19 grows daily (adams and Light 2020), and though most deal with pharmacological research from drug trials or updates about the virus itself, many are related to models and techniques aimed at identifying the spread and costs of the disease. Failed predictions from classic models have left many feeling misled by science, and new approaches will be needed. Governments around the world have expedited funding and

grants toward projects related to COVID-19. The situation mirrors that of HIV, though much faster, and may lead to new innovations in social networks and health research – after all, the virus spreads through interpersonal contact and there are numerous questions about the association between mitigation efforts and social isolation in the Internet era.

Future Directions: Reaching Backward and New-Old Theoretical Avenues

Most research on social networks and health embraces “connectionist” theories, where the primary concern is with how health-related resources, ideas or behavior diffuse through a network. There is an older sociological tradition in the study of networks that examines how social exchange patterns on multi-relational networks reflect deep social institutions and norms (Bott 1971; Nadel 1957). This approach captures how overlapping patterns of relations entail rights and obligations with respect to others and how such informal roles emerge from interaction, allowing examination of the intertwining of social relations and identity (e.g., Mueller and Abrutyn 2016) and the emergence of communal norms (Molm, Collett, and Schaefer 2007). It is a growing area: recent work connects the deaths of despair literature to social network considerations (Pescosolido, Lee, and Kafadar 2020) and advances Durkheimian theory (Mueller et al. 2021). Though not tied explicitly to health, a growing share of this research emphasizes the overlap, or not, of value systems among various subpopulations (DellaPosta 2020; DellaPosta, Shi, and Macy 2015). At the population level, simulation-based analyses are promising (e.g., Pescosolido et al. 2020; Verdery 2015; Verdery et al. 2020; Verdery and Margolis 2017). We are hopeful that this rich body of structural research continues to expand in future work.

Conclusion

Recent decades have seen growing acceptance of the social determinants of health framework (Marmot and Wilkinson 2006). A key social determinant is the set of people one interacts with, through friends, family, and other networks. As such, understanding the links between social networks and health is vital for explicating the underlying mechanisms driving social determinants of health. Wider social trends promise to further expand the scope of network data available for researchers and test theories with more fine-grained detail than ever before.

The growth in this literature has been robust for the last twenty years with no signs of abatement. In almost Tardis-like fashion, each door scholars open seems to bring a room full of even more questions to attend to. It is an open field (Light and Moody 2020). For example, understandings of the basic social influence mechanisms are still largely rooted in a consensus-discussion psychological paradigm first elaborated over 60 years ago (Festinger, Schachter, and Back 1950). When do people form health-relevant beliefs? What characteristics of a relationship promote influence? Do the influences that shape health-appropriate behavior mirror those that shape risk, or do they act simultaneously? Does the stress induced by bridging social worlds create tension that leads to health risk (Bearman and Moody 2004) or does it provide access to diverse resources that promote health (Kamphuis et al. 2019)? What is the life-course of a friendship and how does one’s movement through that life-course affect long-term health outcomes? How do network

dynamics funnel flow of disease through a population? These and other questions remain unanswered. Sociologists, including medical sociologists, initiated the exponential growth on networks and health, and they are uniquely positioned to answer such questions in the coming decades.

Supplementary Material

Refer to Web version on PubMed Central for supplementary material.

Acknowledgements:

We thank jimi adams and Dana Pasquale. We acknowledge support from the Duke Network Analysis Center, the Penn State Population Research Institute (P2CHD041025) and the Duke University Population Research Institute (5P2CHD-065563-12), which are supported by infrastructure grants from the Eunice Kennedy Shriver National Institute of Child Health and Human Development. We also acknowledge support from a focused training grant in social networks and health (2 R25 HD079352-06), the National Institute on Aging (1R01AG060949), and the Susan Welch/Nagle Family Graduate Fellowship funded by Mr. and Mrs. Arthur J. Nagle to the College of The Liberal Arts at Pennsylvania State University.

References

1. Abowd John M., Haltiwanger John, and Lane Julia. 2004. "Integrated Longitudinal Employer-Employee Data for the United States." *American Economic Review* 94(2):224–29.
2. adams jimi. 2020. *Gathering Social Network Data*. 1 Edition. Thousand Oaks: SAGE Publications.
3. adams jimi, and Light Ryan. 2020. "Collaboration across Disciplines in Covid-19." *Contexts*.
4. Alwin Duane F., and Verdery Ashton M.. 2019. "Prologue." *Sociological Methodology* 49(1):xviii–xliv.
5. Anderson Carolyn J., Wasserman Stanley, and Crouch Bradley. 1999. "A P* Primer: Logit Models for Social Networks." *Social Networks* 21(1):37–66.
6. Aral Sevgi O., Hughes Jim, Gorbach Pamina, Stoner Bradley, Manhart Lisa, Garnett Geoff, Foxman Betsy, Golden Matthew, and Holmes King. 2004. "The Seattle 'Sexual Mixing,' 'Sexual Networks,' and 'Sexual Partnership Types' Studies." *Network Epidemiology*. New York: Oxford 139–74.
7. Aral Sinan, and Nicolaides Christos. 2017. "Exercise Contagion in a Global Social Network." *Nature Communications* 8(1):14753.
8. Bandura Albert. 2001. "Social Cognitive Theory of Mass Communication." *Media Psychology* 3(3):265–99.
9. Barabási Albert-László, and Albert Réka. 1999. "Emergence of Scaling in Random Networks." *Science* 286(5439):509–12. [PubMed: 10521342]
10. Batagelj Vladimir, and Mrvar Andrej. 1998. "Pajek-Program for Large Network Analysis." *Connections* 21(2):47–57.
11. Ennett ST and Bauman KE, 1994. The contribution of influence and selection to adolescent peer group homogeneity: the case of adolescent cigarette smoking. *Journal of personality and social psychology*, 67(4), p.653. [PubMed: 7965611] Bearman Peter S., and Moody James. 2004. "Suicide and Friendships among American Adolescents." *American Journal of Public Health* 94(1):89–95. [PubMed: 14713704]
12. Bearman Peter S., Moody James, and Stovel Katherine. 2004. "Chains of Affection: The Structure of Adolescent Romantic and Sexual Networks." *American Journal of Sociology* 110(1):44–91.
13. Berkman Lisa F., Glass Thomas, Brissette Ian, and Seeman Teresa E.. 2000. "From Social Integration to Health: Durkheim in the New Millennium." *Social Science & Medicine* 51(6):843–57. [PubMed: 10972429]
14. Berkman Lisa F., and Syme Leonard S.. 1979. "Social Networks, Host Resistance, and Mortality: A Nine-Year Follow-up Study of Alameda County Residents." *American Journal of Epidemiology* 109(2):186–204. [PubMed: 425958]

15. Boardman Jason D., Domingue Benjamin W., and Fletcher Jason M.. 2012. "How Social and Genetic Factors Predict Friendship Networks." *Proceedings of the National Academy of Sciences* 109(43):17377–81.
16. Bollen Kenneth A. 2012. "Instrumental Variables in Sociology and the Social Sciences." *Annual Review of Sociology* 38(1):37–72.
17. Borgatti Steve, Everett Martin, and Freeman Lin. 2002. *Ucinet for Windows: Software for Social Network Analysis*. Harvard, MA: Analytic Technologies.
18. Bott Elizabeth. 1955. "Urban Families: Conjugal Roles and Social Networks." *Human Relations* 8(4):345–84.
19. Bott Elizabeth. 1971. *Family and Social Network: Roles, Norms, and External Relationships in Ordinary Urban Families*. Free Press.
20. Bourdieu Pierre. 1986. "The Forms of Capital."
21. Bourdieu Pierre, and Wacquant Loïc JD. 1992. *An Invitation to Reflexive Sociology*. University of Chicago press.
22. Bracher Michael, Watkins Susan, and Santow Gigi. 2003. "'Moving' and Marrying: Modelling HIV Infection among Newly-Weds in Malawi." *Demographic Research Special* 1:207–46.
23. Burt Ronald S. 1984. "Network Items and the General Social Survey." *Social Networks* 6(4):293–339.
24. Cairns Robert B., Leung Man-Chi, Buchanan Lisa, and Cairns Beverley D.. 1995. "Friendships and Social Networks in Childhood and Adolescence: Fluidity, Reliability, and Interrelations." *Child Development* 66(5):1330. [PubMed: 7555219]
25. Carpiano Richard M. 2006. "Toward a Neighborhood Resource-Based Theory of Social Capital for Health: Can Bourdieu and Sociology Help?" *Social Science & Medicine* 62(1):165–75. [PubMed: 15992978]
26. Caspi Avshalom. 2002. "Role of Genotype in the Cycle of Violence in Maltreated Children." *Science* 297(5582):851–54. [PubMed: 12161658]
27. Centola Damon. 2010. "The Spread of Behavior in an Online Social Network Experiment." *Science* 329(5996):1194–97. [PubMed: 20813952]
28. Centola Damon, and Macy Michael. 2007. "Complex Contagions and the Weakness of Long Ties." *American Journal of Sociology* 113(3):702–34.
29. Cesare Nina, Nguyen Quynh C., Grant Christan, and Nsoesie Elaine O.. 2019. "Social Media Captures Demographic and Regional Physical Activity." *BMJ Open Sport & Exercise Medicine* 5(1):e000567.
30. Chin James. 1990. "Global Estimates of AIDS Cases and HIV Infections: 1990." *Aids* 4(1):S277. [PubMed: 2152581]
31. Christakis Nicholas A., and Fowler James H.. 2007. "The Spread of Obesity in a Large Social Network over 32 Years." *New England Journal of Medicine* 357(4):370–79. [PubMed: 17652652]
32. Christakis Nicholas A., and Fowler James H.. 2013. "Social Contagion Theory: Examining Dynamic Social Networks and Human Behavior." *Statistics in Medicine* 32(4):556–77. [PubMed: 22711416]
33. Cobb Sidney. 1976. "Social Support as a Moderator of Life Stress." *Psychosomatic Medicine*.
34. Cohen-Cole Ethan, and Fletcher Jason M.. 2008. "Detecting Implausible Social Network Effects in Acne, Height, and Headaches: Longitudinal Analysis." *BMJ* 337(dec04 2):a2533–a2533. [PubMed: 19056789]
35. Coleman James S. 1988. "Social Capital in the Creation of Human Capital." *American Journal of Sociology* 94:S95–120.
36. Csardi Gabor. 2020. *Igraph: Network Analysis and Visualization*.
37. DellaPosta Daniel. 2020. "Pluralistic Collapse: The 'Oil Spill' Model of Mass Opinion Polarization." *American Sociological Review* 85(3):507–36.
38. DellaPosta Daniel, Shi Yongren, and Macy Michael. 2015. "Why Do Liberals Drink Lattes?" *American Journal of Sociology* 120(5):1473–1511.
39. DiClemente Ralph J. 1991. "Predictors of HIV-Preventive Sexual Behavior in a High-Risk Adolescent Population: The Influence of Perceived Peer Norms and Sexual Communication on

- Incarcerated Adolescents' Consistent Use of Condoms." *Journal of Adolescent Health* 12(5):385–90.
40. Eagle Nathan, Pentland Alex, and Lazer D. 2009. "Inferring Friendship Network Structure by Using Mobile Phone Data." *Proceedings of the National Academy of Sciences* 106(36):15274–78.
 41. Euler Leonhard. 1741. "Solutio Problematis Ad Geometriam Situs Pertinentis." *Commentarii Academiae Scientiarum Petropolitanae* 128–40.
 42. Felmlee Diane, and Faris Robert. 2016. "Toxic Ties: Networks of Friendship, Dating, and Cyber Victimization." *Social Psychology Quarterly* 79(3):243–62.
 43. Festinger Leon. 1954. "A Theory of Social Comparison Processes." *Human Relations* 7(2):117–40.
 44. Festinger Leon, Schachter Stanley, and Back Kurt. 1950. *Social Pressures in Informal Groups: A Study on Human Factors in Housing*. Stanford, Calif: Stanford Univ. Press.
 45. Fischer Claude S. 1982. *To Dwell among Friends: Personal Networks in Town and City*. Chicago: University of Chicago Press.
 46. Fischer Claude S. 2009. "The 2004 GSS Finding of Shrunken Social Networks: An Artifact?" *American Sociological Review* 74(4):657–69.
 47. Fischer Claude S. 2011. *Still Connected: Family and Friends in America since 1970*. New York: Russell Sage Foundation.
 48. Fowler James H., Dawes Christopher T., and Christakis Nicholas A.. 2009. "Model of Genetic Variation in Human Social Networks." *Proceedings of the National Academy of Sciences* 106(6):1720–24.
 49. Frank Ove, and Strauss David. 1986. "Markov Graphs." *Journal of the American Statistical Association* 81(395):832–42.
 50. Goodreau Steven M., Kitts James A., and Morris Martina. 2009. "Birds of a Feather, or Friend of a Friend? Using Exponential Random Graph Models to Investigate Adolescent Social Networks." *Demography* 46(1):103–25. [PubMed: 19348111]
 51. Granovetter Mark S. 1973. "The Strength of Weak Ties." *American Journal of Sociology* 78(6):1360–80.
 52. Graunt John. 1662. *Natural and Political Observations Made Upon the Bills of Mortality*.
 53. Hancock Mark S., and Gile Krista J.. 2010. "Modeling Social Networks from Sampled Data." *The Annals of Applied Statistics* 4(1):5–25. [PubMed: 26561513]
 54. Hancock Mark S., Robins Garry, Snijders Tom, Moody Jim, and Besag Julian. 2003. *Assessing Degeneracy in Statistical Models of Social Networks*. Citeseer.
 55. Heckathorn Douglas D. 1997. "Respondent-Driven Sampling: A New Approach to the Study of Hidden Populations." *Social Problems* 44(2):174–99.
 56. Helleringer Stéphane, Mkandawire James, Kalilani-Phiri Linda, and Kohler Hans-Peter. 2014. "Cohort Profile: The Likoma Network Study (LNS)." *International Journal of Epidemiology* 43(2):545–57. [PubMed: 23543589]
 57. Hoff Peter D., Raftery Adrian E., and Hancock Mark S.. 2002. "Latent Space Approaches to Social Network Analysis." *Journal of the American Statistical Association* 97(460):1090–98.
 58. Holland Paul W., and Leinhardt Samuel. 1981. "An Exponential Family of Probability Distributions for Directed Graphs." *Journal of the American Statistical Association* 76(373):33–50.
 59. Hollstein Betina. 2011. "Qualitative Approaches." *The Sage Handbook of Social Network Analysis* 404–16.
 60. House James. 1984. "Measure and Concepts of Social Support." *Social Support and Health*.
 61. House James, Landis K, and Umberson Debra. 1988. "Social Relationships and Health." *Science* 241(4865):540–45. [PubMed: 3399889]
 62. House James, Umberson Debra, and Landis K. 1988. "Structures and Processes of Social Support." *Annual Review of Sociology* 14(1):293–318.
 63. Hunter David R., Hancock Mark S., Butts Carter T., Goodreau Steven M., and Morris Martina. 2008. "Ergm: A Package to Fit, Simulate and Diagnose Exponential-Family Models for Networks." *Journal of Statistical Software* 24(3):nihpa54860.

64. Ihm Jennifer. 2018. "Social Implications of Children's Smartphone Addiction: The Role of Support Networks and Social Engagement." *Journal of Behavioral Addictions* 7(2):473–81. [PubMed: 29865865]
65. Iwashyna Theodore J., Christie Jason D., Moody James, Kahn Jeremy M., and Asch David A.. 2009. "The Structure of Critical Care Transfer Networks" *Medical Care* 47(7):787–93. [PubMed: 19536030]
66. Jones James Holland, and Handcock Mark S.. 2003. "Sexual Contacts and Epidemic Thresholds." *Nature* 423(6940):605–6. [PubMed: 12789329]
67. Kaiser Family Foundation. 2019. "Federal HIV Funding, FY 1981-FY 2019."
68. Kamphuis Carlijn B. M., Groeniger Joost O., Poelman Maartje P., Beenackers Mariëlle A., and van Lenthe Frank J.. 2019. "How Does Bridging Social Capital Relate to Health-Behavior, Overweight and Obesity among Low and High Educated Groups? A Cross-Sectional Analysis of GLOBE-2014." *BMC Public Health* 19.
69. Kandel Denise. 1975. "Stages in Adolescent Involvement in Drug Use." *Science* 190(4217):912–14. [PubMed: 1188374]
70. Kawachi Ichiro, Bird CE, Fremont AM, and Zimmermans S. 2010. "Handbook of Medical Sociology." *Handbook of Medical Sociology* 2010:18–32.
71. Kempe David, Kleinberg Jon, and Tardos Eva. 2015. "Maximizing the Spread of Influence through a Social Network." *Theory of Computing* 11(1):105–47.
72. Khanna Aditya Subhash, Goodreau Steven Michael, Michaels Stuart, and Schneider John Alexis. 2018. "Using Partially-Observed Facebook Networks to Develop a Peer-Based HIV Prevention Intervention: Case Study." *Journal of Medical Internet Research* 20(9):e11652. [PubMed: 30217793]
73. Kim David A., Hwong Alison R., Stafford Derek, Hughes D. Alex, O'Malley A. James, Fowler James H., and Christakis Nicholas A.. 2015. "Social Network Targeting to Maximise Population Behaviour Change: A Cluster Randomised Controlled Trial." *The Lancet* 386(9989):145–53.
74. Klodahl Alden S. 1985. "Social Networks and the Spread of Infectious Diseases: The AIDS Example." *Social Science & Medicine* 21(11):1203–16. [PubMed: 3006260]
75. Klodahl Alden S., Potterat John J., Woodhouse Donald E., Muth John B., Muth Stephen Q., and Darrow William W.. 1994. "Social Networks and Infectious Disease: The Colorado Springs Study." *Social Science & Medicine* 38(1):79–88. [PubMed: 8146718]
76. Kretzschmar Mirjam, and Morris Martina. 1996. "Measures of Concurrency in Networks and the Spread of Infectious Disease." *Mathematical Biosciences* 133(2):165–95. [PubMed: 8718707]
77. Krivitsky Pavel N., Handcock Mark S., Hunter David R., Butts Carter T., Klumb Chad, Goodreau Steven M., and Morris Martina. 2003. *Statnet: Software Tools for the Statistical Modeling of Network Data*. Statnet Development Team.
78. Krivitsky Pavel N., and Morris Martina. 2017. "Inference for Social Network Models from Egocentrically Sampled Data, with Application to Understanding Persistent Racial Disparities in HIV Prevalence in the US." *The Annals of Applied Statistics* 11(1):427–55. [PubMed: 29276550]
79. Landrine Hope, Richardson Jean L., Klonoff Elizabeth A., and Flay Brian. 1994. "Cultural Diversity in the Predictors of Adolescent Cigarette Smoking: The Relative Influence of Peers." *Journal of Behavioral Medicine* 17(3):331–46. [PubMed: 7932684]
80. Latkin Carl A. 1998. "Outreach in Natural Settings: The Use of Peer Leaders for HIV Prevention among Injecting Drug Users' Networks." *Public Health Reports* 113(Suppl 1):151. [PubMed: 9722820]
81. Lewis K 2013. "The Limits of Racial Prejudice." *Proceedings of the National Academy of Sciences* 110(47):18814–19.
82. Light Ryan, and Moody James, eds. 2020. *The Oxford Handbook of Social Networks*. Oxford University Press.
83. Lin Nan. 1999. "Building a Network Theory of Social Capital." *Connections* 22(1):28–51.
84. Lin Nan. 2002. *Social Capital: A Theory of Social Structure and Action*. 1. paperback ed. Cambridge: Cambridge Univ. Press.
85. Loomis Charles P. 1941. "Informal Groupings in a Spanish-American Village." *Sociometry* 4(1):36.

86. Lubbers Miranda J., and Snijders Tom AB. 2007. "A Comparison of Various Approaches to the Exponential Random Graph Model: A Reanalysis of 102 Student Networks in School Classes." *Social Networks* 29:489–507.
87. Lynch Scott M. and Bartlett Bryce. 2019. "Bayesian Statistics in Sociology: Past, Present, and Future." *Annual Review of Sociology* 45:47–68.
88. Makowsky Bernard. 1969. "The June Bug: A Study of Hysterical Contagion." *Archives of General Psychiatry* 20(4):489–90.
89. Marmot Michael G., and Wilkinson Richard G., eds. 2006. *Social Determinants of Health*. 2nd ed. Oxford ; New York: Oxford University Press.
90. Marsden Peter V., and Friedkin Noah E.. 1993. "Network Studies of Social Influence." *Sociological Methods & Research* 22(1):127–51.
91. Martín-Martín Alberto, Orduna-Malea Enrique, Thelwall Mike, and López-Cózar Emilio Delgado. 2018. "Google Scholar, Web of Science, and Scopus: A Systematic Comparison of Citations in 252 Subject Categories." *Journal of Informetrics* 12(4):1160–77.
92. McMillan Cassie, Felmllee Diane, and Osgood D. Wayne. 2018. "Peer Influence, Friend Selection, and Gender: How Network Processes Shape Adolescent Smoking, Drinking, and Delinquency." *Social Networks* 55:86–96. [PubMed: 30923419]
93. McPherson Miller, Smith-Lovin Lynn, and Brashears Matthew E.. 2006. "Social Isolation in America: Changes in Core Discussion Networks over Two Decades." *American Sociological Review* 71(3):353–75.
94. McPherson Miller, Smith-Lovin Lynn, and Brashears Matthew E.. 2009. "Models and Marginals: Using Survey Evidence to Study Social Networks." *American Sociological Review* 74(4):670–81.
95. Molm LD, Collett JL and Schaefer DR, 2007. Building solidarity through generalized exchange: A theory of reciprocity. *American journal of sociology*, 113(1), pp.205–242.
96. Moore Spencer, and Kawachi Ichir . 2017. "Twenty Years of Social Capital and Health Research: A Glossary." *Journal of Epidemiology and Community Health* 71(5):513–17. [PubMed: 28087811]
97. Moreno Jacob Levy. 1934. "Who Shall Survive?: A New Approach to the Problem of Human Interrelations."
98. Morris Martina. 1993. "Epidemiology and Social Networks: Modeling Structured Diffusion." *Sociological Methods & Research* 22(1):99–126.
99. Morris Martina, and Kretzschmar Mirjam. 1997. "Concurrent Partnerships and the Spread of HIV." *Aids* 11(5):641–48. [PubMed: 9108946]
100. Morris Martina, and Kretzschmar Mirjam. 2000. "A Microsimulation Study of the Effect of Concurrent Partnerships on the Spread of HIV in Uganda." *Mathematical Population Studies* 8(2):109–33.
101. Morris Martina, Podhisita Chai, Wawer Maria J., and Handcock Mark S.. 1996. "Bridge Populations in the Spread of HIV/AIDS in Thailand." *AIDS* 10(11):1265–71. [PubMed: 8883589]
102. Mouw Ted, and Verdery Ashton M.. 2012. "Network Sampling with Memory: A Proposal for More Efficient Sampling from Social Networks." *Sociological Methodology* 42(1):206–56. [PubMed: 24159246]
103. Mueller Anna S., and Abrutyn Seth. 2016. "Adolescents under Pressure: A New Durkheimian Framework for Understanding Adolescent Suicide in a Cohesive Community." *American Sociological Review* 81(5):877–99.
104. Mueller Anna S., Abrutyn Seth, Pescosolido Bernice, and Diefendorf Sarah. 2021. "The Social Roots of Suicide: Theorizing How the External Social World Matters to Suicide and Suicide Prevention." *Frontiers in Psychology* 12:621569. [PubMed: 33868089]
105. Muennig Peter, Johnson Gretchen, Kim Jibum, Smith Tom W., and Rosen Zohn. 2011. "The General Social Survey-National Death Index: An Innovative New Dataset for the Social Sciences." *BMC Research Notes* 4(1):385. [PubMed: 21978529]
106. Nadel Fred. 1957. *The Theory of Social Structure*. Free Press.
107. Newman Mark. 2003. "The Structure and Function of Complex Networks." *SIAM Review* 45(2):167–256.

108. Nguyen Ninh T., Magno Cheryl P., Lane Karen T., Hinojosa Marcelo W., and Lane John S.. 2008. "Association of Hypertension, Diabetes, Dyslipidemia, and Metabolic Syndrome with Obesity: Findings from the National Health and Nutrition Examination Survey, 1999 to 2004." *Journal of the American College of Surgeons* 207(6):928–34. [PubMed: 19183541]
109. Nikolopoulos Georgios K., Pavlitina Eirini, Muth Stephen Q., Schneider John, Psychogiou Mina, Williams Leslie D., Paraskevis Dimitrios, Sypsa Vana, Magiorkinis Gkikas, Smyrnov Pavlo, Korobchuk Anya, Vasylyeva Tetyana I., Skaathun Britt, Malliori Melpomeni, Kafetzopoulos Evangelos, Hatzakis Angelos, and Friedman Samuel R.. 2016. "A Network Intervention That Locates and Intervenes with Recently HIV-Infected Persons: The Transmission Reduction Intervention Project (TRIP)." *Scientific Reports* 6(1):38100. [PubMed: 27917890]
110. Osgood D. Wayne, Feinberg Mark E., Gest Scott D., Moody James, Ragan Daniel T., Spoth Richard, Greenberg Mark, and Redmond Cleve. 2013. "Effects of PROSPER on the Influence Potential of Prosocial Versus Antisocial Youth in Adolescent Friendship Networks." *Journal of Adolescent Health* 53(2):174–79.
111. Paik Anthony, and Sanchagrin Kenneth. 2013. "Social Isolation in America: An Artifact." *American Sociological Review* 78(3):339–60.
112. Perkins Jessica M., Subramanian SV and Christakis Nicholas A. 2015. "Social Networks and Health: a Systematic Review of Sociocentric Network Studies in Low-and Middle-Income Countries." *Social Science & Medicine* 125:60–78. [PubMed: 25442969]
113. Perry Brea L., Cheng Yang Kai, Kaminski Patrick, Odabas Meltem, Park Jaehyuk, Martel Michelle, Oser Carrie B., Freeman Patricia R., Ahn Yong-Yeol, and Talbert Jeffery. 2019. "Co-Prescription Network Reveals Social Dynamics of Opioid Doctor Shopping" edited by McCollister KE. *PLOS ONE* 14(10):e0223849. [PubMed: 31652266]
114. Perry BL and Pescosolido BA, 2012. Social network dynamics and biographical disruption: The case of "first-timers" with mental illness. *American Journal of Sociology*, 118(1), pp.134–175.
115. Perry BL and Pescosolido BA, 2015. Social network activation: the role of health discussion partners in recovery from mental illness. *Social science & medicine*, 125, pp.116–128. [PubMed: 24525260]
116. Pescosolido Bernice A. 1986. "Migration, Medical Care Preferences and the Lay Referral System: A Network Theory of Role Assimilation." *American Sociological Review* 51(4):523.
117. Pescosolido Bernice A., and Georgianna Sharon. 1989. "Durkheim, Suicide, and Religion: Toward a Network Theory of Suicide." *American Sociological Review* 54(1):33. [PubMed: 11616426]
118. Pescosolido Bernice A., Lee Byungkyu, and Kafadar Karen. 2020. "Cross-Level Sociodemographic Homogeneity Alters Individual Risk for Completed Suicide." *Proceedings of the National Academy of Sciences* 117(42):26170–75.
119. Pfefferbaum Betty, and North Carol S.. 2020. "Mental Health and the Covid-19 Pandemic." *New England Journal of Medicine* 383(6):510–12. [PubMed: 32283003]
120. Portes Alejandro. 1998. "Social Capital: Its Origins and Applications in Modern Sociology." *Annual Review of Sociology* 24(1):1–24.
121. Poterat John. 2015. *Seeking the Positives: A Life Spent on the Cutting Edge of Public Health*. 1st ed. On-Demand Publishing, LLC.
122. Putnam Robert D. 2000. *Bowling Alone: The Collapse and Revival of American Community*. Simon & Schuster.
123. Rainie Harrison, and Wellman Barry. 2014. *Networked: The New Social Operating System*. Cambridge: MIT Press.
124. Robins Garry, Pattison Pip, Kalish Yuval, and Lusher Dean. 2007. "An Introduction to Exponential Random Graph (P*) Models for Social Networks." *Social Networks* 29(2):173–91.
125. Rogers Everett M. 1962. *Diffusion of Innovations*. New York: Free Press of Glencoe.
126. Rogers Everett M., and Kincaid D. Lawrence. 1981. *Communication Networks: Toward a New Paradigm for Research*. Free Press.
127. Rothenberg Richard B. 1983. "THE GEOGRAPHY OF GONORRHEA: EMPIRICAL DEMONSTRATION OF CORE GROUP TRANSMISSION." *American Journal of Epidemiology* 117(6):688–94. [PubMed: 6859024]

128. Sayers Steven L., and Rhoades Galena K.. 2018. "Recent Advances in the Understanding of Relationship Communication during Military Deployment." *Journal of Family Psychology* 32(1):1. [PubMed: 29543481]
129. Schaefer David R., Kornienko Olga, and Fox Andrew M.. 2011. "Misery Does Not Love Company: Network Selection Mechanisms and Depression Homophily." *American Sociological Review* 76(5):764–85.
130. Shalizi Cosma Rohilla, and Thomas Andrew C.. 2011. "Homophily and Contagion Are Generically Confounded in Observational Social Network Studies." *Sociological Methods & Research* 40(2):211–39. [PubMed: 22523436]
131. Shirado Hirokazu, and Christakis Nicholas A.. 2017. "Locally Noisy Autonomous Agents Improve Global Human Coordination in Network Experiments." *Nature* 545(7654):370–74. [PubMed: 28516927]
132. Simmel Georg. 1902. "The Number of Members as Determining the Sociological Form of the Group. I." *American Journal of Sociology* 8(1):1–46.
133. Small Mario Luis. 2017. *Someone to Talk To*. New York, NY: Oxford University Press.
134. Smith Jeffrey A. 2012. "Macrostructure from Microstructure: Generating Whole Systems from Ego Networks." *Sociological Methodology* 42(1):155–205. [PubMed: 25339783]
135. Snijders Tom AB. 2002. "Markov Chain Monte Carlo Estimation of Exponential Random Graph Models." *Journal of Social Structure* 3(2):1–40.
136. Snijders Tom AB, Pattison Philippa E., Robins Garry L., and Handcock Mark S.. 2006. "New Specifications for Exponential Random Graph Models." *Sociological Methodology* 36(1):99–153.
137. Snow John. 1855. *On the Mode of Communication of Cholera*. John Churchill.
138. Umberson Debra. 1987. "Family Status and Health Behaviors: Social Control as a Dimension of Social Integration." *Journal of Health and Social Behavior* 28(3):306. [PubMed: 3680922]
139. de Vaan Mathijs, and Stuart Toby. 2019. "Does Intra-Household Contagion Cause an Increase in Prescription Opioid Use?" *American Sociological Review* 84(4):577–608.
140. Valente Thomas W. 2012. "Network Interventions." *Science* 337(6090):49–53. [PubMed: 22767921]
141. Valente Thomas W. 2017. "Putting the Network in Network Interventions." *Proceedings of the National Academy of Sciences* 114(36):9500–9501.
142. VanderWeele Tyler J. 2011. "Sensitivity Analysis for Contagion Effects in Social Networks." *Sociological Methods & Research* 40(2):240–55. [PubMed: 25580037]
143. Verdery Ashton M. 2015. "Links Between Demographic and Kinship Transitions." *Population and Development Review* 41(3):465–84.
144. Verdery Ashton M., and Margolis Rachel. 2017. "Projections of White and Black Older Adults without Living Kin in the United States, 2015 to 2060." *Proceedings of the National Academy of Sciences* 114(42):11109–14.
145. Verdery Ashton M., Merli M. Giovanna, Moody James, Smith Jeffrey A., and Fisher Jacob C.. 2015. "Brief Report: Respondent-Driven Sampling Estimators Under Real and Theoretical Recruitment Conditions of Female Sex Workers in China." *Epidemiology* 26(5):661–65. [PubMed: 26214337]
146. Verdery Ashton M., Smith-Greenaway Emily, Margolis Rachel, and Daw Jonathan. 2020. "Tracking the Reach of COVID-19 Kin Loss with a Bereavement Multiplier Applied to the United States." *Proceedings of the National Academy of Sciences* 117(30):17695–701.
147. Wasserman Stanley. 1980. "Analyzing Social Networks as Stochastic Processes." *Journal of the American Statistical Association* 75(370):280–94.
148. Wasserman Stanley, and Faust Katherine. 1994. *Social Network Analysis: Methods and Applications*. Vol. 8. Cambridge University Press.
149. Wasserman Stanley, and Pattison Philippa. 1996. "Logit Models and Logistic Regressions for Social Networks: I. An Introduction to Markov Graphs and P*." *Psychometrika* 61(3):401–25.
150. Watts Duncan J. 1999. "Networks, Dynamics, and the Small-World Phenomenon." *American Journal of Sociology* 105(2):493–527.

151. Watts Duncan J., and Strogatz Steven H.. 1998. "Collective Dynamics of 'Small-World' Networks." *Nature* 393(6684):440. [PubMed: 9623998]
152. Wellman Barry. 1979. "The Community Question: The Intimate Networks of East Yorkers." *American Journal of Sociology* 84(5):1201–31.
153. Wellman Barry. 1988. "The Community Question Re-Evaluated." *Power, Community and the City*.
154. Wellman Barry. 1997. "An Electronic Group Is Virtually a Social Network." *Culture of the Internet* 4:179–205.
155. Wellman Barry, and Leighton Barry. 1979. "Networks, Neighborhoods, and Communities: Approaches to the Study of the Community Question." *Urban Affairs Quarterly* 14(3):363–90.
156. Wellman Barry, and Wortley Scot. 1990. "Different Strokes from Different Folks: Community Ties and Social Support." *American Journal of Sociology* 96(3):558–88.
157. Wulfert Edelgard, and Wan Choi K.. 1993. "Condom Use: A Self-Efficacy Model." *Health Psychology* 12(5):346. [PubMed: 8223358]
158. Wyman Peter A., Brown C. Hendricks, LoMurray Mark, Schmeelk-Cone Karen, Petrova Mariya, Yu Qin, Walsh Erin, Tu Xin, and Wang Wei. 2010. "An Outcome Evaluation of the Sources of Strength Suicide Prevention Program Delivered by Adolescent Peer Leaders in High Schools." *American Journal of Public Health* 100(9):1653–61. [PubMed: 20634440]
159. Young Lindsay E., Fujimoto Kayo, and Schneider John A.. 2018. "HIV Prevention and Sex Behaviors as Organizing Mechanisms in a Facebook Group Affiliation Network Among Young Black Men Who Have Sex with Men." *AIDS and Behavior* 22(10):3324–34. [PubMed: 29536285]




Figure 1: Value and number of NSF grants at sociology-relevant divisions with “network analysis” in the title.

Notes. NSF awarded the following numbers of grants over the plotted timeframe 8,139 (1980), 9,744 (1990), 10,365 (2000), and 13,601 (2010). Likewise, the NSF’s Directorate for Social, Behavioral and Economic Sciences awarded 540 (1980), 650 (1990), 979 (2000), and 1,326 (2010) over this timeframe. Thus, the growth in social networks-related grants outpaces changes in numbers of grants NSF awarded overall and in its most relevant division.




Figure 2:

Trends in the number of published articles on social networks and health since 1940.

Note. This figure plots the number of English language articles indexed in Web of Science Social Science Citation Index that contain the words “network” and either “health,” “well being,” or “medicine” in their abstract, title, or journal- or author-identified keywords. There have been 18,572 such papers since 2000.




Figure 3: Trends in number of publications and citations to articles published in each year by three categories of sociology journals.

Notes. This figure shows trends in the cumulative number of articles published on social networks and health articles (left panel) and citations to social networks and health articles published in given years according to Web of Science for articles published in three categories of sociology journals: Journal of Health and Social Behavior (JHSB); American Journal of Sociology, American Sociological Review, or Social Forces (Top Soc); or all other journals Web of Science indexes in its sociology category (Other Soc*). The left panel counts articles, where the cumulative sum increases each year by the number of articles published on social networks and health in that journal in that year. The right panel shows the cumulative sum of citations to articles published in each of the journal categories as of 2000.




Figure 4:

BMI, diabetes, and hypertension across networks and health research since 2000

Note. This figure shows the intellectual landscape of social networks and health research, based on modeling of English language articles indexed in Web of Science Social Science Citation Index on: (“health” or “well being” or “medicine”) and “network”). There have been 18,572 such papers since 2000. Markers indicate articles with “BMI,” “diabetes,” or “hypertension” in the abstract. Points are sized proportionate to number of times cited.




Figure 5:

Race and gender across networks and health research since 2000

Note. This figure shows the intellectual landscape of social networks and health research, based on modeling of English language articles indexed in Web of Science Social Science Citation Index on: (“health” or “well being” or “medicine”) and “network”). There have been 18,572 such papers since 2000. Points indicate articles with “race” or “gender” in the abstract. Points are sized proportionate to number of times cited.




Figure 6:

Publication volume trends in social networks and health since 2000.

Note. This figure shows the percent of articles published in each of the nine largest substantive areas defined via the clusters in Figures 4 and 5 in each year, allowing us to track the growth and decline of core topics in social networks and health. Within each year, the sum of all topics add to 100%, though these nine largest topics overall do not; smaller topics comprise the remainder.