



# HHS Public Access

Author manuscript

*Genet Med Open*. Author manuscript; available in PMC 2024 November 27.

Published in final edited form as:

*Genet Med Open*. 2024 ; 2: . doi:10.1016/j.gimo.2024.101821.

## Informal Prenatal Genetic Screening Education: What can you learn from Google and YouTube?

Erin P. Johnson, PhD<sup>1</sup>, Naomi O. Riches, PhD, MSPH<sup>1</sup>, Marwa W. Aljardali, MD<sup>2</sup>, Penelope Nussbaum<sup>3</sup>, Evelyn Dean-Olmsted, PhD<sup>3</sup>, Erin Rothwell, PhD<sup>1</sup>

<sup>1</sup>University of Utah, School of Medicine, Department of Obstetrics and Gynecology, Salt Lake City, Utah

<sup>2</sup>University of Texas Southwestern Medical Center, Department of Obstetrics and Gynecology, Division of Basic Research and Laboratory of Signaling and Gene Regulation, Cecil H. and Ida Green Center for Reproductive Biology Sciences, Dallas, Texas

<sup>3</sup>Independent scholar

### Abstract

**Introduction.**—The goal of this paper is to explore what online education and decision support tools are freely available to patients about prenatal screening.

**Materials and Methods.**—We 1) conducted an environmental scan using Google Trends to identify and evaluate prenatal screening search terms, 2) created a list of websites and YouTube videos that would be easily accessed by a searcher and 3) characterized the information within those websites and videos, including an examination of their qualities as a decision support tool and a readability analysis.

**Results.**—Fifty websites, containing 62 unique educational resources, and 39 YouTube videos were analyzed. The websites were primarily educational, though the education was provided by a range of sources including non-profit and for-profit organizations, universities, and governments (i.e., public health departments). Readability scores (PEMAT-P) for the sites ranged from 50%

---

**Contact Information for Corresponding Author:** Erin P. Johnson, University of Utah Health, Obstetrics and Gynecology, 30 N. Mario Capecchi Dr., Level 5 South, Salt Lake City, Utah 84112, erin.p.johnson@hsc.utah.edu.

Author Contributions Statement

Conceptualization: E.P.J., N.R., E.D.O.; Data Curation: E.P.J., N.R., E.D.O., P.N., M.W.A.; Formal Analysis: E.P.J., N.R., E.D.O.; Methodology: E.P.J., N.R., E.D.O., P.N., M.W.A.; Supervision: E.R.; Writing-original draft: E.P.J., N.R.; Writing-review and editing: E.P.J., N.R., E.D.O., P.N., M.W.A., E.R.

**Publisher's Disclaimer:** This is a PDF file of an article that has undergone enhancements after acceptance, such as the addition of a cover page and metadata, and formatting for readability, but it is not yet the definitive version of record. This version will undergo additional copyediting, typesetting and review before it is published in its final form, but we are providing this version to give early visibility of the article. Please note that, during the production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Ethics Declaration Statement

This study did not include human subjects and therefore was not reviewed by an IRB.

Conflict of Interest Statement

All listed authors declare that they have no significant real or potential conflicts of interest. Dr. Rothwell and Dr. Riches have been funded by the National Institutes of Health, including Dr. Rothwell's current funding that supported this paper.

SUPPLEMENTARY MATERIAL

Supplementary material available online contains a full list of the Related Queries from the Google Trends analysis, briefly summarized above in Table 1.

to 92%, with a median score of 74%. Two of the websites we evaluated met all of the limited decision support standards we applied; four of the websites included patient stories or experiences and eight included some element of values clarification. Videos were more likely to include values clarification.

**Discussion.**—The information available to patients online is variable. While most is balanced and informative, much is difficult to read and missing key decision-making factors. Healthcare providers should work with patients to ensure they have basic comprehension of the prenatal genetic screening materials, possible result outcomes, and expected steps following a positive screening result.

### Keywords

Prenatal screening; Search engine; Patient education; Decision aids; Health literacy

---

## INTRODUCTION

Advancements in genetic testing have changed the landscape for pregnant people looking to learn about the chance that their fetus may have a chromosomal or genetic condition. While these opportunities have historically been offered to families with a history of genetic or chromosomal conditions, the American College of Obstetrics and Gynecologists (ACOG) recommends that all pregnant individuals be offered prenatal genetic testing as part of their prenatal care<sup>1</sup> regardless of maternal age, disease, history or risk status.

With the increased use of these genetic tests during pregnancy (i.e., genetic testing is more accessible and less expensive), it is critical that people are informed and understand the purpose of the tests and their potential implications. Additionally, decision making based on risks to one's health can increase anxiety, regret, or unnecessary healthcare utilization<sup>2</sup>. These mental health risks are amplified during pregnancy and have a direct impact on the health and longevity of the fetus<sup>3</sup>.

Traditional invasive prenatal diagnostic tests such as amniocentesis and chorionic villus sampling (CVS) yield the most accurate diagnosis but carry a risk of miscarriage<sup>4</sup>. Providers typically offer a less invasive first line screening test. While prenatal cell-free DNA screening (cfDNA) is the most accurate among screening tests, it still has a small false positive rate. As a result, patients may require confirmatory testing, either prenatally or after birth<sup>5</sup>. However, if a person does not understand the potential results and implications from the screening test, they may experience unnecessary stress or potentially choose to terminate before diagnostic confirmation<sup>6; 7</sup>. Therefore, it is important for pregnant couples to make informed decisions about genetic testing. The risks and ethics involved in the decision emphasize the need for educating pregnant people in advance of actual testing<sup>8; 9</sup>.

Ineffective education could prove harmful to patients, especially when faced with unfamiliar concepts (e.g., false positive results and probability) and the implications of follow-up diagnostic testing<sup>10</sup>. However, an increasing number of physicians and patients view cfDNA as routine, due to the flexibility for use both early and late in the pregnancy and the ease of testing with a blood test<sup>11; 12</sup>. Even commercial companies offer cfDNA outside of the

clinic to “find out your baby’s gender”, e.g., Peek-a-boo Early Detection Gender DNA Test (for the purposes of this paper we use the word “gender”, as it is the word used by the Peek-a-boo company; in actuality these tests provide information about the biological sex of the fetus). There is concern that routinization may lead to reduced education and potentially increased anxiety for the pregnant person between the time they receive “high-risk” results for an aneuploidy and the follow-up explanation with their physician<sup>13</sup>. Genetic counseling may alleviate anxiety when done prior to screening but there are a limited number of genetic counselors available. Thus, there is a significant need for accessible mechanisms to better inform pregnant couples about prenatal screening options and the growing complexities of emerging medical advancements during pregnancy.

Any educational mechanism should recognize that the choice to complete prenatal genetic screening is a personal decision that should be guided by individual values. Prenatal screening may be presented to patients as simple and routine<sup>8</sup>, ignoring the values inherent to the decision, particularly if termination is an option. A systematic review of qualitative research involving adult women who had undergone cfDNA revealed that many of them were dissatisfied with their experience because they felt that their clinician was not informed enough to help them decide<sup>11</sup>.

### **Use of educational decision support tools**

One approach for informing pregnant couples about their options around prenatal screening is the use of decision support tools (DSTs). Leiva Portocarrero and colleagues found that most pregnant people want to be involved in decision making regarding prenatal testing<sup>14</sup>, yet they are mostly influenced by the information they get from their providers<sup>2</sup> and societal or cultural influences<sup>12</sup>. Given wide differences in provider knowledge, time available for discussion, or interest in the conversation, a DST can help patients make informed decisions based on their personal values and expectations<sup>2</sup>.

A good DST will provide accurate information about available options while also presenting potential outcomes and the benefits and risks associated with a given decision<sup>3</sup>. Additionally, it will help a patient to clarify their values associated with the decision, support patients’ preferences, and enable patients to actively engage in shared decision making with their providers. DSTs have been shown to 1) increase knowledge of the diagnosis and treatment options, 2) improve accuracy of risk perception, 3) improve congruency between values and care choices, 4) decrease decisional conflict, 5) increase patient participation in shared decision making and 6) improve patient-provider communication<sup>15</sup>. The goal of DST use in and around pregnancy is not to eliminate physicians’ consultation but to provide patients with information that helps them share in the decision-making process<sup>2</sup>.

The gold standard DST meets the International Patient Decision Support (IPDAS) collaboration standards, which consists of 16 requirements<sup>16</sup>. IPDAS requires DSTs to support people’s decision-making regarding healthcare options, provide information about options, and help patients articulate and communicate their personal values. Few tools meet all 16 IPDAS requirements<sup>14</sup>, yet several studies have shown a positive impact of DSTs that do not meet the full requirements. For instance, prenatal screening decision making is improved by DSTs by improving knowledge scores and decreasing decision-making

conflicts<sup>2</sup>. Additionally, informal information sources, such as those found through a Google search, also influence decision-making processes in pregnancy<sup>17</sup>. Given the potential impact of any information source, but particularly one that meets certain standards, this study evaluated how well educational resources available online met select IPDAS qualifications. Meeting the full IPDAS industry standards was not the goal of our evaluation in this study. Instead, we looked at some broad categories that are generally accepted as important components of a decision support tool.

### Objective

The goal of this paper is to explore what online education and DSTs are freely available to patients about prenatal screening. Researchers have created and assessed numerous DSTs<sup>18–24</sup>, but these aids are typically not available for use once the research project has ended. Given the importance of these informal information sources, our research team aimed to present an overview of the available information found using the search engines Google and YouTube to identify gaps in knowledge and resources, with the long-term goal of stimulating more research in this area.

## METHODS

To meet our objective, we 1) conducted an environmental scan using Google Trends to identify and evaluate prenatal screening search terms, 2) created a list of websites and YouTube videos that would be easily accessed by a searcher and 3) characterized the information within those websites and videos using a qualitative descriptive framework<sup>25</sup>.

### Environmental Scan

An environmental scan was conducted to find relevant websites that may provide patient-facing information about prenatal screening. To begin the scan, websites known to the research team as strong sources of information were listed and reviewed. Google Trends was then used to systematically identify alternative search queries (Related Queries) or synonyms, which were subsequently entered into Google search engine to identify other possible websites patients may find in their own search. Finally, we widened the environmental scan to include YouTube, using the same search terms to explore relevant videos.

### Google Trends

Google Trends (<https://trends.google.com/trends/?geo=US>) is a website that allows users to identify the popularity of search queries done in the Google search engine. Google Trends results include Interest by subregion, Measure of interest, Related topics, Related queries, and Measures of relatedness for the related topics and related queries.

For this analysis, the term Prenatal Screening was entered into Google trends on October 17, 2022, using Google Trends parameters: limited to the United States, the past 12 months, all categories, and Web searches. Synonyms of related queries were then searched, and related query synonyms of those terms were searched, and so on until no new synonyms were found. Specific prenatal screening brand names were excluded from this analysis.

## Website and YouTube Analysis

The research team analyzed the websites pulled from the Google Trends process. One team member summarized each prenatal genetic screening website, and a second team member independently reviewed their assessments. Any discrepancies were evaluated and agreed upon together.

The team visited and analyzed select sites known to contain relevant educational sources and the top nine websites from each Google term search, using Incognito mode so as not to influence the search by past search history, excluding advertisements labeled as such at the top of the search page. For each website the following information was gathered: Organization, Description of Site, URL, Organization Location, Profit Status (non-profit vs for-profit), Affiliated Organizations, Sponsor/Funder, and Educational Resource Offered. A single site may offer multiple educational resources, such as infographic downloads and videos. For each Educational Resource we assessed the following: Resource Title, Type (written text, video, graphic: infographic, graphic: comic, graphic: other, print materials, live workshops or presentations, other), Brief Description, Specific URL, and whether or not select elements of the International Patient Decision Aid Standards (IPDAS) had been met. The 16 standards developed by IPDAS were not appropriate to apply to the websites because the websites were not intended to be DSTs. Instead, we chose key “qualifying criteria” elements that any patient DST should meet<sup>16</sup>. These included the following: the resource presented relevant information (i.e., anything factual about the screening); the resource presented personal experiences (e.g., one woman telling her story about the aftermath of her decision); the resource helped patients clarify values by providing questions (e.g., “How important is it to you to know that your pregnancy has a condition such as Down syndrome?”); the resource helped the user plan for next steps (e.g., an explanation of what happens after receiving the prenatal screening results); the resource was neutral and balanced about the decision to be made (defined as organized, as much as possible, in a manner that is objective, nondirective, and does not favor one option over another).

The research team next explored YouTube as a separate and independent source of relevant information. Team members systematically documented videos on YouTube associated with the same Google search terms, gathering the same pieces of information about the videos when possible.

After the initial analysis was completed, the research team assessed the readability of the websites found when entering the Google Trends terms into the Google search engine, utilizing the Patient Education Materials Assessment Tool for Printable Materials (PEMAT-P) “understandability” score<sup>18</sup>. The “understandability” score is based on 19 questions about the material’s content, word choice and style, use of numbers, organization, layout and design, and use of visual aids. The high score available for a given site is variable because some categories may not be applicable. For example, if the website did not offer any visual aids, this would be marked as a ‘No’ in the first visual aid question and then follow up questions would be marked as ‘Not Applicable’, reducing the total possible score for that site. The PEMAT-P score, which is a percentage of the total PEMAT-P criteria the educational material contains, provides a metric to compare sites to each other and does not include threshold values to rate quality. Two research team members applied the PEMAT-P

to the first five websites of each search term discovered through the Google Trends results, because more than two-thirds of users limit their interaction to the first five results, with the remaining five results receiving just 3.73% of the clicks<sup>26; 27</sup>. Utilizing double coding, each site was independently rated by two different coders. The resulting percentage scores (number of questions endorsed divided by the total possible points for that site) for each site were compared across raters and differences of 10% or more were discussed and resolved.

## RESULTS

### Google Trends Analysis

The term Prenatal Screening returned 59 unique Related Queries in Google Trends. Table 1 summarizes the major categories of the unique queries resulting from Google Trends into prenatal genetic screening related terms, terms phrased as a question, and terms including the word “gender” since this was a common category. We excluded query results for different types of screening tests (e.g., carrier screening), diagnostic tests (e.g., amniocentesis), names of specific genetic condition (e.g., cystic fibrosis), questions related to cost or location, or prenatal screening name brands (e.g., Panorama). For a full list of Related Queries results, see Supplemental Table 1.

### Website and YouTube Video Analysis

Fifty unique sites resulted from the Prenatal Screening Google Trends terms entered into the Google search engine and the websites identified a priori by the research team as known educational resources. Of those 50, four were sales sites (e.g., Amazon) selling a “gender reveal” noninvasive prenatal test that could be purchased and completed from home, only one of which provided some educational information. The follow-up exploration of YouTube videos revealed 39 unique YouTube videos discussing prenatal screening. See Table 2 for a breakdown of sites based on type, profit status, and funding organization and how those groups rated on the different IPDAS criteria. The for-profit organizations were typically labs, private health clinics, or direct sales sites for the “gender reveal” test that included more education than that offered by places like Amazon.

Of the 50 sites, 62 unique educational resources were identified; some of the websites had multiple resources available, such as both written text and an embedded video. Among the 62 resources, 49 offered written text, three offered video, two offered infographics, and five offered print materials for download (e.g., brochure). Three were only selling a cfDNA-based test for biological sex and offered no educational value. None offered additional educational graphics.

Each educational resource was analyzed for IPDAS elements. Only four resources met all five IPDAS qualifying criteria we chose for this study. The majority of the resources presented relevant information (n=54, 87%) and were neutral and balanced about the decision to be made (n=55, 88.7%), but only 6.5% (n=4) presented individual experiences and 11.3% (n=7) included some level of values clarification exercises. The type of site did not appear to impact results on the IPDAS criteria (Table 2), but statistical analyses were not completed due to low numbers. Of the groups with at least ten resources (non-profit,



for-profit, and government), non-profit sites were more likely to present values clarification questions (20% vs 6% and 10%) and government sites were least likely to help the user prepare for next steps (50% vs 76% and 80%).

Analysis of the YouTube videos was approached in the same manner as the websites. Of the 39 videos, the majority (56%) were made by non-profit organizations and 20% were made by for-profit organizations (laboratories) (Table 2). The IPDAS criteria met by the videos can be seen in Table 2. Similar to the websites, all the videos present information in a neutral and balanced manner and only two present unique patient experiences. However, the percentage of videos encouraging some level of values clarification (n=18, 46%) was higher than the percentage of websites encouraging values clarification (n=7, 11.3%).

A high number of websites only offered written text, so the research team conducted a readability analysis using the Understandability component of the PEMAT-P. After de-duplicating the 5 top results of the Google search using each of the Google Trends terms, 30 websites remained and were scored by two independent raters. The resulting PEMAT-P Understandability score of the websites analyzed ranged from 50% to 92%, with a median score of 74%. PEMAT-P average score for the different site types explored above (Table 3) revealed much lower scores for the “Other” (53.9%) and the “Direct Sales” (66.3%) categories, compared to non-profit (76.8%) and for-profit (72.3%). However, the number of sites assessed for both of these groups was small. Twenty five or more of the 30 sites met seven of the PEMAT-P Understandability criteria (Table 4). Three of the PEMAT-P Understandability criteria were met less than half of the time. Additionally, only three of the 30 websites contained visual aids to make the content more easily understood. Two sites included tables, both of which were clinician-focused. Finally, many of the websites, from both commercial and non-profit sources, contained distracting advertisements and videos unrelated to the subject, impacting readability in a way that may not be well captured by the PEMAT-P.

## DISCUSSION

Screening for congenital anomalies is recommended for all pregnant people regardless of age and family history<sup>14</sup>. Given the high amount of information covered in prenatal clinical visits and the limited time available during the visits, the need to educate people on prenatal screening outside of the clinic has been clear for many years. Various educational approaches for prenatal genetic screening, both electronic and paper-based, have been created and assessed by researchers in the past decade<sup>18–24; 28–30</sup>. These studies clearly indicate that users gain knowledge about prenatal genetic screening after using the educational tool. However, these educational tools are not available to patients who are actively looking for information on prenatal genetic screening on their own, and current attempts to track down the original DSTs<sup>18–24</sup> indicate that the tools are also no longer in use clinically<sup>31</sup>. It is likely that most patients are not aware of these tools, so they turn to informal sources of information, such as friends or the internet<sup>11</sup>. Thus, the goal of this project was to explore what informal educational resources are available to patients who turn to the internet for understanding.

This environmental scan analyzed 50 websites containing a total of 62 unique educational sources. The websites appearing from these Google searches were primarily educational sites (as opposed to blogs and commercial advertising), though the education was being provided by a range of sources including non-profit organizations, for-profit organizations, Universities, and governments (i.e., public health departments) (Table 2). People are typically taught that .gov and .edu are more trustworthy sources of information, but these sources were in the minority of what appeared through the Google searches, with only 13 sites having these top-level domains. In contrast, non-profit (.org) sites can be advocacy groups that have a particular bias<sup>32</sup>. However, we found 96% of the resources provided by these sites included balanced information. As expected, for profit websites encouraged use of their product or clinic, yet we found that they still provided balanced information about the screening itself (88%).

Most of the informal information sources available to the general public are primarily text-based, unless the user directly searches within YouTube. The abundance of text-based resources may be problematic for people with low health literacy. Our readability analysis revealed that the readability of text sources supplied by the Google search was broad, ranging from 50% to 92% scores on the PEMAT-P. Results from the PEMAT-P also show that a majority of websites make their purpose clear, do not expect the user to perform calculations, enhance readability by breaking up the material into short sections with informative headers, and roughly two thirds of the sites used language that could be considered common, everyday language. Yet, very few sites provide a summary or include visual aids, such as an image visually representing the probability of a high-risk result, alongside the text to help readers understand the material. Additionally, nearly 10% also included a high number of distracting advertisements.

It's important to note that a Google search provides information for a wide target audience, including people seeking education or professional guidance, or looking to purchase a product. This broad response may make it difficult for patients to wade through and determine what is appropriate information. While most of the sites we evaluated appeared to be intended as patient-facing (compared to clinician-facing) and those sites had reasonable readability scores, they did not meet the limited IPDAS standards we applied for this study. Only four of the resources included patient stories or experiences and only eight included some element of values clarification. Notably, three of those eight resources only included implicit values clarification, simply encouraging people to think about what matters to them. A recent meta-analysis concluded that explicit values clarification methods are helpful for making values-congruent decisions, but that decisional conflict does not differ between explicit and implicit methods of presentation<sup>33</sup>.

The sites that did include personal stories were varied in their approach. For instance, one site put together a downloadable PDF that walks a parent through the facts and emotions around receiving a Down syndrome diagnosis. Another posted a video on their website that presents the screening decision through the eyes of one patient, "Louisa". In comparison, stories presented by a national newspaper or a blog post present personal stories without as much factual information or values clarification opportunities. It is important to note that recent research indicates that the primary factor impacting behavior change is the degree



to which the personal narrative resonates with the viewer, not merely the inclusion of the story itself<sup>34</sup>. Thus, it appears that individuals searching for education about prenatal screening can find relevant, unbiased, information but may not have what they need to make a values-appropriate decision.

Results from our video-specific exploration were similar. Video-based presentations can display complex information in a culturally and linguistically appropriate format to individuals of diverse educational backgrounds, making them ideal for presenting healthcare-related information<sup>31-33</sup>. Videos are also helpful for individuals with low literacy. According to a 2004 Institute of Medicine report, at least 90 million adults do not have the literacy skills required to effectively navigate the U.S. health system<sup>35</sup>. Genetic screening is a complex topic, often accompanied by jargon unfamiliar to those outside of the field, which can make comprehension even more challenging for those with low literacy skills. Of the 39 YouTube videos assessed here, only two included personal stories. This is a missed opportunity for a medium that easily can incorporate personal stories. However, the videos were more likely than the websites to discuss how personal values might be considered in decision-making.

### Clinical Considerations

People seeking additional information about prenatal screening outside of their clinical visit are already taking an extra step. If prenatal genetic screening is presented to patients as routine with little discussion in advance, patients may not also be presented with additional information about the potential risks. However, if patients turn to the internet, much of the information that exists through a Google search also presents prenatal genetic screening as a “simple blood test” or as a method to learn about the sex of the baby early. Thus, despite the factual information being presented, patients may walk away from their search unprepared for a positive (or “high-risk”) screening result.

Several prenatal screening laboratories showed up in our Google search. The direct-to-consumer advertising done by labs or other commercial websites may minimize or neglect all mention of the potential risks while highlighting the ease and accuracy of the tests<sup>6; 36-39</sup>. For example, the three clinic websites we examined presented cfDNA primarily as an early “gender identification test” and only one of them presented information in a neutral manner. The cfDNA tests (often referred to as noninvasive prenatal tests within the websites) are not FDA evaluated and approved because they are laboratory developed tests. Without direct regulation of genetic testing and the lack of a centralized healthcare system, the implementation of cfDNA tests in the US has been influenced by the commercial sector, medical professional associations, and private insurers<sup>40; 41</sup>. The result is variable insurance coverage and variable options offered to patients, depending on their clinic<sup>42</sup>. Consequently, patients may be offered lab tests for microdeletions alongside aneuploidies and not recognize the difference due to inadequate or limited education, despite the fact testing for microdeletions is not recommended by the FDA<sup>43</sup> or ACOG<sup>44</sup>.

Additionally, because cfDNA-based screens can be used so early in pregnancy and detect conditions for which there is no cure, it may be used primarily by some people to determine the need for termination<sup>38</sup>. Without adequate education, patients may terminate based on a

screening result before conducting confirmatory testing, because of limited understanding of the concept of risk or probability. Conversely, patients may have increased anxiety related to the test if they receive a high-risk result but live in a state that does not allow termination or choose not to do invasive testing, leaving them unclear about what to do<sup>45; 46</sup>.

One final consideration is the impact of informal information on a pregnant person's mental health. Sanders and Crozier (2018) found that as a result of exploring informal information sources, women experienced both anxiety and feelings of empowerment. The perception of control and empowerment, created by forming a strong knowledge base, breaks down as soon as something goes wrong or a result is unexpected, resulting in increased anxiety. Additionally, the authors discussed an "Information Heaven and Hell" dichotomy due to the findings that people are happy to have access to more information, but too much information can result in feeling overwhelmed<sup>17</sup>. While curating information for a patient could be helpful to sort out this dichotomy, patients may still dig into informal information sources away from the provided resource.

### **Strengths and Limitations**

To our knowledge, this is a unique approach to assess publicly available information for prenatal genetic screening based on a simple search from popular internet sources. However, a limitation of this study is the lack of knowledge about how people are actually searching for information. Given the market saturation of Google we only explored search results within this one search engine, but have not addressed additional search engines such as DuckDuckGo, Yahoo, etc. Additionally, we started our Google trends analysis with an academic term, prenatal screening. The Trends analysis provided dozens of additional search terms, but the resulting pages may not have captured results starting with more informal search terms. Another limitation is that this study did not include social media and online forums where people may be gathering information.

Finally, our analysis of text readability was useful for recognizing literacy concerns, but we did not have a standardized tool to assess content. Often a site would yield a higher readability score but would have questionable content, from the point of view of the authors.

### **Supplementary Material**

Refer to Web version on PubMed Central for supplementary material.

### **Funding Statement**

Support for this research was provided in part by the National Institutes for Health (NIH) under Award Number R01HG011921. The content is solely the responsibility of the authors and does not represent the official view of the NIH.

### **Data Availability Statement**

The data that support the findings of this study are available on request from the corresponding author. The data are not currently publicly available.

## REFERENCES

1. ACOG (2020). American College of Obstetricians and Gynecologists' (ACOG) clinical recommendations for Screening for Fetal Chromosomal Abnormalities. ACOG Practice Bulletin, 136(226), e48–69. <https://www.acog.org/advocacy/policy-priorities/non-invasive-prenatal-testing/current-acog-guidance> [PubMed: 32804883]
2. Yu L, Yang S, Zhang C, Guo P, Zhang X, Xu M, Tian Q, Cui X, & Zhang W (2021). Decision aids for prenatal testing: A systematic review and meta-analysis. *J Adv Nurs*, 77(10), 3964–3979. 10.1111/jan.14875 [PubMed: 33942356]
3. Zahedi R, Nemati-Anaraki L, Sedghi S, & Shariat M (2020). Factors Influencing Pregnant Women's Use of Patient Decision Aids and Decision Making on Prenatal Screening: A Qualitative Study. *J Family Reprod Health*, 14(4), 221–228. 10.18502/jfrh.v14i4.5205 [PubMed: 34054993]
4. Salomon LJ, Sotiriadis A, Wulff CB, Odibo A, & Akolekar R (2019). Risk of miscarriage following amniocentesis or chorionic villus sampling: systematic review of literature and updated meta-analysis. *Ultrasound Obstet Gynecol*, 54(4), 442–451. 10.1002/uog.20353 [PubMed: 31124209]
5. Liehr T (2022). False-positives and false-negatives in non-invasive prenatal testing (NIPT): what can we learn from a meta-analyses on > 750,000 tests? *Mol Cytogenet*, 15(1), 36. 10.1186/s13039-022-00612-2 [PubMed: 35986330]
6. Bhatia SKA (2022, January 1, 2022). When They Warn of Rare Disorders, These Prenatal Tests Are Usually Wrong. *The New York Times*. <https://www.nytimes.com/2022/01/01/upshot/pregnancy-birth-genetic-testing.html>
7. ACOG T. A. C. o. O. a. G. (2008). Ethical Issues in Genetic Testing [Committee Opinion]. <https://www.acog-org.ezproxy.lib.utah.edu/clinical/clinical-guidance/committee-opinion/articles/2008/06/ethical-issues-in-genetic-testing>
8. Perrot A, & Horn R (2022). The ethical landscape(s) of non-invasive prenatal testing in England, France and Germany: findings from a comparative literature review. *Eur J Hum Genet*, 30(6), 676–681. 10.1038/s41431-021-00970-2 [PubMed: 34602609]
9. Dormandy E, Hooper R, Michie S, & Marteau TM (2002). Informed choice to undergo prenatal screening: a comparison of two hospitals conducting testing either as part of a routine visit or requiring a separate visit. *J Med Screen*, 9(3), 109–114. 10.1136/jms.9.3.109 [PubMed: 12370321]
10. Labonté V, Alsaïd D, Lang B, & Meerpohl JJ (2019). Psychological and social consequences of non-invasive prenatal testing (NIPT): a scoping review. *BMC Pregnancy Childbirth*, 19(1), 385. 10.1186/s12884-019-2518-x [PubMed: 31660889]
11. Cernat A, De Freitas C, Majid U, Trivedi F, Higgins C, & Vanstone M (2019). Facilitating informed choice about non-invasive prenatal testing (NIPT): a systematic review and qualitative meta-synthesis of women's experiences. *BMC Pregnancy Childbirth*, 19(1), 27. 10.1186/s12884-018-2168-4 [PubMed: 30642270]
12. Montgomery S, & Thayer ZM (2020). The influence of experiential knowledge and societal perceptions on decision-making regarding non-invasive prenatal testing (NIPT). *BMC Pregnancy Childbirth*, 20(1), 630. 10.1186/s12884-020-03203-4 [PubMed: 33076858]
13. Riches NO, Johnson EP, Subramaniam A, Vora NL, Hardisty E, LaRivière K, & Rothwell E (2023). Understanding the experiences and perspectives of prenatal screening among a diverse cohort. *Prenat Diagn*. 10.1002/pd.6297
14. Leiva Portocarrero ME, Garvelink MM, Becerra Perez MM, Giguère A, Robitaille H, Wilson BJ, Rousseau F, & Légaré F (2015). Decision aids that support decisions about prenatal testing for Down syndrome: an environmental scan. *BMC Med Inform Decis Mak*, 15, 76. 10.1186/s12911-015-0199-6 [PubMed: 26404088]
15. Stacey D, Légaré F, Lewis K, Barry MJ, Bennett CL, Eden KB, Holmes-Rovner M, Llewellyn-Thomas H, Lyddiatt A, Thomson R, & Trevena L (2017). Decision aids for people facing health treatment or screening decisions. *Cochrane Database Syst Rev*, 4(4), Cd001431. 10.1002/14651858.CD001431.pub5 [PubMed: 28402085]
16. Joseph-Williams N, Newcombe R, Politi M, Durand MA, Sivell S, Stacey D, O'Connor A, Volk RJ, Edwards A, Bennett C, Pignone M, Thomson R, & Elwyn G (2014). Toward Minimum

- Standards for Certifying Patient Decision Aids: A Modified Delphi Consensus Process. *Med Decis Making*, 34(6), 699–710. 10.1177/0272989×13501721 [PubMed: 23963501]
17. Sanders RA, & Crozier K (2018). How do informal information sources influence women's decision-making for birth? A meta-synthesis of qualitative studies. *BMC Pregnancy Childbirth*, 18(1), 21. 10.1186/s12884-017-1648-2 [PubMed: 29316887]
  18. Rothwell E, Johnson E, Wong B, Rose NC, Latendresse G, Altizer R, Zagal J, Smid M, Watson A, & Botkin JR (2019). The Use of a Game-Based Decision Aid to Educate Pregnant Women about Prenatal Screening: A Randomized Controlled Study. *Am J Perinatol*, 36(3), 322–328. 10.1055/s-0038-1667371 [PubMed: 30107621]
  19. Carlson LM, Harris S, Hardisty EE, Hocutt G, Vargo D, Campbell E, Davis E, Gilmore K, & Vora NL (2019). Use of a novel computerized decision aid for aneuploidy screening: a randomized controlled trial. *Genet Med*, 21(4), 923–929. 10.1038/s41436-018-0283-2 [PubMed: 30214066]
  20. Yee LM, Wolf M, Mullen R, Bergeron AR, Cooper Bailey S, Levine R, & Grobman WA (2014). A randomized trial of a prenatal genetic testing interactive computerized information aid. *Prenat Diagn*, 34(6), 552–557. 10.1002/pd.4347 [PubMed: 24578289]
  21. Beulen L, van den Berg M, Faas BH, Feenstra I, Hageman M, van Vugt JM, & Bekker MN (2016). The effect of a decision aid on informed decision-making in the era of non-invasive prenatal testing: a randomised controlled trial. *Eur J Hum Genet*, 24(10), 1409–1416. 10.1038/ejhg.2016.39 [PubMed: 27189020]
  22. Åhman A, Sarkadi A, Lindgren P, & Rubertsson C (2016). 'It made you think twice' - an interview study of women's perception of a web-based decision aid concerning screening and diagnostic testing for fetal anomalies. *BMC Pregnancy Childbirth*, 16(1), 267. 10.1186/s12884-016-1057-y [PubMed: 27619366]
  23. Skjøth MM, Draborg E, Lamont RF, Pedersen CD, Hansen HP, Ekstrøm CT, & Jørgensen JS (2015). Informed choice about Down syndrome screening - effect of an eHealth tool: a randomized controlled trial. *Acta Obstet Gynecol Scand*, 94(12), 1327–1336. 10.1111/aogs.12758 [PubMed: 26332592]
  24. Kuppermann M, Pena S, Bishop JT, Nakagawa S, Gregorich SE, Sit A, Vargas J, Caughey AB, Sykes S, Pierce L, & Norton ME (2014). Effect of enhanced information, values clarification, and removal of financial barriers on use of prenatal genetic testing: a randomized clinical trial. *Jama*, 312(12), 1210–1217. 10.1001/jama.2014.11479 [PubMed: 25247517]
  25. Sandelowski M (2000). Whatever happened to qualitative description? *Res Nurs Health*, 23(4), 334–340. 10.1002/1098-240x(200008)23:4<334::aid-nur9>3.0.co;2-g [PubMed: 10940958]
  26. Shelton K (2017). The Value Of Search Results Rankings. *Forbes*. <https://www.forbes.com/sites/forbesagencycouncil/2017/10/30/the-value-of-search-results-rankings/?sh=3cb4c86944d3>
  27. Southern M Over 25% of people click the first google search result. <https://www.searchenginejournal.com/google-first-page-clicks/374516/#close>
  28. Winters P, Curnow KJ, Benachi A, Gil MM, Santacruz B, Nishiyama M, Hasegawa F, & Sago H (2022). Multisite assessment of the impact of a prenatal testing educational App on patient knowledge and preparedness for prenatal testing decision making. *J Community Genet*, 13(4), 435–444. 10.1007/s12687-022-00596-x [PubMed: 35680723]
  29. de Leeuw RA, van der Horst SFB, de Soet AM, van Hensbergen JP, Bakker P, Westerman M, de Groot CJM, & Scheele F (2019). Digital vs face-to-face information provision in patient counselling for prenatal screening: A noninferiority randomized controlled trial. *Prenat Diagn*, 39(6), 456–463. 10.1002/pd.5463 [PubMed: 30995693]
  30. Mulla BM, Chang OH, Modest AM, Hacker MR, Marchand KF, & O'Brien KE(2018). Improving Patient Knowledge of Aneuploidy Testing Using an Educational Video: A Randomized Controlled Trial. *Obstet Gynecol*, 132(2), 445–452. 10.1097/aog.0000000000002742 [PubMed: 29995739]
  31. Johnson E (2023). Unpublished exploration of current accessibility of published electronic decision support tools for prenatal screening.
  32. How to find reliable health information online. (2023). National Institutes of Health. Retrieved August 11, 2023 from <https://www.nia.nih.gov/health/how-find-reliable-health-information-online>
  33. Witteman HO, Ndjaboue R, Vaissou G, Dansokho SC, Arnold B, Bridges JFP, Comeau S, Fagerlin A, Gavaruzzi T, Marcoux M, Pieterse A, Pignone M, Provencher T, Racine C, Regier

- D, Rochefort-Brihay C, Thokala P, Weernink M, White DB, ... Jansen J (2021). Clarifying Values: An Updated and Expanded Systematic Review and Meta-Analysis. *Med Decis Making*, 41(7), 801–820. 10.1177/0272989x211037946 [PubMed: 34565196]
34. Shaffer VA, Brodney S, Gavaruzzi T, Zisman-Ilani Y, Munro S, Smith SK, Thomas E, Valentine KD, & Bekker HL (2021). Do Personal Stories Make Patient Decision Aids More Effective? An Update from the International Patient Decision Aids Standards. *Medical Decision Making*, 41(7), 897–906. 10.1177/0272989x211011100 [PubMed: 34027739]
35. Institute of Medicine Committee on Health, L. (2004). In Nielsen-Bohlman L, Panzer AM, & Kindig DA (Eds.), *Health Literacy: A Prescription to End Confusion*. National Academies Press (US) Copyright 2004 by the National Academy of Sciences. All rights reserved. 10.17226/10883
36. Ventola CL (2011). Direct-to-Consumer Pharmaceutical Advertising: Therapeutic or Toxic? *P t*, 36(10), 669–684. [PubMed: 22346300]
37. Parekh N, & Shrank WH (2018). Dangers and Opportunities of Direct-to-Consumer Advertising. *J Gen Intern Med*, 33(5), 586–587. 10.1007/s11606-018-4342-9 [PubMed: 29423626]
38. Perry JE, Anthony D. Cox, and Dena Cox. (2013). Direct-to-Consumer Drug Advertisements and the Informed Patient: A Legal, Ethical, and Content Analysis. *American Business Law Journal*, 50(4), 729–778.
39. Fahim G, Toscani M, Barone JA, Wang C, & Gandhi S (2018). Evaluation of Risk Versus Benefit Information in Direct-To-Consumer (DTC) Prescription Drug Television Advertisements. *Ther Innov Regul Sci*, 52(1), 114–117. 10.1177/2168479017716719 [PubMed: 29714616]
40. Ravitsky V, Roy MC, Haidar H, Henneman L, Marshall J, Newson AJ, Ngan OMY, & Nov-Klaiman T (2021). The Emergence and Global Spread of Noninvasive Prenatal Testing. *Annu Rev Genomics Hum Genet*, 22, 309–338. 10.1146/annurev-genom-083118-015053 [PubMed: 33848430]
41. (2022). Coalition for Access to Prenatal Screening. Retrieved August 11, 2023 from <https://capsprenatal.com/our-mission/>
42. Gadsbøll K, Petersen OB, Gatinois V, Strange H, Jacobsson B, Wapner R, Vermeesch JR, & Vogel I (2020). Current use of noninvasive prenatal testing in Europe, Australia and the USA: A graphical presentation. *Acta Obstet Gynecol Scand*, 99(6), 722–730. 10.1111/aogs.13841 [PubMed: 32176318]
43. USFDA. (2022). Genetic Non-Invasive Prenatal Screening Tests May Have False Results: FDA Safety Communication (Safety Communications, Issue. <https://www.fda.gov/medical-devices/safety-communications/genetic-non-invasive-prenatal-screening-tests-may-have-false-results-fda-safety-communication>
44. Microarrays and next-generation sequencing technology: the use of advanced genetic diagnostic tools in obstetrics and gynecology. (2016). (*Obstet Gynecol Issue*).
45. Lou S, Mikkelsen L, Hvidman L, Petersen OB, & Nielsen CP (2015). Does screening for Down's syndrome cause anxiety in pregnant women? A systematic review. *Acta Obstet Gynecol Scand*, 94(1), 15–27. 10.1111/aogs.12482 [PubMed: 25146713]
46. Akbas M, Koyuncu FM, Bülbül Y, Artunc-Ulkumen B, & Çetin A (2021). The impact of invasive prenatal testing on anxiety and sleep quality in pregnant women with a screen-positive result for aneuploidy. *J Psychosom Obstet Gynaecol*, 42(1), 15–21. 10.1080/0167482x.2019.1708320 [PubMed: 31899650]

### Takeaways

- The information available to patients online is variable. While most is balanced and informative, many websites could improve readability and add key decision-making factors
- Providers should work with patients to ensure they have basic comprehension of the prenatal genetic screening material and next steps
- This exploration provided an initial snapshot of what is available for patients seeking information about prenatal screening on their own. Future work could explore social media, carrier screening, and a more in-depth readability analysis



**Table 1.**

Google Trends Related Queries to “Prenatal Screening” by Search Term Category

Prenatal screening	Related queries from Google Trends
	Cell free DNA test
	First trimester genetic screening
	First trimester screening
	genetic blood testing pregnancy
	Genetic screening pregnancy
	Genetic testing during pregnancy
	Genetic testing during pregnancy first trimester
	Genetic testing for pregnancy
	genetic testing in pregnancy
	Genetic testing pregnancy
	Maternal serum screening
	NIPT
	NIPT blood test
	NIPT genetic testing
	NIPT pregnancy
	NIPT screening
	NIPT test
	NIPT test pregnancy
	NIPT testing
	Non invasive prenatal testing
	Noninvasive prenatal screening
	Prenatal DNA testing
	Prenatal genetic screening
	prenatal genetic testing
	prenatal screening
	Prenatal screening test
	Prenatal screening tests
	Prenatal testing
	Phrased as a question
	What does NIPT test for
	What does the NIPT test for
	What is a NIPT test
	What is an NIPT test
	What is genetic testing during pregnancy
	What is genetic testing pregnancy
	What is NIPT
	What is NIPT test
	What is NIPT test in pregnancy

Prenatal screening	Related queries from Google Trends
	What is NIPT testing in pregnancy
	What is prenatal testing
Search terms with "gender"	
	Baby gender blood test
	Blood test for baby gender
	Blood test for gender
	Blood test for gender of baby
	Blood test for gender reveal
	Blood test to determine gender
	Blood test to determine gender of baby
	Blood test to find out gender
	Does NIPT test for gender
	Early gender blood test
	Early gender test
	Gender blood test
	Gender blood test at doctors office
	Gender reveal blood test
	Genetic blood testing pregnancy gender
	Genetic testing pregnancy gender
	NIPT blood test gender
	NIPT gender test
	NIPT test gender
	Pregnancy gender blood test

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript

**Table 2.**

Select IPDAS criteria applied to websites and YouTube videos

	Present relevant information?	Present experiences?	Values clarification?	Help user plan for next steps?	Neutral and balanced about the decision to be made?
Websites					
Non-profit sites (n=25) <sup>b</sup>	24 (96%)	2 (8%)	5 (20%)	20 (80%)	24 (96%)
For profit sites (n=17)	14 (82%)	0 (0%)	1 (6%)	13 (76%)	15 (88%)
Government (n=10)	9 (90%)	1 (10%)	1 (10%)	5 (50%)	10 (100%)
University (n=3)	3 (100%)	0 (0%)	1 (33%)	3 (100%)	3 (100%)
Other (n=3) <sup>c</sup>	3 (100%)	1 (33%)	0 (0%)	1 (33%)	3 (100%)
Direct Sales (n=4)	1 (25%)	0 (0%)	0 (0%)	1 (25%)	0 (0%)
YouTube Videos					
Non-profit sites (n=22)	22 (100%)	0 (0%)	10 (46%)	17 (77%)	21 (96%)
For profit sites (n=8)	8 (100%)	1 (13%)	4 (50%)	8 (100%)	8 (100%)
Government (n=4)	4 (100%)	1 (25%)	2 (50%)	4 (100%)	3 (75%)
University (n=4)	4 (100%)	0 (0%)	1 (25%)	3 (75%)	4 (100%)
Unknown (n=1) <sup>d</sup>	1 (100%)	0 (0%)	1 (100%)	1 (100%)	1 (100%)

<sup>b</sup> provided n's for websites refers to the total number of resources available. Actual number of sites accessed includes 18 non-profits, 13 for-profits, 9 government, 3 university, 3 other and 4 direct sales

<sup>c</sup> Other: Peer-reviewed journal articles and newspaper articles

<sup>d</sup> The authors were unable to determine to which category the unknown video producer belonged

**Table 3.**

PEMAT average scores for sites reviewed in PEMAT sub-analysis

	Non-profit sites (n=7)	For profit sites (n=11)	Government (n=7)	Other (n=2) <sup>b</sup>	Direct Sales (n=3)
<b>Average PEMAT Score</b>	76.79	72.27	75.84	53.85	66.3

<sup>b</sup> Other: peer-reviewed journal articles

**Table 4.**

## PEMAT-P Understandability scoring

PEMAT-P category	PEMAT-P criteria	# of sites out of 30 (mean of 2 reviewer scores)
<b>Content</b>	1. The material makes its purpose completely evident [Disagree=0, Agree=1]	28
	2. The material does not include information or content that distracts from its purpose [Disagree=0, Agree=1]	25.5
<b>Word Choice &amp; Style</b>	3. The material uses common, everyday language. [Disagree=0, Agree=1]	20.5
	4. Medical terms are used only to familiarize audience with the terms. When used, medical terms are defined, but not through use of another link. [Disagree=0, Agree=1]	22
	5. The material uses the active voice. [Disagree=0, Agree=1]	25.5
<b>Use of Numbers</b>	6. Numbers appearing in the material are clear and easy to understand (ie, whole numbers, not fractions or percentages). [Disagree=0, Agree=1]	12.5
	7. The material does not expect the user to perform calculations. [Disagree=0, Agree=1]	30
<b>Organization</b>	8. The material breaks or “chunks” information into short sections. [Disagree=0, Agree=1, Very short material=N/A]	28
	9. The material’s sections have informative headers. [Disagree=0, Agree=1, Very short material =N/A]	24.5
	10. The material presents information in a logical sequence. [Disagree=0, Agree=1]	28.5
	11. The material provides a summary. [Disagree=0, Agree=1, Very short material =N/A]	9.5
<b>Layout &amp; Design</b>	12. The material uses visual cues (e.g., arrows, boxes, bullets, bold, larger font, highlighting) to draw attention to key points. [Disagree=0, Agree=1, Video=N/A]	23.5
<b>Use of Visual Aids</b>	15. The material uses visual aids whenever they could make content more easily understood (e.g., illustration of healthy portion size). [Disagree=0, Agree=1]	3
	16. The material’s visual aids reinforce rather than distract from the content. [Disagree=0, Agree=1, No visual aids=N/A]	3.5
	17. The material’s visual aids have clear titles or captions. [Disagree=0, Agree=1, No visual aids=N/A]	3.5
	18. The material uses illustrations and photographs that are clear and uncluttered. [Disagree=0, Agree=1, No visual aids=N/A]	5
	19. The material uses simple tables with short and clear row and column headings. [Disagree=0, Agree=1, No tables=N/A]	0.5