



Published in final edited form as:

Am J Public Health. 2013 August ; 103(8): e24–e26. doi:10.2105/AJPH.2012.301135.

Heat Index in Migrant Farmworker Housing: Implications for Rest and Recovery from Work-Related Heat Stress

Sara A. Quandt, PhD¹, Melinda F. Wiggins, MTS², Haiying Chen, MD, PhD³, Werner E. Bischoff, MD, PhD⁴, and Thomas A. Arcury, PhD⁵

¹Department of Epidemiology and Prevention, Division of Public Health Sciences, Wake Forest School of Medicine

²Student Action with Farmworkers

³Department of Biostatistical Science, Division of Public Health Sciences, Wake Forest School of Medicine

⁴Department of Internal Medicine, Section on Infectious Diseases Wake Forest School of Medicine

⁵Department of Family and Community Medicine, Wake Forest School of Medicine

Abstract

Although the health risk to farmworkers of working in hot conditions is recognized, potential for excessive heat exposure in housing affecting rest and recovery has been ignored. We assessed heat index (HI) in common and sleeping rooms in 170 North Carolina farmworker camps across a summer and examined associations with time of summer and air conditioning use. Dangerous HIs were recorded in most rooms, regardless of time or air conditioning. Policies to reduce HI in farmworker housing should be developed.

Physical work in hot, humid conditions poses significant health risks for farmworkers.¹ Crop workers report working in extreme heat;² they suffer heat-related death at rates higher than other US workers.³ The dangers of heat illness are recognized in several states by heat standards, which prescribe shaded rest breaks during hot weather and education to encourage drinking adequate water.^{4,5}

Daily recovery helps reduce negative effects of heat on health. Among farmworkers, the potential for recovery is determined largely by their ability to spend non-working time in cooler conditions, including breaks during the day and overnight. Studies of farmworker

Corresponding author: Sara A. Quandt, PhD, Department of Epidemiology and Prevention, Division of Public Health Sciences, Wake Forest School of Medicine, Medical Center Boulevard, Winston-Salem, NC 27157, Phone: (336)716-6015, squandt@wakehealth.edu. Sara A. Quandt is with the Department of Epidemiology, Division of Public Health Sciences, Wake Forest School of Medicine. Melinda F. Wiggins is with Student Action with Farmworkers. Haiying Chen is with the Department of Biostatistical Sciences, Division of Public Health Sciences, Wake Forest School of Medicine. Werner E. Bischoff is with the Department of Internal Medicine, Section on Infectious Diseases, Wake Forest School of Medicine. Thomas A. Arcury is with the Department of Family and Community Medicine, Wake Forest School of Medicine. Sara A. Quandt, Haiying Chen, Werner E. Bischoff, and Thomas A. Arcury are with the Center for Worker Health, Wake Forest School of Medicine.

Contributors:

S.A. Quandt, H. Chen, M.F. Wiggins, and T.A. Arcury conceived and designed the overall study. T.A. Arcury and W.E. Bischoff supervised the study implementation and data collection. Haiying Chen conducted the data analysis. S.A. Quandt developed the aims for this specific analysis and led the writing. All authors helped to conceptualize ideas, interpret findings, and review drafts of the manuscript.

Human Participant Protection: The Wake Forest School of Medicine Institutional Review Board approved this study.

housing^{6–11} have not directly addressed its potential impact on health through the temperature and humidity found in housing and their implications for recovery.

This paper examines data collected across a summer in North Carolina farmworker camps. The goal is to describe the burden of heat experienced by migrant farmworkers in grower-provided housing in North Carolina and the effect fans or air conditioning (AC) might have on providing relief.

METHODS

In a cross-sectional survey,^{6,7} temperature and relative humidity were assessed after 4 p.m. in common rooms and sleeping rooms in 170 migrant farmworker camps selected in 16 counties in eastern North Carolina between June 15 and October 4, 2010. One common room per camp was assessed. In camps with multiple sleeping rooms, up to two farmworkers per camp from separate sleeping rooms reported use of fans and AC in their sleeping rooms. Temperature and relative humidity were measured using Digital Thermo Hygrometers with DataLogger calibrated to NIST standards (Center Technology Corp., Taiwan). Heat index (HI) was calculated using the standard equation. HI was classified as risk levels no danger (<80°), or danger, divided into lower caution (80° – 90°), moderate caution (91° – 103°), high danger (103° – 115°) and very high/extreme danger (>115°).¹²

RESULTS

Camps included barracks (53; 31.2%) and non-barracks (e.g., trailers, houses) arrangements (117; 68.8%). About two-thirds of the camps (113; 66.5%) included workers with H-2A guest worker visas. Workers averaged 35.2 ± 10.2 years; median education was 7 years. Most workers (94.8%) were from Mexico; 62.7% had H-2A visas. Twenty-five percent were in their third season or less of work in US agriculture.

Over half of the workers (174; 55.1%) reported no air conditioning (AC) in the dwelling; 21 (6.6%) reported central AC and 121 (38.3%) reported window AC. Window units were most commonly reported in sleeping areas (109, 90.1%). AC was reportedly used 20 or more of the past 30 days by 121 (85.9%) workers who had AC available. Electric fans in sleeping rooms were reported by 248 (78.5%) workers.

Most HI measures in the common and sleeping rooms exceeded the danger threshold (Figure 1). For both rooms, HI measures were higher in early and middle summer than in late summer. Heat conditions were generally worse in common rooms. Air conditioning was associated with somewhat lower HI measures, particularly in sleeping rooms (Table 1). Associations of HI with time of summer and AC were significant for both common and sleeping rooms. HI was not associated with housing type.

DISCUSSION

Most of the estimated 1.4 million farmworkers in the US¹³ work in crop harvest, most during the hottest months of the year. The effects of heat are often exacerbated by humidity; evaporative cooling is decreased and thermal load is increased. This study suggests that farmworkers continue to experience excessive heat and humidity even after leaving the fields. Farmworkers, particularly migrants, have little control over their housing. It is frequently grower-provided; in other cases farmworkers must rent from a limited supply of low quality rural housing stock.^{14,15}

Humans show no sleep adaptations to continuous exposure to high heat.¹⁶ High ambient temperatures and elevated humidity impair the quantity and quality of sleep by reducing

slow wave sleep and rapid eye movement sleep, both of which indicate deeper and more restorative sleep.^{17–19} Combined high heat and humidity increase the thermal load by impairing the body temperature decrease normally evoked by sleep.^{18,19}

This study suggests that farmworkers' recovery from the heat stress experienced during daily work will be affected by the HI experienced at night. HI in sleeping rooms decreases later in the season, but dangerous levels still occur into the late summer. Over three-quarters of these workers reported having electric fans in their sleeping rooms. Fans can provide some cooling by increasing convective heat loss, though their efficiency is decreased by high ambient temperatures and humidity, and they can promote dehydration.²⁰

Lack of data on the physiological impacts of the HI measured in farmworker housing is a limitation, as are lack of data on humidity and on the effects of fans on the physiological impacts of indoor HI. Nevertheless, the findings suggest the need for concern. Although the dangers of elevated HI are recognized for worksites, no current state or federal farmworker housing policies include provisions for cooling. These results suggest that such policies should be considered. Further research should measure the direct physiological impact of HI after work and its possible repercussions for worker health and safety, as well as compare the physiological impact of HI in air conditioned and non-air conditioned worker housing.

Acknowledgments

This research was supported by a grant R01 ES012358 from the National Institute of Environmental Health Sciences.

References

1. Kjellstrom T, Holmer I, Lemke B. Workplace heat stress, health and productivity - an increasing challenge for low and middle-income countries during climate change. *Glob Health Action*. 2009 Nov 11.;2.10.3402/gha.v2i0.2047
2. Mirabelli MC, Quandt SA, Crain R, et al. 2010b. Symptoms of heat illness among Latino farmworkers in North Carolina. *Am J Prev Med*. 2010b; 39:468–471. [PubMed: 20965386]
3. Luginbuhl R, Jackson L, Castillo D, Loring K. Heat-related deaths among crop workers --- United States, 1992--2006. *MMWR Morb Mortal Wkly*. 2008; 57(24):649–653.
4. California Department of Industrial Relations. [Accessed July 19, 2012] Subchapter 7. General Industry Safety Orders. <http://www.dir.ca.gov/title8/3395.html>
5. Washington State Department of Labor & Industries General Occupational Health Standards. [Accessed July 19, 2012] <http://www.lni.wa.gov/WISHA/Rules/generaloccupationalhealth/HTML/62j-1.htm#wac296-62-095>
6. Arcury TA, Weir M, Chen H, et al. Migrant farmworker housing regulation violations in North Carolina. *Am J of Ind Med*. 2012; 55:191–204. [PubMed: 22237961]
7. Arcury TA, Weir MM, Summers P, et al. Safety, security, hygiene and privacy in migrant farmworker housing. *New Solut*. 2012 Jan 1; 22(2):153–73. [PubMed: 22776578]
8. Holden, C.; George, L.; Smith, A. No Refuge from the Fields: Findings from a Survey of Farmworker Housing Conditions in the United States. Washington, DC: Housing Assistance Council; 2001.
9. Vallejos QM, Quandt SA, Grzywacz JG, et al. Migrant farmworkers' housing characteristics across an agricultural season in North Carolina. *Am J Ind Med*. 2011; 54(7):533–544. [PubMed: 21360725]
10. Flocks JD, Burns AF. Stakeholder analysis of Florida farmworker housing. *J Agromedicine*. 2006; 11(1):59–67. [PubMed: 16893838]
11. Ziebarth A. Housing seasonal workers for the Minnesota processed vegetable industry. *Rural Sociology*. 2006; 71(2):335–357.

12. Occupational Safety & Health Administration. [Accessed July 19, 2012] About the Heat Index. http://www.osha.gov/SLTC/heatillness/heat_index/about.html
13. Kandel, W. Profile of Hired Farmworkers: A 2008 Update. Washington, DC: U. S. Department of Agriculture Economic Research Service; 2008. Report No. 60
14. Harrison P. Safe, clean, and affordable: California farmworker housing needs. *J Archit Plann Res.* 1995; 12:19–34.
15. Holden, C. Bitter harvest: Housing conditions of migrant and seasonal farmworkers. In: Thompson, CD., Jr; Wiggins, MF., editors. *The Human Cost of Food: Farmworkers' Lives, Labor, and Advocacy.* Austin, TX: University of Texas Press; 2002. p. 169-193.
16. Libert JP, Di Nisi J, Fukuda H, Muzet A, Ehrhart J, Amoros C. Effect of continuous heat exposure on sleep stages in humans. *Sleep.* 1988; 11(2):195–209. [PubMed: 3381060]
17. Glotzbach, SF.; Heller, HC. Temperature regulation. In: Kryger, MH.; Roth, T.; Dement, WC., editors. *Principles and Practice of Sleep Medicine.* New York: Saunders; 1999. p. 289-304.
18. Okamoto-Mizuno K, Mizuno K. Effects of thermal environment on sleep and circadian rhythm. *J Physiol Anthropol.* 2012; 31;31(1):14.
19. Okamoto-Mizuno K, Mizuno K, Michie S, Maeda A, Iizuka S. Effects of humid heat exposure on human sleep stages and body temperature. *Sleep.* 1999; 15;22(6):767–73.
20. Gupta S, Carmichael C, Simpson C, Clarke MJ, et al. Electric fans for reducing adverse health impacts in heatwaves. *Cochrane Database Syst Rev.* 2012; 7:CD009888. [PubMed: 22786530]




Figure 1. Panel 1. Heat Index in common rooms across early, middle, and late summer, by the presence and absence of common room air conditioning (AC) (n=168 common rooms). Panel 2. Heat Index in sleeping rooms across early, middle, and late summer, by the presence and absence of sleeping room air conditioning (AC) (n=308 sleeping rooms).

Heat Index (HI) by Time of Inspection, Housing Type, and Air Conditioning Use in Past Month, for Farmworker Camp Common Rooms (n=170) and Worker Sleeping Rooms (n=316), North Carolina.

Table 1

	Total n (column %)	Heat Index			p value
		HI=1 No Danger	HI=2 Lower Caution	HI=3 Moderate – Very High Caution	
	n (row %)	n (row %)	n (row %)	n (row %)	
Common rooms ^a					
Time of summer					<.0001
Early—Mid June to mid July	48 (28.2)	1 (2.1)	16 (34.0)	30 (63.8)	
Middle—Mid July through August	74 (43.5)	8 (10.8)	18 (24.3)	48 (64.9)	
Late—September to early October	47 (27.6)	9 (19.2)	31 (66.0)	7 (14.9)	
Air conditioning (AC)					0.0005
No AC or no AC use	134 (79.8)	12 (9.0)	44 (32.8)	78 (58.2)	
Little to constant AC use	34 (20.2)	6 (17.7)	21 (61.8)	7 (20.6)	
Housing type					0.76
Non-barracks	117 (68.8)	13 (11.1)	47 (40.2)	57 (48.7)	
Barracks plus other	53 (31.2)	5 (9.8)	18 (35.3)	28 (54.9)	
Sleeping rooms ^b					
Time of summer					<.0001
Early—Mid June to mid July	86 (27.8)	12 (14.0)	33 (38.4)	41 (47.7)	
Middle—Mid July through August	141 (45.6)	15 (10.6)	69 (48.9)	57 (40.4)	
Late—September to early October	82 (26.5)	32 (39.0)	41 (50.0)	9 (11.0)	
Air conditioning (AC)					<.0001
No AC	187 (60.7)	22 (11.8)	77 (41.2)	88 (47.1)	
AC present and used	121 (39.3)	37 (30.6)	66 (54.6)	18 (14.9)	
Housing type					0.7250
Non-barracks	211 (70.4)	39 (18.5)	95 (45.0)	77 (36.5)	
Barracks plus other	98 (29.6)	20 (20.4)	48 (49.0)	30 (30.6)	

^aNumber of common rooms=170

^bNumber of sleeping rooms=316, p-values are adjusted for clustering of bedrooms within camps

NOTE: Numbers may not add to 170 common rooms or 316 sleeping rooms due to missing data.

NIH-PA Author Manuscript

NIH-PA Author Manuscript

NIH-PA Author Manuscript