



HHS Public Access

Author manuscript

FEBS Lett. Author manuscript; available in PMC 2018 December 01.

Published in final edited form as:

FEBS Lett. 2017 December ; 591(23): 3850–3860. doi:10.1002/1873-3468.12898.

Extended beta distributions open the access to fast gating in bilayer experiments: assigning the voltage-dependent gating to the selectivity filter

O. Rauh¹, U.P. Hansen², S. Mach¹, A.J.W. Hartel³, K.L. Shepard³, G. Thiel¹, and I. Schroeder^{1,§}

¹Plant Membrane Biophysics, Technische Universität Darmstadt, Darmstadt, Germany

²Department of Structural Biology, Christian-Albrechts-University of Kiel, Kiel, Germany

³Department of Electrical Engineering, Columbia University, New York, NY, USA

Abstract

Lipid bilayers provide many benefits for ion channel recordings, such as control of membrane composition and transport molecules. However, they suffer from high membrane capacitance limiting the bandwidth and impeding analysis of fast gating. This can be overcome by fitting the deviations of the open channel noise from the baseline noise by extended beta distributions. We demonstrate this analysis step-by-step by applying it to the example of viral K⁺ channels (Kcv), from the choice of the gating model through the fitting process, validation of the results, and what kinds of results can be obtained. These voltage sensor-less channels show profoundly voltage-dependent gating with dwell times in the closed state of about 50 μ s. Mutations assign it to the selectivity filter.

Keywords

Amplitude histograms; mutational studies; rate constants; simulated time series; sub millisecond and μ s gating; viral K⁺ channels

Introduction

Using artificial bilayers to record single-channel currents (1) provides a number of benefits. The composition of the membrane is known and can be chosen as desired. Also there is no interference from endogenous transport molecules. Solutions can easily be exchanged at either side of the membrane up to several molar. Long-term studies on one channel for

[§]Corresponding author, Plant Membrane Biophysics, Technische Universität Darmstadt, Schnittspahnstraße 3, DE 64287 Darmstadt, schroeder@bio.tu-darmstadt.de.

The authors declare no competing financial interests.

Author contributions

OR performed experiments; UPH designed research, did the curve fitting and wrote the manuscript; SM performed experiments on the KcvNH mutants; AH and KS provided the measured data for *I_{OF}* in Fig. 4A, GT designed research; IS designed research, did the curve fitting and wrote the manuscript.

several days are possible. Mutants of channels can easily be created and reconstituted using site-directed mutagenesis and *in vitro* expression based on nanodiscs (2, 3).

However, the bilayer technique has a drawback when it comes to the recording of fast gating events. The capacitance of the membrane determines the baseline current noise (4). In most bilayer systems, we measured a capacitance of around 70 pF as compared to less than 10 pF in the case of pipettes used for patch-clamp studies. As a result, bilayer currents must generally be low-pass filtered at 1-5 kHz bandwidth or lower to achieve reasonable signal-to-noise ratios (5). In contrast, optimized patch-clamp recordings allow up to 20 or 50 kHz (6). A significant reduction of capacitance (to less than 5 pF) can be achieved by fabricating a micro-cavity for bilayer formation directly on top of the measuring electronics fully integrated in complementary metal-oxide semiconductor (CMOS) technology (7, 8).

Even though temporal resolution for the detection of open-closed transitions can be increased by improved jump detection (9, 10), deconvoluting the filter response (11), or missed events correction (12–14), the gain in resolution is moderate. Using a direct fit of the time series (15, 16) gives similar improvements.

Fitting of amplitude histograms by extended beta distributions (17) leads to much higher resolution (18). No jump detector is involved, instead, time is converted to amplitude. The low-pass filter converts every jump between levels to a smooth filter response, leading to characteristic mostly non-gaussian curve shapes of the amplitude histograms. Analysis of these histograms yields the rate constants of the involved hidden fast gating processes and the “true” single-channel current (17). The latter is a problem often ignored, namely that averaging over undetected fast gating delivers an apparent single-channel current, I_{app} , which is smaller than the “true” single-channel current, I_{true} , which would be measured with a fictional amplifier of 100 MHz bandwidth.

The usage of beta distributions for ion channel analysis was introduced in 1983 (19) and enabled the analysis of hitherto unresolved fast gating (e.g. 20, 21). However, these studies employed an analytical expression for the beta distributions. This holds only for first-order filters and 2-state Markov models of gating. There is no analytical solution if these conditions are not fulfilled. Instead, a set of differential equations has to be solved by an iterative numerical process for multi-state Markov models (22) and also for higher-order low pass filters.

The extended beta distributions used here are not based on the solution of the differential equations, but on the simulation of a time series (17, 18, 23–25). This way, all experimental parameters can be included without any simplifying assumptions, such as higher-order filters, multi-state Markov models, multi-channel recordings or the amplitude histogram of (even non-gaussian) set-up noise.

Here we illustrate the details of the procedure step by step for the analysis of a phenomenon, which otherwise could not be quantified. The choice of this example is not only useful to make the procedure more intelligible, but also provides a scientific fringe benefit. At negative membrane voltages, the single-channel current-voltage relationships (IV curves) of the viral Kcv K⁺ channels show a negative slope (26–28). Extended beta distribution

analysis reveals that this is caused by normally hidden fast gating with dwell times in the closed state of about 50 μ s. We show how the extended beta distribution analysis enables determination of the voltage dependence of the rate constants. In combination with mutations we can also identify the selectivity filter as the locus of this gating.

The choice of these minimal size K⁺ channels as an example is motivated by the fact that they are typical candidates for bilayer experiments. Different behavior of individual members of the family is related to just a few different residues. This yields a plethora of guide lines for mutations, calling for a rapid functional test as provided by *in vitro* expression and reconstitution (3, 28).

Materials and Methods

In vitro protein expression and purification

The viruses encoding for Kcv_{N_TS} and Kcv_{N_H} were isolated from lakes in Nebraska (29) and New Hampshire, respectively. The proteins were expressed *in vitro* and purified as described previously (28). Briefly, the respective genes were cloned into a pEXP5-CT/TOPO®-vector (Invitrogen, Carlsbad, CA, USA) with a stop codon directly upstream of the coding sequence of a 6×His-tag. Mutations were introduced by site-directed mutagenesis, following the QuickChange method (30). All mutants were sequenced.

Expression of the proteins was performed with the MembraneMax™ *H_N*Protein Expression Kit (Invitrogen, Carlsbad, CA). The resulting complexes, containing native channel proteins and His-tagged nanolipoproteins (NLPs, “nanodiscs”) (2) were purified on a 0.2 mL HisPur™ Ni-NTA spin column (ThermoFisher Scientific, Waltham, MA, USA). Elution was done in three fractions (200 μ L each) with 250 mM imidazole.

Lipid bilayer experiments

Vertical lipid bilayer experiments (1) were performed at 20-25°C with a conventional bilayer set-up (IonoVation, Osnabrück, Germany). The recording chambers were prepared as described previously (3), and 1,2-diphytanoyl-*sn*-glycero-3-phosphocholine (DPhPC, from Avanti Polar Lipids, Alabaster, AL, USA) bilayers were formed by the pseudo painting/air bubble technique (31). For reconstitution of the channels, a small amount (1-3 μ L) of the purified NLP/Kcv_{N_TS}-conjugates diluted in 250 mM imidazole solution was added directly below the bilayer in the *trans* compartment.

After incorporation of a single channel into the bilayer, constant voltages as indicated in the figures were applied for 1 to 5 minutes. Both compartments of the bilayer chamber were connected with Ag/AgCl electrodes to the headstage of a patch-clamp amplifier (L/M-EPC-7, List-Medical, Darmstadt, Germany). Membrane voltages were applied to the *cis* compartment, the *trans* compartment was grounded. K⁺ concentration was changed by replacing an appropriate amount of the solution by 3 M KCl stock solution and thorough mixing. All solutions and stock solutions contained 10 mM HEPES, pH was adjusted to 7.0 with KOH. The orientation of the protein in the bilayer was identified by the negative slope at negative voltages (32) found in the apparent current, I_{app} (Fig. 1D, below). Positive currents correspond to outward currents in the *in vivo* situation. Currents were filtered with a

1-kHz 4-pole Bessel filter and sampled at 5 kHz by a 16-bit A/D-converter (LIH 1600, HEKA Elektronik, Lambrecht, Germany).

Additionally, an alternative set-up was used to perform experiments at higher bandwidth of 10 kHz, as described in the Supporting Methods.

Extended beta distribution analysis

The generation of simulated time series starts from a Markov model of gating with suggested rate constants and value of the “true” single-channel current, I_{true} . A list of jumps in continuous time is generated. Each jump induces a step response of current identical to that of the employed low-pass filter. All responses are added (as long as their contribution exceeds one bit) to furnish the filtered time series of current. It is sampled with the same rate as used in the experiment, and the amplitude histogram is created. Noise is added by a convolution of this histogram matching the baseline noise.

This simulated amplitude histogram is compared with the measured one by calculating the weighted squared error sum $\chi^2 = \sum_i (n_{exp,i} - n_{sim,i})^2 / n_{sim,i}$, with n being the frequency. The current has been binned at 50 fA intervals. The model parameters are optimized by a simplex search algorithm (33) in repetitive runs. The rate constants and I_{true} of the best fit are taken as the best parameters for the investigated system.

More details on the method can be found in Supplementary note 1. The program `bownhill.exe` can be downloaded from <http://www.bio.tu-darmstadt.de/ag/professuren/indraschroeder/software.en.jsp>.

Definitions

Gating—Here, the term gating is also used for spontaneous opening and closing of the conductive pathway including flickering.

I_{app} —The apparent current, obtained directly from the current record without gating analysis, i.e., from averaging over sojourns in the apparent open state (A in Fig. 1C) or from the open peak of the amplitude histogram.

I_{true} —The true open-channel current, which would be measured by an (hypothetical) amplifier with infinite bandwidth.

I_{OF} —Obtained from averaging over the very fast gating (O-F gating, below).

Results and Discussion

1. Kcv channels used as an example for the application of extended beta distributions

The viral proteins Kcv_{N_{TS}} and Kcv_{N_H} form homotetramers with merely 82 amino acids per monomer. The predicted structure of Kcv_{N_{TS}} (Fig. 1B) matches the canonical K⁺ channel pore with two transmembrane helices and a pore loop containing the selectivity filter and a short pore helix (3, 28, 36, 37). The consensus selectivity filter sequence (38) is perfectly

conserved (Fig. 1A). The channel lacks any cytosolic domains and has only a very short extracellular loop. Despite their minimal structure, Kcv channels are selective (32), show a complex spontaneous gating behavior (Fig. 1C) (27, 28) and can be blocked by typical K^+ channel blockers such as Ba^{2+} (32). Thus, they represent the minimal consensus for structure and function of a K^+ channel (39).

The gating behavior of Kcv channels in planar lipid bilayers is illustrated for Kcv_{NTS} in Fig. 1C. Kcv_{NTS} gates spontaneously with a high open probability of $>80\%$ (Fig. 1C) (3, 28). Some long, clearly detectable closed events (arrow “S” = “slow” in Fig. 1C) are accessible to dwell time analysis (28). Faster gating processes are attenuated by the limited recording bandwidth of the 1-kHz filter. This results in incomplete closures (“spikes”) and “excess” open-channel noise. For instance, at positive membrane voltages, there are a few spikes, which do not quite reach the baseline (arrow “M” = “medium” at +120 mV in Fig. 1C). We call this phenomenon the medium gating process or sub-millisecond gating. The noise of the open state is slightly broader than that of the closed state, resulting from an even faster gating process (arrow “F” = “fast” in Fig. 1C), which becomes more obvious in the amplitude histograms shown in Fig. 2B,C, below. At negative voltages, the medium gating process becomes dominant, appearing as strong flickering (arrow “M” at -160 mV in Fig. 1C). The “apparent” current, I_{app} (Fig. 1D), has been obtained from amplitude histograms created from smoothed time series with 10 adjacent data points being averaged. The fast gating processes M and F are the reason why Kcv channels are used as examples to illustrate the analysis by means of extended beta distributions.

2. Determination of gating rate constants and open-channel current by extended beta distributions

2.1 Selection of the gating model as illustrated for Kcv_{NTS} —The first step of a model-based gating analysis is to select a Markov model with the appropriate number of states and an appropriate topology. For Kcv_{NTS} , the minimum number of states is one open state (O) and three closed states (S, F, M) as shown in the model in Fig. 2A. The three gating processes, O-S, O-M and O-F, are found in the current traces (Fig. 1C), as described above. They can be identified even more clearly in the amplitude histograms (Figs. 2B,C). The fast O-F gating determines the shape of the open peak (width and asymmetry). The medium O-M gating process forms the slope at the foot of the open peak (steepness and height). All slow gating processes reach the full apparent levels after each jump and yield identical contributions to the amplitude histogram. Thus, they cannot be distinguished by the analysis and are merged into one process. This slow (O-S) process determines the ratio of the heights of the closed peak and the open peak, and contribute to the height of the valley between the two peaks. The relationship between the rate constants and the shape of the histograms is sufficiently unique so that good guesses for starting values for the fit can be made.

The second part of choosing the model, the arrangement of the states (Fig. 2A) is based on the following considerations: The three closed states, S, M, and F have very different dwell times. The longest closed state S must not be positioned between the open state O and any one of the two other closed states, because this would hide M and F from experimental observation. By the same argument, the shortest closed state F must be directly coupled to

O. Since the O-S gating has to be investigated separately by dwell time analysis (28), we constrain the consideration to the sub model consisting of O, F and M.

Here, we can either choose O-F-M, F-O-M (Fig. 2A) or a cyclic model. The “star-shaped” model in Fig. 2A is the most efficient one for fitting. If future data will show that a different model topology is needed, one 3-state model can be transformed into another one (40). Under the numerical conditions here, the conversion is quite simple, and the voltage dependence of the rate constants of state M would remain unchanged (Supplementary note 3, Eqs. S2 and S3). Similar principles can be used to choose appropriate gating models for different channels. In a simple fast blocking process for example, a two-state model might be sufficient (41).

2.2 Extracting open-channel current and gating rate constants by extended beta distributions—After the model has been chosen, the simulated amplitude histograms are fitted to the measured ones as described above. Figures 2B and C show typical results of the analysis for the Kcv_NTS example: The theoretical curve (black) fits the measured histogram (gray). The analysis yields the rate constants of the three involved gating processes (Fig. 3A, B) and the true open-channel current I_{true} presented by a linear IV curve in Fig. 3C. Because of the tight relation of rate constants and the shape of the histograms (as described above, see also Supplementary note 2, Fig. S1), the scatter is appreciably low.

2.3 Test of the reliability of the fits—An experimental demonstration of the reliability of the analysis is shown in Fig. 4A. As defined in the Materials and Methods section, there are different currents: I_{true} would be measured with an amplifier of infinite bandwidth. I_{OF} would be measured with an amplifier that can resolve the O-M gating, but not the O-F gating. Thus, it results from averaging over the O-F gating as follows

$$I_{OF} = I_{true} \frac{k_{FO}}{k_{FO} + k_{OF}} \quad (1)$$

I_{app} is directly obtained from the peaks of the smoothed amplitude histograms, and should be identical to I_{app} obtained from averaging over O-M and O-F gating

$$I_{app} = I_{true} \frac{k_{FO}}{k_{FO} + k_{OF}} \cdot \frac{k_{MO}}{k_{MO} + k_{OM}} = I_{OF} \frac{k_{MO}}{k_{MO} + k_{OM}} \quad (2)$$

Using a low-noise high-bandwidth amplifier in combination with a membrane with a diameter of 50 μm allowed us to decrease the system’s noise and test the model predictions. In 1 M KCl, the signal-to-noise ratio became good enough to use a 10-kHz filter, which largely avoided averaging over the O-M gating. The fast O-F gating still remains hidden. Under these conditions, it became possible to determine I_{OF} directly from the measured time series (Fig. 4B). Now, the time series look similar to those measured with a 1-kHz filter at positive potentials (Fig. 1C) where the narrow noisy sojourns indicate that I_{OF} has been reached and I_{app} and I_{OF} coincide (Fig. 3C).

I_{OF} obtained at 1 M KCl with the 10-kHz filter provides a comparison with the I_{OF} value determined by Eq. 1 using the parameters obtained from the analysis of the 1-kHz recordings. Figure 4A shows that I_{OF} obtained from the analysis (black open circles) coincides with that one directly obtained from 10-kHz recordings (red open circles). Also the inverse procedure works (Fig. 4A). A 1000-points moving average filter reduces the bandwidth of the 10-kHz data, which were sampled at 1 MHz, to approximately 1 kHz. This leads to the same I_{app} (blue circles) as measured with the 1-kHz filter (black circles). However, the direct determination of I_{OF} only works at high KCl concentrations, and even then the related rate constants cannot be revealed reliably by dwell time analysis, because the noise level is still too high and the O-M gating is not perfectly resolved (Fig. 4B).

However, with high current amplitudes, as for example delivered by the Ryanodine receptor RyR1, the combination of a low-capacitance amplifier/bilayer system and extended beta distribution analysis is able to push the temporal resolution down to 30 ns (8).

Another approach to check the reliability of the fits is demonstrated in Supplementary note 4. Plotting the dependence of the error sum on the fit parameters (Fig. S2) gives an estimate of the uniqueness of the fit solution. In the Kcv_{NTS} example, we only show the dependence on one of the 8 rate constant, k_{OM} , since it is the most interesting one because of its strong voltage dependence (Fig. 3A) and on the open-channel current I_{true} .

3. Examples of what extended beta distribution analysis can reveal

3.1. Identifying O-M gating as the origin of the apparent negative slope—In the case of the Kcv_{NTS} example, the difference between the apparent current I_{app} and the true open-channel current I_{true} (Fig. 3C) demonstrates that the negative slope of I_{app} is an artifact arising from the voltage-dependent O-M gating (Fig. 3A,B). The measured apparent IV curve coincides with the theoretical I_{app} (Eq. 2) calculated from averaging over the O-M and O-F gating (Fig. 4C). I_{OF} is the current resulting from averaging over O-F gating (Eq. 1). Since I_{OF}/I_{true} is not very voltage-dependent (Fig. 3), it is obvious that the voltage-dependent reduction of I_{app} (and thus the negative slope) originates from the term $k_{MO}/(k_{OM}+k_{MO})$, i.e. from O-M gating.

3.2 Phenomenological description of the voltage dependence of the O-M gating—As a first step in the interpretation of the results of the gating analysis we search for a phenomenological description of the rate constants. For the Kcv_{NTS} example the rate constant of channel closing k_{OM} (Fig. 3A) can be fitted with the phenomenological equation

$$k_{OM} = q_{OM} + b_{OM} \exp(-V/V_{OM}) \quad (3)$$

with q_{OM} , b_{OM} being scaling factors, V_{OM} the characteristic voltage (Fig. 5A). The steepness of the curves is a shared parameter with $V_{OM} = 36$ mV for both 0.1 and 1.5 M KCl. The sum of two terms in Eq. 3 suggests that the O-M gating processes at positive and negative voltages belong to different mechanisms. The constant q_{OM} roughly describes the almost voltage-independent behavior at positive voltages.

Fitting the rate constant of channel opening k_{MO} (Fig. 3B) at negative voltages by

$$k_{MO} = k_{MO,0} \exp(V/V_{MO}) \quad (4)$$

reveals a lower voltage sensitivity for k_{MO} with a characteristic voltage of $V_{MO} = 99$ mV (Fig. 5A). The scaling factor $k_{MO,0}$ is quite independent of $[K^+]$ (see legend of Fig. 5).

The “open probability” of the O-M (gating factor gf) determines the negative slope of the IV curves (Fig. 3C). Conventionally, open probability is described by a Boltzmann equation

$$gf = \frac{k_{MO}}{k_{OM} + k_{MO}} = gf_{min} + \frac{gf_{max} - gf_{min}}{1 + \exp\left(-\frac{V - V_{1/2}}{V_{gf}}\right)} \quad (5)$$

In Supplementary note 5, Eqs. 3 and 4 are used to calculate gf . The result (Eqs. S4 and S5) resembles Eq. 5. The characteristic voltage calculated from V_{OM} and V_{MO} in Eq. S5 is 26.4 mV, equivalent to $V_{gf} = 24.3$ mV (legend of Fig. 5B). Equations S5 and 5 differ with respect to gf_{min} , which is not included in Eq. S5. gf_{min} occurs at negative voltages outside the investigated range. Indeed, there are some rare indications that k_{MO} deviates at high negative voltages from the exponential form of Eq. 4. However, this has not been evaluated as the membranes did not resist the high voltages required for a detailed analysis of this effect.

The characteristic voltage $V_{gf} = 24.3$ mV corresponds to the movement of one charge through the entire electrical field. Kv channels with dedicated voltage-sensing domains (VSD) have gating charges from 1 in BK (42) to 12 in *Shaker* (43).

3.3 Identification of two different O-M gating processes at negative and positive voltages—The phenomenological description of k_{OM} (Fig. 5A) requires a sum of an exponential voltage dependence with a (roughly) voltage-independent component (Eq. 3), suggesting that two different processes are involved. Furthermore, the K^+ dependence is opposite and very different at positive and negative voltages (Fig. 5A). The hypothesis is confirmed by mutational studies, which assign the O-M gating at positive and negative voltages to different parts of the channel protein.

3.3.1. The O-M gating at positive voltages is located in the inner gate: Kcv_S has a lower open probability of the slow gating than Kcv_{N_{TS}} (28). The reason is a newly detected type of inner gate, which moves F78 into the pathway of ions. This movement is controlled by the interaction of S77 in Kcv_S with the backbone of TM2 (28). Kcv_{N_{TS}} and Kcv_S differ at position 77 (Fig. 1A). G77 in Kcv_{N_{TS}} corresponds to S77 in Kcv_S. In addition to the difference in slow gating, this results in different values of k_{OM} at positive voltages (Fig. 6A), whereas there is no significant difference at negative voltages. Exchanging S and G in Kcv_{N_{TS}} and Kcv_S shows that they are the major determinants of this behavior. Kcv_{N_{TS}} G77S has increased values of k_{OM} at positive voltages similar to those of Kcv_S wt. The glycine in Kcv_{N_{TS}} wt and Kcv_S S77G leads to identical behavior. In either case, there is a negligible influence on k_{OM} at negative voltages.

3.3.2 The selectivity filter is the locus of voltage-dependent O-M gating: The voltage-dependent O-M gating at negative voltages is not located in the cytosolic gate (Fig. 6). To test whether it is located in the selectivity filter, we mutated a position that is known to be crucial for selectivity filter stability. Mutating E71 at the C-terminal end of the pore helix of KcsA has a huge impact on inactivation of the selectivity filter (44, 45). The analogous position in Kcv channels is S42 (Fig. 1A).

As a background, we chose Kcv_{NH} S77G. The selectivity filter of Kcv_{NH} is identical to those of Kcv_{N_{TS}} and Kcv_S, and their voltage dependence at negative voltages is the same (Fig. 7C,D). In Kcv_{NH} S77G, the inner gate is identical to that of Kcv_{N_{TS}}, and indeed, k_{OM} at positive voltages matches that of Kcv_{N_{TS}} and Kcv_S S77G (Figs. 6A and 7C).

The S42V mutation has a dramatic effect on the area between the closed and the open peak, which is dominated by the O-M gating (Fig. 7A,B). k_{OM} is strongly left-shifted (Fig. 7C), while k_{MO} is right-shifted (Fig. 7D). Consequently, the gating factor (Eq. 5), i.e. the open probability of the O-M gating process is much higher in the double mutant (inset in Fig. 7D).

In summary, the mutational studies show that mutations in the inner gate (residue 77) influence the O-M gating at positive voltages (Fig. 6). In contrast, a mutation in the pore helix anchoring the selectivity filter (residue 42) strongly influences O-M gating at negative voltages (Fig. 7). This assigns the voltage-dependent O-M gating to the selectivity filter. These results are in line with the identification of voltage-dependent gating with the selectivity filter in pore-only channels without dedicated voltage sensor domain (46–51). Further details for the assignment of fast gating to the selectivity filter have been summarized elsewhere (52). In our study, the combination of analyzing single-channel gating with high resolution and mutations in a minimal size channel provides a basis for a future understanding of the structure/function correlates of a distinct gate in the selectivity filter.

Conclusion

The analysis based on extended beta distributions reaches resolution in the μ s range. It can be further extended for channels with high currents, an increased signal-to-noise ratio or with better amplifiers. This will open the possibility to provide experimental parameters of gating to check predictions from MD simulations. The present application of the method to the gating in Kcv channels serves as an example of its power. It could reveal details of sub-millisecond gating from classical bilayer recordings in quantitative terms. In the case of the Kcv channel, the O-M gating could be identified as the origin of the negative slope of the IV curve at negative voltages. The voltage dependence of the rate constants could be quantified, and the equivalent charge determined. Without this analytical tool, one of the most fascinating processes in Kcv, the strong voltage dependence of O-M gating would remain hidden.

Supplementary Material

Refer to Web version on PubMed Central for supplementary material.

Acknowledgments

This work was supported by the Deutsche Forschungsgemeinschaft (HA 712/14-3 to UPH, and SCHR 1467/1-1 to IS), by the Keck Foundation and the National Institutes of Health under grants (R01HG009189 and R01HG006879) to KLS, and a Schaefer award from Columbia University, New York. This project has furthermore received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation program (grant agreement N. 695078 noMAGIC ERC 2015AdG to GT). The authors declare no competing financial interests. The authors thank Fenja Siotto (Plant Membrane Biophysics, Technische Universität Darmstadt) for providing the Kcv_{NH} gene sequence and Daniel Stumpf (Plant Membrane Biophysics, Technische Universität Darmstadt) for the IV curve of Kcv_{NH} wt.

References

1. Montal M, Mueller P. Formation of bimolecular membranes from lipid monolayers and a study of their electrical properties. *Proc Natl Acad Sci U S A*. 1972; 69:3561–3566. [PubMed: 4509315]
2. Katzen F, Fletcher JE, Yang JP, Kang D, Peterson TC, Cappuccio JA, Blanchette CD, Sulchek TA, Chromy BA, Hoepflich PD, Coleman MA, Kudlicki WA. Insertion of membrane proteins into discoidal membranes using a cell-free protein expression approach. *J Prot Res*. 2008; 7:3535–3542.
3. Braun CJ, Lachnit C, Becker P, Henkes LM, Arrigoni C, Kast SM, Moroni A, Thiel G, Schroeder I. Viral potassium channels as a robust model system for studies of membrane-protein interaction. *Biochim Biophys Acta*. 2013; 1838:1096–1103. [PubMed: 23791706]
4. Hamill OP, Marty A, Neher E, Sakman B, Sigworth FJ. Improved patch-clamp techniques for high-resolution current recording from cells and cell-free membrane patches. *Pfluegers Arch*. 1981; 391:85–100. [PubMed: 6270629]
5. Zakharian E. Recording of ion channel activity in planar lipid bilayer experiments. *Methods Enzymol*. 2013; 998:109–118.
6. Schroeder I, Hansen UP. Saturation and microsecond gating of current indicate depletion-induced instability of the MaxiK selectivity filter. *J Gen Physiol*. 2007; 130:83–97. [PubMed: 17591987]
7. Rosenstein JK, Ramakrishnan S, Roseman J, Shepard KL. Single ion channel recordings with CMOS-anchored lipid membranes. *Nano Lett*. 2013; 13:2682–2686. [PubMed: 23634707]
8. Hartel AJW, Ong P, Schroeder I, Giese MH, Shekar S, Clarke OB, Marks AR, Hendrickson WA, Shepard KL. Ion channel recordings of the ryanodine receptor RyR1 at microsecond temporal resolution. under Revision.
9. Hansen UP, Albertsen A, Moldaenke C, Draber S, Schultze R. Detecting events in signals from sensors: the Hinkley detector is the answer. *Sensors Mater*. 1995; 7:289–300.
10. Schultze R, Draber S. A nonlinear filter algorithm for the detection of jumps in patch-clamp data. *J Membr Biol*. 1993; 132:41–52. [PubMed: 7681481]
11. Pein F, Tecuapetla-Gómez I, Steinem OMSC, Munk A. Fully-automatic multiresolution idealization for filtered ion channel recordings: flickering event detection. 2017 arXiv:1706.03671.
12. Draber S, Schultze R. Correction for missed events based on a realistic model of a detector. *Biophys J*. 1994; 66:191–201. [PubMed: 7510527]
13. Blatz AL, Magleby KL. Correcting single channel data for missed events. *Biophys J*. 1986; 49:967–80. [PubMed: 2423151]
14. Colquhoun D, Hatton CJ, Hawkes AG. The quality of maximum likelihood estimates of ion channel rate constants. *J Physiol*. 2003; 547:699–728. [PubMed: 12562901]
15. Albertsen A, Hansen UP. Estimation of kinetic rate constants from multi-channel recordings by a direct fit of the time series. *Biophys J*. 1994; 67:1393–1403. [PubMed: 7529579]
16. Venkataraman L, Sigworth FJ. Applying hidden Markov models to the analysis of single ion channel activity. *Biophys J*. 2002; 82:1930–1942. [PubMed: 11916851]
17. Schroeder I. How to resolve microsecond current fluctuations in single ion channels: The power of beta distributions. *Channels*. 2015; 9:262–280. [PubMed: 26368656]
18. Schroeder I, Hansen UP. Interference of shot noise of open-channel current with analysis of fast gating: patchers do not (yet) have to care. *J Membr Biol*. 2009; 229:153–163. [PubMed: 19551329]

19. FitzHugh R. Statistical properties of the asymmetric random telegraph signal, with applications to single-channel analysis. *Math Biosci.* 1983; 89:75–89.
20. Yellen G. Ionic permeation and blockade in Ca^{2+} -activated K^+ channels of bovine chromaffin cells. *J Gen Physiol.* 1984; 84:157–186. [PubMed: 6092514]
21. Moss GW, Moczydlowski E. Rectifying conductance substates in a large conductance Ca^{2+} -activated K^+ channel: evidence for a fluctuating barrier mechanism. *J Gen Physiol.* 1996; 107:47–68. [PubMed: 8741730]
22. Riessner, T. Level detection and extended beta distributions for the analysis of fast rate constants of Markov processes in sampled data. Aachen: Shaker Verlag; 1998.
23. Schroeder I, Harlfinger P, Huth T, Hansen UP. A subsequent fit of time series and amplitude histogram of patch-clamp records reveals rate constants up to 1 per microsecond. *J Membr Biol.* 2005; 203:83–99. [PubMed: 15981713]
24. Schroeder I, Hansen UP. Strengths and limits of Beta distributions as a means of reconstructing the true single-channel current in patch clamp time series with fast gating. *J Membr Biol.* 2006; 210:199–212. [PubMed: 16909337]
25. Schroeder I, Hansen UP. Using a five-state model for fitting amplitude histograms from MaxiK channels: beta-distributions reveal more than expected. *Eur Biophys J.* 2009; 38:1101–1114. [PubMed: 19626320]
26. Pagliuca C, Goetze TA, Wagner R, Thiel G, Moroni A, Parcej D. Molecular properties of Kcv, a virus encoded K^+ channel. *Biochemistry.* 2007; 46:1079–1090. [PubMed: 17240991]
27. Abenavoli A, DiFrancesco ML, Schroeder I, Epimashko S, Gazzarrini S, Hansen UP, Thiel G, Moroni A. Fast and slow gating are inherent properties of the pore module of the K^+ channel Kcv. *J Gen Physiol.* 2009; 134:219–229. [PubMed: 19720961]
28. Rauh O, Urban M, Henkes LM, Winterstein T, Greiner T, Van Etten JL, Moroni A, Kast SM, Thiel G, Schroeder I. Identification of intra-helical bifurcated H- bonds as a new type of gate in K^+ channels. *J Am Chem Soc.* 2017; 139:7494–7503. [PubMed: 28499087]
29. Jeanniard A, Dunigan DD, Gurnon JR, Agarkova IV, Kang M, Vitek J, Duncan G, McClung OW, Larsen M, Claverie JM, Van Etten JL, Blanc G. Towards defining the chloroviruses: a genomic journey through a genus of large DNA viruses. *BMC Genomics.* 2013; 14:158. [PubMed: 23497343]
30. Papworth C, Bauer JC, Braman J, Wright D. Site-directed mutagenesis in one day with >80 % efficiency. *Strategies.* 1996; 9:3–4.
31. Braun CJ, Baer T, Moroni A, Thiel G. Pseudo painting/air bubble technique for planar lipid bilayers. *J Neurosci Methods.* 2014; 233:13–17. [PubMed: 24938397]
32. Gazzarrini S, Kang M, Abenavoli A, Romani G, Olivari C, Gaslini D, Ferrara G, Van Etten JL, Kreim M, Kast SM, Thiel G, Moroni A. *Chlorella* virus ATCV-1 encodes a functional potassium channel of 82 amino acids. *Biochem J.* 2009; 420:295–303. [PubMed: 19267691]
33. Caceci MS, Cacheris WP. Fitting curves to data - The simplex algorithm is the answer. *BYTE.* 1984; 5:340–362.
34. Bordoli L, Kiefer F, Arnold K, Benkert P, Battey J, Schwede T. Protein structure homology modeling using SWISS-MODEL workspace. *Nat Protoc.* 2009; 4:1–13. [PubMed: 19131951]
35. Kuo A, Gulbis JM, Antcliff JF, Rahman T, Lowe ED, Zimmer J, Cuthbertson J, Ashcroft FM, Ezaki T, Doyle DA. Crystal structure of the potassium channel KirBac1.1 in the closed state. *Science.* 2003; 300:1922–1926. [PubMed: 12738871]
36. Plugge B, Gazzarrini S, Nelson M, Cerana R, Van Etten JL, Derst C, DiFrancesco D, Moroni A, Thiel G. A potassium channel protein encoded by *Chlorella* virus PBCV-1. *Science.* 2000; 287:1641–1644. [PubMed: 10698737]
37. Tayefeh S, Kloss T, Kreim M, Gebhardt M, Baumeister D, Hertel B, Richter C, Schwalbe H, Moroni A, Thiel G, Kast SM. Model development for the viral Kcv potassium channel. *Biophys J.* 2009; 96:485–498. [PubMed: 19167299]
38. Heginbotham L, Lu Z, Abramson T, MacKinnon R. Mutations in the K^+ channel signature sequence. *Biophys J.* 1994; 66:1061–1067. [PubMed: 8038378]

39. Thiel G, Baumeister D, Schroeder I, Kast SM, Van Etten JL, Moroni A. Minimal art: Or why small viral K⁺ channels are good tools for understanding basic structure and function relations. *Biochim Biophys Acta*. 2011; 1808:580–588. [PubMed: 20417613]
40. Kienker P. Equivalence of aggregated Markov models of ion-channel gating. *Proc R Soc Lond B*. 1989; 236:269–309. [PubMed: 2471201]
41. Brauser A, Schroeder I, Gutschmann T, Cosentino C, Moroni A, Hansen U, Winterhalter M. Modulation of enrofloxacin binding in OmpF by Mg²⁺ as revealed by the analysis of fast flickering single-porin current. *J Gen Physiol*. 2012; 140:69–82. [PubMed: 22689827]
42. Ma Z, Lou XJ, Horrigan FT. Role of charged residues in the S1–S4 voltage sensor of BK channels. *J Gen Physiol*. 2006; 127:309–328. [PubMed: 16505150]
43. Bezanilla F. Voltage-gated ion channels. *IEEE Trans Nanobioscience*. 2005; 4:34–48. [PubMed: 15816170]
44. Cordero-Morales JF, Cuello LG, Zhao Y, Jogini V, Cortes DM, Roux B, Perozo E. Molecular determinants of gating at the potassium-channel selectivity filter. *Nat Struct Mol Biol*. 2006; 13:311–318. [PubMed: 16532009]
45. Blunck R, Cordero-Morales JF, Cuello LG, Perozo E, Bezanilla F. Detection of the opening of the bundle crossing in KcsA with fluorescence lifetime spectroscopy reveals the existence of two gates for ion conduction. *J Gen Physiol*. 2006; 128:569–581. [PubMed: 17043150]
46. Schewe M, Nematian-Ardestani E, Sun H, Musinszki M, Cordeiro S, Bucci G, de Groot BL, Tucker SJ, Rapedius M, Baukrowitz T. A non-canonical voltage-sensing mechanism controls gating in K2P K⁺ channels. *Cell*. 2016; 164:937–949. [PubMed: 26919430]
47. Choe H, Sackin H, Palmer LG. Gating properties of inward-rectifier potassium channels: Effects of permeant ions. *J Membr Biol*. 2001; 184:81–89. [PubMed: 11687881]
48. Thomson AS, Rothberg BS. Voltage-dependent inactivation gating at the selectivity filter of the MthK K⁺ channel. *J Gen Physiol*. 2010; 136:569–579. [PubMed: 20937694]
49. Chakrapani S, Cordero-Morales JF, Perozo E. A quantitative description of KcsA gating II: single-channel currents. *J Gen Physiol*. 2007; 130:479–496. [PubMed: 17938231]
50. Lu T, Wu L, Xiao J, Yang J. Permeant ion-dependent changes in gating of Kir2.1 inward rectifier potassium channels. *J Gen Physiol*. 2001; 118:509–522. [PubMed: 11696609]
51. Santos JS, Grigoriev SM, Montal M. Molecular template for a voltage sensor in a novel K⁺ channel. III. Functional reconstitution of a sensorless pore module from a prokaryotic Kv channel. *J Gen Physiol*. 2008; 132:651–666. [PubMed: 19029373]
52. Bichet D, Haass FA, Jan LY. Merging functional studies with structures of inward-rectifier K⁺ channels. *Nat Rev Neurosci*. 2003; 4:957–967. [PubMed: 14618155]







Fig. 1. Characteristics of viral K⁺ channels (Kcv). **(A)** Alignment of 3 Kcv isoforms with KcsA. The conserved selectivity filter sequence is printed in bold, bars mark the predicted transmembrane helices (TM1, TM2) and pore helix of KcV_{NTS} (28). Positions mutated in this study are shaded in gray. **(B)** Structural model of KcV_{NTS} with those positions highlighted that were mutated in this study. The homology model was built with Swissmodel (34) after KirBac1.1 (PDB 1P7B (35)). **(C)** Current traces of a single in vitro expressed KcV_{NTS} channel in a DPhPC bilayer in symmetrical 0.1 M KCl, pH 7. Membrane voltage is indicated at each trace. C and A label the closed state (baseline) and apparent open current I_{app} , respectively. Examples of slow (S), medium (M) and fast (F) gating are indicated by arrows. **(D)** Apparent single-channel IV curves of KcV_{NTS} (filled circles), KcV_{NH} (squares), and KcV_{NH} S77G (open circles) for symmetrical 0.1 M and of KcV_{NTS} in 1.5 M (triangles) KCl. Mean of 3 experiments, 6 for KcV_{NTS} at 0.1 M. The standard deviation is mostly smaller than the symbols.

**Fig. 2.**

Fitting extended beta distributions to measured amplitude histograms. **(A)** 4-state Markov model used for the generation of the theoretical amplitude histograms (extended beta distributions) by simulated current traces. **(B,C)** Representative current amplitude histograms of Kcv_NT_S in 0.1 M KCl, pH 7 (gray) and the best fit with the model in **(A)** (black). Regions dominated by one of the closed states F, M or S are indicated. At +160 mV **(B)**, both the closed (at 0 pA) and open peak (at 14.6 pA) are well defined. At -160 mV **(C)**, the open peak is extremely broadened and skewed, corresponding to the large, asymmetric open-channel noise in the current trace (Fig. 1C).

**Fig. 3.**

Fit results for KcvNTS in 0.1 M KCl. **(A, B)** The rate constants of the model in Fig. 2A as obtained from fitting amplitude histograms like those in Fig. 2B,C by means of extended beta distributions. **(C)** The three different currents defined in the M&M section: I_{true} (triangles) obtained from the fitting routine, I_{OF} (open circles) obtained from averaging over the O-F gating (Eq. 1) and I_{app} (closed circles) directly obtained from the time series. Mean of 6 experiments. The standard deviation is mostly smaller than the symbols.

**Fig. 4.**

Reliability of the extended beta distribution fit. **(A)** I_{app} of $KcvNTS$ at 1 M KCl as obtained with the 1-kHz filter (black circles) or from filtering the 10-kHz data from Meca-4 chips to ca. 1 kHz by a moving average filter (blue circles). I_{OF} as determined by the extended beta distribution fit with 1-kHz filter (Eq. 1, open black circles, $n = 3$) and I_{OF} directly measured with the 10-kHz filter (open red circles $n = 4$). **(B)** Representative current traces of $KcvNTS$ in 1 M KCl filtered at 10 kHz. Closed channel and I_{OF} are labelled as C and OF, respectively. **(C)** Current I_{app} measured at 1 kHz for $KcvNTS$ at 0.1 M (black) and 1.5 M KCl (blue) compared with I_{app} (gray and orange) as calculated from averaging over O-M and O-F gating (Eq. 2). Mean and standard deviation of 6 and 3 experiments at 0.1 and 1.5 M, respectively.




Fig. 5.

Phenomenological fits of the voltage dependence of O-M gating **(A)** Voltage dependencies of k_{OM} (filled and open circles for 0.1 and 1.5 M KCl, respectively). The lines show the fit with the parameters of Eq. 3: $V_{OM} = 36$ mV, $q_{OM} = 0.042$ and 1.013 ms^{-1} , $b_{OM} = 0.340$ and 0.123 ms^{-1} for 0.1 M KCl (solid line) and 1.5 M KCl (dashed line), respectively. k_{MO} (filled and open triangles for 0.1 and 1.5 M KCl, respectively) was fitted with Eq. 4 (dotted line) with $V_{MO} = 99$ mV, $k_{MO,0} = 38$ ms^{-1} for both concentrations. **(B)** Gating factor gf (Eq. 5) obtained in symmetrical KCl solutions at 0.1 M (filled circles) or 1.5 M (open circles). The shared parameters of fits of gf are $gf_{min} = 0.1$, $gf_{max} = 0.96$, $V_{gf} = 24.3$ mV. $V_{1/2} = -116$ mV and -144 mV for 0.1 M (solid line) and 1.5 M KCl (dashed line), respectively.




Fig. 6.

Two different mechanisms of O-M gating at negative and positive voltages. **(A)** The two channels with Ser at position 77 at the cytosolic gate (Kcv_S , filled blue circles, and $Kcv_{NTS}G77S$, open black circles) have higher values for k_{OM} (channel closing) at positive voltages than those channels with Gly at position 77 (Kcv_S77G , open blue circles) and Kcv_{NTS} , filled black circles). The voltage dependence at negative voltages is not affected by the mutations, neither is the rate constant of channel opening, k_{MO} **(B)**. $N = 3$ for Kcv_S , Kcv_S77G and $Kcv_{NTS}G77S$, $n = 6$ for Kcv_{NTS} wt.




Fig. 7. Influence of mutating Ser42 in the pore helix anchoring the selectivity filter (Fig. 1B) on O-M gating at negative voltages. (**A,B**) Comparison of the amplitude histogram at -140 mV of $Kcv_{NH} S42V S77G$ (A) with that of $Kcv_{NH} S77G$ (B). Representative histograms in 0.1 M KCl, pH 7 (gray) and the best fit with the model in Fig. 2A (black). (**C,D**) Comparison of the voltage dependence of k_{OM} (C) and k_{MO} (D) of $Kcv_{NH} S42V S77G$ (blue open circles) with that of $Kcv_{NH} S77G$ (blue filled circles) and Kcv_{NTS} (black circles). **Inset in D:** Gating factor gf (Eq. 5) for $Kcv_{NH} S77G$ and $Kcv_{NH} S42V S77G$, symbols are the same as in (C) and (D). Recordings in symmetrical 0.1 M KCl from 3 different bilayers for each Kcv_{NH} mutant and 6 for Kcv_{NTS} , respectively.