



Published in final edited form as:

*J Subst Abuse Treat.* 2015 January ; 48(1): 91–95. doi:10.1016/j.jsat.2014.07.012.

## Oregon's Strategy to Confront Prescription Opioid Misuse: A Case Study

Dennis McCarty<sup>1</sup>, Rob Bovett<sup>2</sup>, Thomas Burns<sup>3</sup>, Judy Cushing<sup>4</sup>, Mary Ellen Glynn<sup>5</sup>, Senator Jeff Kruse<sup>6</sup>, Lisa M. Millet<sup>7</sup>, and Jim Shames<sup>8</sup>

<sup>1</sup>Oregon Health & Science University, 3181 SW Sam Jackson Park Road, Portland, OR 97239

<sup>2</sup>Lincoln County District Attorney's Office, 225 W. Olive Street, Newport, OR 97365

<sup>3</sup>Pharmaceutical Programs, Oregon Health Authority, 500 Summer St. NE, Salem, OR 97301

<sup>4</sup>Lines for Life, 5100 SW Macadam Ave, Portland, OR 97239

<sup>5</sup>Oregon Association of Relief Nurseries, P.O. Box 42094, Portland, OR 97242

<sup>6</sup>Oregon State Legislative Assembly, 900 Court St, NE, Salem, OR 97301

<sup>7</sup>Injury and Violence Prevention Program, Oregon Health Authority, 800 NE Oregon St, Portland, OR 97232

<sup>8</sup>Jackson County Health and Humans Services, 1005 E. Main Street, Medford, OR 97504

### Abstract

Governor John Kitzhaber appointed a Prescription Drug Taskforce to address Oregon's opioid epidemic. This case study reviews the Taskforce's participation in the National Governors Association State Policy Academy on Reducing Prescription Drug Abuse. To address the challenge of the misuse and abuse of prescription opioids, the Taskforce developed a strategy for practice change, community education and enhanced access to safe opioid disposal using stakeholder meetings, consensus development, and five action steps: 1) fewer pills in circulation, 2) educate prescribers and the public on the risks of opioid use, 3) foster safe disposal of unused medication, 4) provide treatment for opioid dependence, and 5) continued leadership from the Governor, health plans and health professionals. Although the story is ongoing, there are lessons for leadership in other states and for public health and medical practitioners throughout the country.

### Keywords

Prescription opioids; prescriber education; prescription drug monitoring program

---

© 2014 The Authors. Published by Elsevier B.V.

Corresponding Author: Dennis McCarty, Oregon Health & Science University, 3181 SW Sam Jackson Park Road, Portland, OR 97239, mccartyd@ohsu.edu, telephone: 503-494-1177.

**Publisher's Disclaimer:** This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## 1. Introduction and Context

A federal report on nonmedical prescription drug use asserted that Oregon led the nation in nonmedical use of opioid analgesics. State-level data from the 2010 and 2011 National Survey on Drug Use and Health estimated that 6.4% of the Oregon population aged 12 years or older used prescription pain relievers in the past year for non-medical reasons (Substance Abuse and Mental Health Services Administration, 2012). When the analysis was restricted to women and men aged 18 to 25 years, the rate was even more alarming – 15.0% (Substance Abuse and Mental Health Services Administration, 2012). Clearly, the state had a problem.

Governor Kitzhaber, a practicing emergency physician prior to his entry into public office, recognized the need for action; he asked the director of the Alcohol and Drug Policy Commission (a 28 member board that plans, evaluates and coordinates the funding and delivery of alcohol and drug prevention and treatment services) to apply to participate in the 2012/2013 National Governors Association (NGA) State Policy Academy on Reducing Prescription Drug Abuse (a seven state learning community addressing prescription drug misuse). This case study describes the development of Oregon's strategy to better control prescription opioids and reduce overdoses. A review of the epidemiology of opioid use in Oregon provides context for the case study and a description of the Alcohol and Drug Policy Commission outlines the vehicle used to convene and coordinate the policy initiative.

### 1.1 Opioid Use in Oregon

In addition to leading the nation in the estimated rate of nonmedical use of prescription opioids during the past year (6.4% versus the national mean of 4.6%) (Substance Abuse and Mental Health Services Administration, 2013), opioid overdose fatalities in Oregon increased five-fold between 2000 (1 overdose death per 100,000 deaths) and 2006 (5 per 100,000 deaths) and stabilized between 4 and 5 deaths (per 100,000) in 2006 to 2011 (Millet, 2012). Overdose deaths related to heroin also increased between 2000 (0.8 overdoses per 100,000 deaths) and 2011 (3.1 overdoses per 100,000 deaths) (Millet, 2012).

Oregon's Prescription Drug Monitoring Program became operational in 2011 and provides insight into access to prescription opioids. During a six month period (October 2011 through March 2012) pharmacies filled 1,872,534 prescriptions for an opioid analgesic (i.e., hydrocodone, oxycodone, morphine, methadone, fentanyl, or hydromorphone) to 611,985 unique individuals (rate = 485 filled prescriptions per 1,000 residents; [http://www.orpdmp.com/orpdmpfiles/PDF\\_Files/Reports/PDMP-AC\\_AnnualReport\\_2012.pdf](http://www.orpdmp.com/orpdmpfiles/PDF_Files/Reports/PDMP-AC_AnnualReport_2012.pdf)).

Advocacy for access to controlled medications for pain relief may have contributed to the rates of individuals prescribed opioids and the number of opioid prescriptions issued. The Oregon Intractable Pain Act (passed in 1995; amended in 2003 and 2007) allows physicians to prescribe controlled substances for treatment of chronic pain without sanction from the Oregon Medical Board (<http://www.oregon.gov/omb/board/philosophy/Pages/Pain-Management.aspx>). The Act promotes adequate treatment of pain. Oregon Administrative Rules require that chronic pain be assessed and managed and physicians must inform patients about the risks of opioid therapy; patients must sign that they have been informed

and understand the therapeutic risks (<http://www.oregon.gov/omb/OMBForms1/material-risk-notice.pdf>). The Oregon Pain Commission (<http://www.oregon.gov/oha/OHPR/pages/pmc/index.aspx>) advocates for appropriate patient access to pain management and promoted the 2007 amendments expanding access to pain medication (<http://www.oregon.gov/omb/OMBForms1/material-risk-notice.pdf>). Because of the history of advocacy for the use of opioid analgesics, Oregon needed to bring diverse stakeholders to the table (e.g., Oregon Pain Commission, Oregon Medical Association, Medicaid health plans, commercial health plans, emergency physicians), document the problem with reports on overdose fatalities and data on prescription opioids from the Oregon Prescription Drug Monitoring Program, and seek relative consensus on how to reduce opioid overdoses and the burden of opioid abuse.

## 2.0 Alcohol and Drug Policy Commission and the NGA Policy Academy

Oregon legislation in 2009 created the Alcohol and Drug Policy Commission to coordinate alcohol and drug prevention and treatment activities across state agencies and to promote integrated data on the nature and impact of alcohol and drug problems in Oregon (<http://www.doj.state.or.us/adpc/Pages/index.aspx>). Commissioners represent state agencies (e.g., corrections, education, health, human services, the liquor control board, and the youth authority) and interest groups directly and indirectly affected by alcohol and drugs (e.g., healthcare, law enforcement, treatment, prevention and recovery, and research). The Attorney General at the time, John Kroger, advocated for creation of the Commission and served as the Chair of the Commission. As a person in recovery and former Federal prosecutor, Attorney General Kroger understood the personal, public safety, and public health impacts of alcohol and drug use disorders. Mr. Kroger's enthusiasm and authority encouraged the leadership of key state agencies to participate actively in Commission meetings and initiatives.

The Director of the Commission reports to the Governor's Office and seeks support from participating state agencies for coordinated prevention and treatment initiatives. In this capacity, the Director, with support from members of the Commission, prepared and submitted an application to participate in the NGA State Policy Academy on Reducing Prescription Drug Abuse. A nine member Prescription Drug Taskforce formed the Oregon delegation to the policy academy and blended stakeholders with eclectic perspectives on public policy (a State Senator, Director of the Alcohol and Drug Policy Commission, Director of Pharmacy Programs, Governor's health advisor), public health (county health officer, manager of the prescription monitoring program, public health investigator, prevention provider), and public safety (county district attorney). See Table 1. Taskforce members participated in meetings sponsored by the NGA and with support from NGA held public forums for stakeholders in Oregon.

### 2.1 NGA Policy Academy

The NGA sponsored the Policy Academy to facilitate state initiatives to reduce prescription drug abuse (<http://www.nga.org/cms/Rx>). "Abuse" and "misuse" of prescription opioids were not explicitly defined; in context, the terms included nonmedical use, the operation of pill mills, doctor shopping, illicit sales, and other inappropriate uses of opioids. The

Academy received support from the Robert Wood Johnson Foundation, the Association of State and Territorial Health Officials, and pharmaceutical and healthcare organizations. The governors of Alabama (Governor Robert Bentley) and Colorado (Governor John Hickenlooper) hosted the Academy and a competitive application process selected five additional states: Arkansas, Kentucky, New Mexico, Oregon and Virginia. Prior to the initial two day meeting in Montgomery, Alabama (October 22 and 23, 2012), states described their prescription drug monitoring program, outlined prior regulatory and purchasing strategies to affect prescription practices, reviewed support for law enforcement, listed current partnerships addressing prescription drug abuse and public education efforts, and noted legislative proposals.

Presentations at the Academy described a) prescription drug monitoring programs, b) strategies supported by pharmaceutical corporations and retailers to dispose of unused medications and to reduce illicit sales, and c) the Office of National Drug Control Policy's Prescription Drug Strategy. The NGA spokesperson acknowledged that prescription drug misuse included many types of medication but the Policy Academy would focus on opioid medications. In subsequent breakout sessions, states outlined needs and drafted strategies to address the misuse and abuse of prescription opioids.

The Oregon delegation discussed the nature of Oregon's prescription drug problems and focused on opioid analgesics. The state senator explained the need for ongoing access to opioid analgesics by reviewing his support for the Oregon Intractable Pain Act and his role on the Oregon Pain Commission. Discussion continued with a review of data on opioid overdoses and Oregon's Prescription Drug Monitoring Program. The Oregon Health Authority valued the Oregon Prescription Drug Monitoring Program as a tool to inform clinical practice and to assess the effectiveness of public policy interventions and identify communities for public and practitioner education. To protect confidentiality, however, the program's enabling legislation limited access to prescribers (delegated authority was not allowed), prohibited public safety from access without a court-order, and constrained the ability of the Oregon Department of Public Health to link records for data analysis. The Oregon delegation recognized the need to amend the Oregon Prescription Drug Monitoring Program's enabling legislation to permit physicians to delegate staff to access patient data, enhance the use of data for public health analysis, and permit the State Medical Examiner to access the database in cases of fatal overdose.

The Oregon delegation came to a rapid consensus that public education and changes in prescriber practices were key elements to reducing prescription opioid misuse and abuse; arrests and prosecutions would not solve Oregon's problem. Oregon's medical practitioners were wary of restrictive legislative mandates because legislation in Washington State required prescribers to access the Washington Prescription Drug Monitoring Program and state policies inhibited prescriptions for high doses of opioids. Oregon preferred changes in prescribing practices based on consensual practice standards. To reach consensus, the Prescription Drug Taskforce planned to invite the Oregon Pain Commission, Oregon Medical Board, Oregon Pharmacy Board, Oregon Medical Association, and health plans to participate in the conversation and development of the Prescription Drug Strategy.

Transformation of the Oregon Health Plan (Medicaid) created opportunities for Coordinated Care Organizations (Oregon's version of Accountable Care Organizations) to systematically address care for chronic non-cancer pain and to develop public health interventions to reduce the levels of opioid use in the health plan's population. Oregon's 16 Coordinated Care Organizations (CCOs) integrate physical and behavioral health care in a single point of accountability (a patient centered primary care home) to increase access to care, control healthcare costs and improve health outcomes (McConnell, Chang, Cohen et al; 2013; Stecker, 2013). The locally governed, regional coalitions of health care providers and community stakeholders assume financial risk using global budgets and shared savings. The CCOs provided a platform for partnerships with community prevention programs and treatment centers for evidence-based prevention and treatment interventions.

The Oregon delegation had prior experience promoting drug take back initiatives for safe disposal. Despite federal regulations that make the process burdensome and increase expense, the delegation supported expansion of drug take backs and development of strong partnerships with local police departments.

The Oregon delegation outlined plans for engaging stakeholders, meeting with key groups, and scheduled an initial stakeholder meeting for early December, 2012 and a larger daylong meeting for February, 2013. The strategy was developed and approved in time for the second and final Policy Academy meeting scheduled for Denver on May 6 and 7, 2013.

The NGA Policy Academy efforts continue. The NGA Winter Meeting in February, 2014 included a discussion of prescription drug policy and state efforts to reduce the misuse and abuse of prescription and nonprescription opioids (<http://www.nga.org/cms/home/news-room/news-releases/2014--news-releases/col2-content/prescription-drug-abuse-focus-of.html>). Governors Bentley and Hickenlooper reported on lessons learned from the 2012/2013 Policy Academy. Vermont Governor, Peter Shumlin, and Nevada Governor, Brian Sandoval, lead the 2014/2015 Prescription Drug Abuse Policy Academy. To expand the learning community and to involve public health, moreover, NGA and the Association of State and Territorial Health Officers partnered to host webinars and support state initiatives to reduce prescription opioid misuse.

## 2.2 Stakeholder meetings in Oregon

The Prescription Drug Taskforce hosted two meetings to engage stakeholders and seek support for a prescription drug strategy. The first (December 5, 2012) included 35 to 40 opinion leaders representing addiction treatment providers, clinical practitioners, chiefs of police, community prevention programs, Oregon Department of Justice, district attorneys, emergency departments, the Pain Commission, pain patients, pharmacists, primary care providers, coordinated care organizations, Oregon Health Authority, state representatives and senators, state medical examiner, and the Oregon Medical Board. Taskforce members described the NGA Policy Academy and the Taskforce's draft strategy. Breakout sessions allowed stakeholders to discuss emerging recommendations and to suggest ways to enhance their potential effectiveness. Legislators were briefed on the proposed modifications to the Oregon Prescription Drug Monitoring Program.

Governor John Kitzhaber opened the second, larger meeting (February 7, 2013) with 125 participants. The Governor urged participants to lead initiatives to reduce prescription drug abuse in Oregon and asked them to support changes in clinical practice, enhance take back programs, support public and prescriber education, and implement evidence-based treatment for opioid dependence (i.e., opioid agonist and antagonist medications). The forum reviewed best practices for prescribing opioid analgesics, examined drug disposal options and inexpensive strategies local police could afford. Data from the Oregon Prescription Drug Monitoring Program were discussed and information presented on fatal opioid overdoses. Breakout sessions examined strategies for changing practice patterns, implementation of evidence-based treatment for opioid dependence, enhanced public education, and amending the enabling legislation for the Oregon Prescription Drug Monitoring Program. There was little disagreement with the proposed strategies. Oregon has an opioid problem.

### 3.0 Opioid Strategy and Action Steps

The Prescription Drug Taskforce drafted a seven page academic memo filled with data on the need for change and strategies for promoting change. Working with the Governor's Office, the memo was simplified and condensed to three pages with five concise action statements:

- Oregon needs fewer opioid pills in circulation.
- Oregon needs public education on the risks and limits of opioids.
- Oregon needs ways to safely dispose of unwanted prescription opioids.
- Oregon needs to provide treatment for people addicted to prescription opioids.
- Oregon needs continued leadership from Governor Kitzhaber, health plans and Coordinated Care Organizations.

With these statements as goals, the Taskforce advocated for amending the enabling legislation for Oregon's Prescription Drug Monitoring Program to facilitate checking the database as a routine practice prior to prescribing opioids. The Taskforce also took advantage of prescriber education opportunities and partnered with health plans and health systems to support strategies to reduce demand for opioid analgesics.

#### 3.1 Amended legislation

The lack of delegated access inhibited prescribers from checking the Oregon Prescription Drug Monitoring database routinely prior to writing opioid prescriptions (Deyo, Irvine, Millet et al, 2013). Taskforce members worked with legislative leadership to amend the legislation and permit delegated access. To enhance the value for public health, Senate Bill 470 authorized the Oregon Prescription Drug Monitoring Program to collect data on patient gender, days of medication, and refill frequency and permitted public health authorities to use de-identified data to inform policy (the initial enabling legislation prohibited collection of these variables and the use of these data). To better understand opioid overdose deaths, the medical examiner was given authority to access the database. Prescribers in adjacent states (California, Idaho, and Washington) were allowed to apply for authorization to access the Oregon Prescription Drug Monitoring Program. The amendments also allowed

prescribers to review prescriptions dispensed under their Drug Enforcement Agency number to assure that the number was not being used fraudulently, and to use these data to monitor their own prescribing practices. These changes enhanced the monitoring program, facilitated prescriber access, and contributed to the effort to modify practice patterns.

### 3.2 Educated prescribers

Practitioner education can enhance changes in clinical practice. Taskforce members hosted two trainings and partnered with stakeholders to promote the events. A taskforce member affiliated with the state's medical school facilitated linkages with training resources specifically addressing safer opioid prescribing. Neither the Taskforce nor the Alcohol and Drug Policy Commission had a budget to support prescriber education. Instead, they took advantage of no-cost trainings sponsored by the Substance Abuse and Mental Health Services Administration and a training mandate from the Food and Drug Administration.

Case Western Reserve University School of Medicine and JBS International (with support from the Substance Abuse and Mental Health Services Administration) delivered 6.5 hours of continuing medical education for prescribers titled "Prescribing Opioids for Chronic Pain: Balancing Safety and Efficacy." The training, held August 23, 2013 in Portland, included 5 co-sponsors in addition to the Taskforce: the Oregon Medical Association, the Board of Pharmacy, the Oregon Academy of Family Physicians, the Oregon Chapter of the American Society of Addiction Medicine, and the Oregon Society of Interventional Pain Management. A presentation on the epidemiology of opioid abuse included data from the Oregon Prescription Drug Monitoring Program. The training concluded with discussion of prescriber practices, practice guidelines on opioid prescriptions for prescribers working within one of Portland's largest healthcare systems, and a review of regulatory standards in Oregon. More than 150 prescribers participated. Participants reported being pleased with the prescribing guidelines because the guidelines helped them resist requests for increases in medication amounts and strengths that they did not believe were clinically appropriate.

The Taskforce and the stakeholder groups also partnered with Boston University School of Medicine to cosponsor "Safe and Competent Opioid Prescribing Education" (SCOPE of Pain) (September 21, 2013 in Salem). Boston University received an independent education grant from the Risk Evaluation and Mitigation Strategy (REMS) Program Companies (the Food and Drug Administration mandated that manufacturers of extended-release and long-acting opioid analgesics support prescriber education as part of a Risk Evaluation and Mitigation Strategy). The *FDA Blueprint for Prescriber Education for Extended-Release and Long-Acting Opioid Analgesics* (Food and Drug Administration, 2012) specifies the content of the training. The Oregon Prescription Drug Monitoring Program participated to enroll prescribers. Over 50 prescribers completed the half day training located in Salem. Fifteen individuals completed an additional two hours of training and host regional SCOPE trainings to facilitate spread of the information. Coordinated Care Organizations (Medicaid health plans in Oregon) participated in the training and are spreading the training to their prescribers. The two trainings reached about 200 prescribers. Participation in the Salem training was depressed because a large CCO in a nearby community sponsored an opioid prescriber training two days prior to the taskforce's training.

### 3.3 Local policies

Oregon's five point strategy to reduce prescription opioid abuse encourages policy change to support changes in standards of care. The Oregon Medical Association posted the prescriber guidelines on its website and promoted statewide standardization of practices. The primary care clinics and health systems in Clackamas, Multnomah, and Washington Counties (metropolitan Portland) adopted standardized prescriber guidelines. Statewide, emergency departments share a common database so they can assess doctor shopping in real time. While these initiatives may not be a direct product of the Prescription Drug Taskforce, they reflect a zeitgeist that the Taskforce and the Governor's leadership made more visible and support a consensus that prescribing practices contributed to the opioid problem in Oregon and require coordinated attention and change.

In southern Oregon, a taskforce member, Jim Shames, developed an opioid prescribers workgroup and engaged three Coordinated Care Organizations to identify physicians whose opioid prescribing practices exceeded community standards. As the health officer in these counties, Dr. Shames visits outlier practitioners seeking their participation in the community norms. The opioid prescribers workgroup uses the internet to reinforce a sense of community standards, provide on-line prescriber education, share open access research papers, and disseminate practice guidelines ([www.opioidprescribersgroup.com](http://www.opioidprescribersgroup.com)). Coordinated Care Organizations in other regions of the state adopted the southern Oregon change strategy and sponsored educational interventions for their prescribers. Coordinated Care Organizations also support pain centers that offer non-opioid therapies and rehabilitation (including alternative and complementary approaches) and support local prescribers with challenging patients.

Finally, reflecting changing social norms, the Oregon Pain Commission updated its physician guidance highlighting the risks of opioids. The adoption and spread of practice guidelines, development of community standards, and increased attention to the risk of opioid use reflect the use of local policy and promote the Taskforce goal of "fewer pills in circulation."

### 3.4 Remaining challenges

The Taskforce sought to facilitate safe disposal of unused opioid medication, educate the public, and promote effective treatment for opioid use disorders. The proposed changes in federal regulations controlling drug take backs (Department of Justice, Drug Enforcement Agency, 2012) will permit law enforcement to continue to conduct take-back events and for the first time allow mail-back programs and collection receptacles in retail pharmacies. Oregon police chiefs noted the substantial costs of maintaining collection receptacles and staffing take-backs. Clean air regulations, moreover, make medication incineration expensive. Oregon eagerly awaits final revised regulations from the Drug Enforcement Agency so that take-back and disposal opportunities can increase.

Treatment needs are addressed inconsistently and too few patients have access to medications that reduce craving and enhance recovery. An analysis of 2011 Medicaid utilization data found that among 8,537 Medicaid recipients diagnosed with opioid



dependence 530 (6%) had a prescription filled for an FDA approved medication for opioid dependence. In the 21<sup>st</sup> Century, programs that fail to offer pharmacotherapy and health plans that either refuse to cover pharmacotherapy or require patients to fail at abstinence-based therapy not only do their patients and members a disservice but stand in conflict with the National Quality Forum's National Consensus Standards supporting the use of pharmacotherapy for alcohol, nicotine, and opioid dependence (National Quality Forum, 2007).

The Coordinated Care Organizations can educate their members on the value of and risks associated with opioid medications, but more global education campaigns are required. Public education remains challenging because resources are limited.

### 3.5 Sustainability strategy

In December 2013, the Alcohol and Drug Policy Commission transitioned responsibility for public and practitioner education, advocacy for take-backs, and promoting access to medication for treatment of opioid dependence to a community-based prevention program – Lines for Life. The former U.S. Attorney for Oregon and current Lines for Life executive director, Dwight Holton, plans five Prescription Drug Summits throughout the state and is expanding the focus to include prescription and non-prescription stimulants as well as prescription and non-prescription opioids. Members of the Prescription Drug Taskforce were instrumental in the hand off to Lines for Life and remain active in the renamed Oregon Coalition for Responsible Use of Medications (OrCRM). The Coalition membership includes business leaders, health care providers, law enforcement and public safety professionals, media experts, addiction prevention and treatment providers, ministers and chaplains, parents, educators, the Governor's office, members of the Prescription Drug Taskforce, young adults and individuals in recovery. The five regional summits will review local data and initiatives, share promising practices, and build community consensus and support. Eventually, the Coalition plans statewide media campaigns on the risks of misusing opioid and stimulant prescriptions. The campaign is supported through a small grant from the state and Lines for Life has applied for a federal Drug-Free Communities award. Partnerships with the Coordinated Care Organizations and regional prevention services provide additional resources.

## 4.0 Discussion

Under the auspices of the Alcohol and Drug Policy Commission and the Governor's Office, the Prescription Drug Abuse Taskforce engaged Oregon stakeholders in reviewing data, understanding the problem, and considering options. Mortality data documented the increased risk to Oregon residents for overdose related to prescription opioids. Stakeholders not only agreed that action was required but that voluntary change in practice standards was preferable to legislated mandates. Scientists, clinical practitioners, public health experts, and policy makers partnered to develop five simple action steps that encourage state and local efforts to reduce prescription opioid misuse. Although the change process is still maturing, it appears that there is widespread acceptance of prescribing guidelines and emergency departments, primary care clinics, and health care systems applaud the change.

Oregon recognizes that the problem is not solved. Reducing the number of pills in circulation requires mechanisms for safe and lawful disposal of unused medication. Public education is an ongoing need. Effective treatment for opioid dependence is burdened by myth and stigma. Nonetheless, Oregon has made progress.

#### 4.1 Limitations

Oregon capitalized on opportunities to participate in the National Governors Association Policy Academy and to receive high quality training on safer practices for opioid prescribing. In addition, the Oregon Health Plan's implementation of Coordinated Care Organizations created regional structures that facilitate prescriber outreach and changes in prescribing standards. These opportunities may not be available in other states and Oregon's processes and results may not generalize. Time, moreover, has been too short to assess the impacts, if any, from these initiatives. The Oregon Prescription Drug Monitoring Program continues to track opioid dispensing in the state and issue periodic reports and assessments. The State Medical Examiner and the state Public Health Division and county health departments will continue to track opioid overdoses and alert the community to the risks of opioid use and misuse.

Nonetheless, the Oregon process and strategies are likely to be informative to other states and their policy makers as they confront the opioid epidemic. Oregon's lessons include a) the need to facilitate and simplify use of prescription drug monitoring programs, b) the value of prescriber guidelines, c) use of practice standards rather than legislation to change prescribing practices, and d) the importance of continued leadership from the Governor, health officers, medical associations, health plans, and practitioners.

#### Acknowledgments

An award from the National Governors Association supported the participation of the Prescription Drug Taskforce in the policy academy and the convening of stakeholder meetings in Oregon. Support for the prescriber training sessions came from SAMHSA and the REMS Program Companies. Awards from the National Institute on Drug Abuse (U10 DA015815, P50 DA018165, R01 DA030431, R01 DA029716, R01 MH1000001, R33 DA035640, R21 DA031361) supported the preparation of the manuscript. Dennis McCarty has research service agreements with Alkermes, Inc., and Purdue Pharma LLC.

#### References

- Department of Justice, Drug Enforcement Administration. Disposal of controlled substances: Proposed Rule. *Federal Register*. 2012; 77(246):75784–75817. December 21, 2012.
- Deyo RA, Irvine JM, Millet LM, Beran T, O'Kane N, Wright DA, McCarty D. Measures such as interstate cooperation would improve the efficacy of programs to track controlled drug prescriptions. *Health Affairs*. 2013; 32(3):603–613. [PubMed: 23406570]
- Food and Drug Administration. FDA Blueprint for Prescriber Education for Extended-Release and Long-Acting Opioid Analgesics. 2013. Available on-line: <http://www.fda.gov/downloads/drugs/drugsafety/informationbydrugclass/ucm277916.pdf>
- McConnell, KJ.; Chang, AM.; Cohen, DJ.; Wallace, N.; Chernew, ME.; Kautz, G.; McCarty, D.; McFarland, B.; Wright, B.; Smith, J. Oregon's Medicaid transformation: An innovative approach to holding a health system accountable for spending growth. *Healthcare*. 2014. on-line in advance of print, <http://dx.doi.org/10.1016/j.hjdsi.2013.11.002>

- Millet, L. Prescription Opioid overdose & misuse in Oregon. Presentation to the Prescription Drug Misuse Meeting; Salem, OR. December 5, 2012; 2012. Available at: [http://www.orpdmp.com/orpdmpfiles/PDF\\_Files/Reports/NGA-overdose-presentation\\_Millet\\_12-05-2012.pdf](http://www.orpdmp.com/orpdmpfiles/PDF_Files/Reports/NGA-overdose-presentation_Millet_12-05-2012.pdf)
- National Quality Forum. National Voluntary Consensus Standards for the Treatment of Substance Use Conditions: Evidence-Based Treatment Practices. Washington, DC: National Quality Forum; 2007.
- Stecker EC. The Oregon ACO experiment – Bold design, challenging execution. *The New England Journal of Medicine*. 2013; 368(11):982–985. [PubMed: 23406006]
- Substance Abuse and Mental Health Services Administration. The NSDUH Report: State Estimates of Nonmedical Use of Prescription Pain Relievers. Rockville, MD: 2012. Available at: <http://www.samhsa.gov/data/2k12/NSDUH115/sr115-nonmedical-use-pain-relievers.htm>

### Highlights for Review

- Oregon led the nation in nonmedical use of prescription opioids
- Participation in the National Governors Association's Policy Academy on Reducing Prescription Drug Abuse helped Oregon develop a prescription opioid strategy.
- The five point strategy sought to reduce the opioid medication in circulation, educate prescribers and patients on safer use of opioids, enhance safe disposal options, promote treatment for opioid use disorders, and leadership from the Governor and health plans.
- Prescriber training, prescriber education, modifications to the Oregon Prescription Drug Monitoring Program helped to implement the strategy.
- The Oregon Coalition for Responsible Use of Medication continues to implement the prescription opioid strategy and expanded the strategy to include prescription and nonprescription stimulants.

**Table 1**

## Prescription Drug Taskforce and Delegation to NGA Policy Academy

Member	Title	Description
Rob Bovett*	Former District Attorney for Lincoln County, Oregon	Prosecutor and state and national drug policy expert
Tom Burns	Director of Pharmacy Programs, Oregon Health Authority	Responsible for policy issues affecting the purchase of prescription drugs for publicly funded services.
Judy Cushing*	Chief Executive Officer, Lines for Life	Community leader and prevention expert
Mary Ellen Glynn*	Former Director, Alcohol and Drug Policy Commission	Prepared NGA application
Sean Kolmer	Governor's Office, Chair of the Delegation	Governor Kitzhaber's Health Policy Advisor
Jeff Kruse	Oregon State Senator	General Assembly leader on healthcare policies and the Prescription Drug Monitoring Program
Dennis McCarty*	Professor, Oregon Health & Science University	Researcher with expertise in alcohol and drug treatment and prevention
Lisa Millet	Section Manager, Oregon Injury and Violence Prevention Program, Center for Prevention and Health Promotion, Oregon Health Authority	Implemented and manages the Oregon Prescription Drug Monitoring Program
Jim Shames	Public Health Officer, Jackson County and Josephine County	Physician and community leader addressing prescription opioid overdoses in Southern Oregon

\* Member of the Alcohol and Drug Policy Commission