

Color Stability of Nanofilled and Microhybrid Resin-Based Composites Following Exposure to Chlorhexidine Mouthrinses: An In Vitro Study

Mahmood Khosravi ¹, Behnaz Esmaeili ², Forough Nikzad ^{3*}, Soraya Khafri ⁴

¹ Assistant Professor, Dental Materials Research Center, Department of Periodontology, Faculty of Dentistry, Babol University of Medical Sciences, Babol, Iran

² Assistant Professor, Dental Materials Research Center, Department of Operative Dentistry, Faculty of Dentistry, Babol University of Medical Sciences, Babol, Iran

³ Dental Student, Dental Materials Research Center, Faculty of Dentistry, Babol University of Medical Sciences, Babol, Iran

⁴ Assistant Professor, Department of Social Medicine and Health, Faculty of Medicine, Babol University of Medical Sciences, Babol, Iran

Abstract

Objectives: This study aimed to evaluate the effects of chlorhexidine mouthrinses on color stability of nanofilled and micro-hybrid resin-based composites.

Materials and Methods: In this in-vitro study, 160 disc-shaped specimens (7x2mm) were fabricated of Filtek Z250 and Filtek Z350XT Enamel (A2 shade). The samples of each group were randomly divided into eight subgroups (n=10). The specimens were incubated in artificial saliva at 37°C for 24 hours. The baseline color values (L*, a*, b*) of each specimen were measured according to CIE LAB system using a reflection spectrophotometer. After baseline color measurements, the control samples were immersed in saliva and the test groups were immersed in Kin (Cosmodent), Vi-One (Rozhin), Epimax (Emad), Hexodine (Donyaye Behdasht), Chlorhexidine (Shahrdaru), Najo (Najo) and Behsa (Behsa) mouthrinses once a day for two minutes. The specimens were then immersed again in saliva. This process was repeated for two weeks. Color measurements were made on days seven and 14. Two-way and one-way ANOVA and Tukey's post hoc test, t-test and paired t-test were used to analyze data at a significance level of 0.05.

Results: All specimens displayed color change after immersion in the mouthrinses. Significant interactions were found between the effects of materials and mouthrinses on color change.

Conclusions: All composite resins tested showed acceptable color change after immersion in different mouthrinses. Filtek Z350XT showed less color change than Filtek Z250. Mouthrinses containing alcohol (Behsa and Najo) and citric acid (Vi-One) caused greater discoloration of composites.

Keywords: Chlorhexidine; Color; Composite Resins; Mouthwashes

Journal of Dentistry, Tehran University of Medical Sciences, Tehran, Iran (2016; Vol. 13, No. 2)

*Corresponding author:

F. Nikzad, Dental Materials Research Center, Faculty of Dentistry, Babol University of Medical Sciences, Babol, Iran

Forough.nikzad@gmail.com

Received: 25 July 2015

Accepted: 27 November 2015

INTRODUCTION

Recently, the demand for aesthetic restorative materials such as composite resins has greatly increased [1]. Resin composites are the most commonly used aesthetic restorative materials due to their universal usage, resemblance to tooth structure in color and mechanical properties, requiring minimal removal of tooth structure and ease of chair side use [2]. Today, the common problem of aesthetic dentistry is discoloration and color mismatch of tooth-colored restorations after consumption of chromogens [3]. The color change of composite resins depends on intrinsic

and extrinsic factors; intrinsic factors involve changes in the filler, matrix and matrix/filler interface [4]; extrinsic factors involve absorption or adsorption of dyes from external sources, such as coffee, tea, nicotine and mouthrinses like chlorhexidine [2].

In the recent years, prescription of mouthrinses for the control of caries and periodontal disease has become more common [5]. In mentally retarded cases or after periodontal surgeries, plaque control with mechanical methods is not properly possible [6]; thus, chemical methods like the use of chlorhexidine mouthrinse as an

Table 1: Mouthrinses used in this study

Mouthrinses	Composition	Color	pH	Company
Kin	0.12% chlorhexidine digluconate + aqua + sorbitol + glycerin + peg40 hydrogenated castor oil + aroma + sodium methyl paraben + citric acid + methyl salicylate + sodium saccharine + 0.05gr sodium fluoride + menthol + eugenol + d-limonene + cinnamal + cl 1420	Pink	6	Cosmodent, Barcelona, Spain
Vi-One	0.2% chlorhexidine digluconate + 0.04% thymol + 2% xylitol + sorbitol + glycerin+ Poloxamer 407+ peg 40 hydrogenated castor oil + deionized water + citric acid + flavor + menthol	White	7.2	Rozhin Company, Tabriz, Iran
Epimax	0.12% chlorhexidine digluconate + sorbitol + propylene glycol + tetra sodium pyrophosphate + citric acid + polysorbate 20 + polysorbate 60 + sorbic acid + menthol + 0.05gr sodium fluoride + sodium saccharine + dye + deionized water	Brown	4.3	Emad pharmacy Lab., Esfahan, Iran
Hexodine	0.2% chlorhexidine gluconate + aqua + glycerin + mint flavor + preservative + Cl.42090	Blue	5.3	Donyaye Behdasht Lab., Tehran, Iran
Chlorhexidine	0.2% chlorhexidine gluconate + glycerin + methyl paraben + propylparaben + flavor C.I 16035	Pink	5.1	Shahrdaru Lab., Tehran, Iran
Najo	0.2% chlorhexidine gluconate + 10% ethanol	Pink	5.1	Najo Pharmacy, Lab., Tehran, Iran
Behsa	0.2% chlorhexidine gluconate + 11.6% ethanol	Pink	6	Behsa Pharmacy Lab., Arak, Iran

antiseptic solution are required [7]. In comparison to common antibiotic therapies, antiseptics contain chemical materials, which represent better antibacterial action [8].

Chlorhexidine is a well-known biguanide compound with effective anti-plaque action [5] and chromogenic potential [9] causing brown staining of teeth, tongue, silicate and resin restorations [10]. Various staining mechanisms have been described for chlorhexidine including [11] degradation of chlorhexidine to release parachloraniline, non-enzymatic browning reactions (the Maillard reactions), protein denaturation by chlorhexidine with metal sulfide formation and precipitation of anionic dietary chromogens by cationic antiseptics.

Researchers studied the effect of chlorhexidine and other chromogenic mouthrinses on different restorations. Lamba et al, [12] reported that immersion of composite, glass ionomer cement and compomer in mouthrinses can significantly change the color of these materials. Celik et al, [13] investigated the effect of three chlorhexidine mouthrinses on composites and reported that all composites showed acceptable discoloration.

In the recent years, considerable improvements have occurred in formulation of composite materials, mainly by use of nanotechnology. Nanofilled composites are new materials containing inorganic nanofillers scattered in the resin matrix [14] and have improved mechanical strength, optical properties, wear resistance [15], elasticity modulus and color stability [16]. Microhybrid composites are dominant in dental markets [17], thus, in this study, we compared the color stability of new efficient composites with each other.

Discoloration can be detected visually or by using instrumental techniques. Instrumental techniques decrease subjective interpretation as compared with the visual methods. In comparison of these two methods, spectrophotometer is a more accurate method to detect color changes of dental restorations [18]. A spectrophotometer uses CIE system, which is based on human perception and was developed by the Commission Internationale de l'Eclairage in 1978 [19]. Color change is shown with ΔE in this system, which is total color change based on L^* , a^* and b^* values. The L^* value refers to

Table 2: Composites used in this study (Shade: A2)

Brand name	Classification	Resin matrix	Filler (type and size)	wt%	Lot. number	Manufacturer
Filtek Z250	Microhybrid	Bis-GMA ¹ Bis-EMA ² UDMA ³	0.01–3.50 micrometer, zirconia/silica	78.00	N144264	3M ESPE, St. Paul, MN, USA
Filtek Z350 XT	Nanofilled	Bis-GMA Bis-EMA UDMA TEGDMA ⁴ PEGDMA ⁵	Non-aggregated 20 nm silica filler, non-aggregated 4–11 nm zirconia filler Aggregated zirconia/silica cluster filler comprised of 20 nm silica and 4 to 11 nm zirconia particles	78.50	N479908	3M ESPE, St. Paul, MN, USA

¹Bisphenol A-glycidyl methacrylate²Bisphenol A ethoxylated dimethacrylate³Urethane dimethacrylate⁴Triethylene glycol dimethacrylate⁵Polyethylene glycol dimethacrylate

lightness and a^* and b^* values refer to chromaticity coordinates. L^* ranges from 0 (black) to 100 (white). Positive a^* values show a shift towards red and negative values show a shift towards green; positive b^* values show a shift towards yellow and negative values show a shift towards blue [20]; when ΔE is less than or equal to 1 unit, it is not visible to the human eye; when ΔE is between 1 and 3 units, the color change is visually perceptible to the experienced examiner; when ΔE is greater than or equal to 3.3 units, the color change is clinically unacceptable [21]. Discoloration of aesthetic restorations is problematic, wasting time and cost for replacement of restorations due to dissatisfaction of patients [22]. Chromogenic potential of chlorhexidine mouthrinses has been confirmed [23]. But prescription of chlorhexidine mouthrinses for a minimum of two weeks after periodontal surgeries is a common practice, which may cause discoloration of aesthetic composite restorations of patients. The aim of this study was to evaluate the effects of chlorhexidine mouthrinses available in the Iranian market on color stability of microhybrid and nanofilled composites.

MATERIALS AND METHODS

In this in-vitro study, two composite resins and

seven types of chlorhexidine mouthrinses were used. Artificial saliva (HypoZalix Spray, Biocodex, France) was used as the control group. A pH meter (Labtron, Tehran, Iran) was used to determine the pH of mouthrinses. The details of materials used in this study are presented in Tables 1 and 2.

Preparation of samples:

One-hundred and sixty disc-shaped specimens, 80 from each composite, were made in prefabricated celluloid molds with dimensions of 7x2 mm. Composites were placed in molds and compressed with a 1mm thick glass slab for 30 seconds to obtain a uniformly smooth surface [24]. Each specimen was light-cured with Valo light curing unit (Ultradent, South Jordan, USA) with a light intensity of 800 mW/cm² for 20 seconds on both sides [13]. A radiometer (Kerr, Demetron, Orange, CA, USA) was used to check the light intensity [13].

The bottoms of specimens were coded from one to 10 to facilitate the color measurement of each specimen. The upper surface of each specimen was ground with 600, 800, 1000, and 2000-grit silicon carbide papers (Matador, Cologne, Germany) successively [25] under running water.

All specimens were placed at the bottom of a container in such a way that they were

Table 3: The mean ΔL, Δa and Δb values and standard deviation of Filtek Z250 compared to Filtek Z350XT in different solutions after seven and 14 days

	7 days						14 days					
	Filtek Z250			Filtek Z350			Filtek Z250			Filtek Z350		
	ΔL	Δa	Δb	ΔL	Δa	Δb	ΔL	Δa	Δb	ΔL	Δa	Δb
Control	-0.59± 0.53	0.14± 0.08	1.01± 0.43	0.49± 0.24	0.15± 0.10	0.16± 0.32	0.11± 0.65	-0.06± 0.11	0.85± 0.48	0.64± 0.39	0.27± .009	-0.07± 0.35
Kin	-0.49± 0.52	0.15± 0.25	1.46± 0.89	0.73± 0.95	0.36± 0.12	-0.26± 0.58	-0.29± 0.66	0.4± 0.46	1.34± 0.95	1.24± 0.09	0.59± 0.19	-0.22± 0.59
Vi-One	-0.87± 2.58	0.12± 0.27	1.83± 1.13	0.94± 0.83	0.27± 0.09	-0.50± 0.33	0.34± 2.61	-0.003± 0.2	1.71± 1.15	1.31± 0.92	0.42± 0.93	-0.65± 0.32
Epimax	-1.62± 0.74	0.40± 0.21	0.85± 0.33	-0.51± 0.33	0.33± 0.09	-0.58± 0.39	-1.8± 0.66	0.54± 0.33	1.09± 0.56	-0.7± 0.29	0.48± 0.08	-0.73± 0.43
Hexodine	-0.52± 0.29	-0.35± 0.41	1.09± 1.18	0.15± 0.53	-0.07± 0.10	-1.02± 0.56	0.1± 0.45	-0.69± 0.42	2.01± 1.4	0.39± 0.57	-0.14± 0.15	-1.26± 0.59
Chlorhexidine	-0.55± 0.65	0.96± 0.56	2.08± 1.27	-0.35± 0.39	0.21± 0.17	-1.05± 0.4	-0.6± 0.91	0.08± 0.48	1.95± 1.25	-1.66± 0.4	0.37± 0.26	-1.12± 0.5
Najo	0.16± 0.80	0.48± 1.64	1.97± 1.30	0.01± 0.3	0.20± 0.09	-0.71± 0.33	-0.59± 0.84	0.45± 1.68	2.09± 1.24	0.39± 0.34	0.36± 0.13	-0.6± 0.37
Behsa	-0.82± 0.34	0.99± 0.25	1.32± 0.39	-0.17± 0.47	0.93± 0.13	-1.35± 0.78	-0.59± 0.84	1.44± 0.4	1.36± 0.68	-2.06± 0.58	1.44± 0.27	-1.67± 0.89

completely dipped in the solution. After polishing, the specimens were immersed in artificial saliva at 37°C for 24 hours in an incubator in a closed container, allowing post-polymerization.

Baseline color measurement:

Each specimen was then blotted dry with a filter paper and then subjected to color measurement by placing the probe tip perpendicular to the specimen surface. The initial color values (L*, a*, b*) were measured using VITA Easy shade Advance® (VITA Zahnfabrik, Bad Säckingen, Germany) against a white background before insertion of samples in the solutions. The spectrophotometer was calibrated after color measurement of every three samples by placing the probe tip against the calibration block. The color measurement of each specimen was

repeated three times.

Immersion of specimens in chlorhexidine mouthrinses:

The specimens were immersed in mouthrinses once a day for two minutes (n=10), which was equivalent to two rinses with mouthwash per day for one minute. After two minutes of immersion in the mouthrinses, the specimens were immersed in artificial saliva in an incubator at 37°C. Control groups were stored only in artificial saliva during two weeks. Artificial saliva was changed every day.

This process was repeated for two weeks to simulate the use of chlorhexidine mouthrinses for two weeks, which is commonly prescribed after dental treatments like periodontal surgeries.

Second and third color measurements:

After one and two weeks of immersion, color

Table 4: The mean ΔE values and standard deviation (SD) of Filtek Z250 compared to Filtek Z350XT in different solutions after seven and 14 days

Groups	7 days		14 days	
	ΔE±SD	ΔE±SD	ΔE±SD	ΔE±SD
	Filtek Z250	Filtek Z350	Filtek Z250	Filtek Z350
Control	1.31±0.36* A a	0.56±0.26* A b	1.05±0.51 A a	0.83±0.28 A a
Kin	1.68±0.83 AB a	1.23±0.61* AB a	1.66±0.88 A a	1.62±0.66 BD a
Vi-One	3.05±1.49 B a	1.18±0.78* AB b	2.43±2.23 A a	1.61±0.80 BD a
Epimax	1.93±0.66* AB a	0.89±0.41* A b	2.26±0.65 A a	1.16±0.80 AD b
Hexodine	2.08±1.14 AB a	1.15±0.57* AB b	2.18±1.44 A a	1.45±0.56 AD a
Chlorhexidine	2.37±1.14 AB a	1.20±0.40 AB b	2.31±1.15 A a	1.29±0.44 AD b
Najo	2.60±1.45 AB a	0.80±0.31 A b	2.65±1.46 A a	0.93±0.14 AD b
Behsa	1.91±0.25 AB a	1.74±0.70* B a	2.26±0.67 A a	2.34±0.78 B a
P-value	0.007	<0.001	0.09	<0.001

* Statistically significant difference between the two time points in each group and composite at significance level of 0.05.

-The similar superscripted uppercase letters in the same column show no significant difference between groups at each time point (P>0.05)

-The similar superscripted lowercase letters in the same row show no significant difference between two composites at each time point (P>0.05)

measurements were repeated with the same spectrophotometer, and these measurements were made under the same conditions and in the same manner described for initial color measurement.

The total color change (ΔE*) was calculated using the following formula:

$$\Delta E = \sqrt{(\Delta L *)^2 + (\Delta a *)^2 + (\Delta b *)^2}$$

The collected data were statistically analyzed with SPSS version 22 using two-way ANOVA to evaluate the interaction effects of the material type and mouthrinse on color change. One-way ANOVA, Tukey’s post hoc test, t-test and paired t-test were used to analyze data at a significance level of 0.05.

RESULTS

Two-way ANOVA revealed that the interaction effects of composite type and mouthrinses on color change were statistically significant (P=0.049).

The mean values and standard deviations of ΔL, Δa and Δb color parameters for each group of composite resin after seven and 14 days of immersion in chlorhexidine mouthrinses are shown in Table 3.

The mean values and standard deviations of color

change (ΔE) for each group of composite resin after seven days of immersion in chlorhexidine mouthrinses are shown in Table 4. All groups showed acceptable color change after one week (ΔE<3.3; Fig. 1).

Filtek Z250 in Vi-one mouthrinse showed maximum discoloration (ΔE=3.05±1.49) after seven days, which had a statistically significant difference with the control group (P=0.004) but it did not show significant differences with other groups.

Filtek Z350XT in Behsa mouthrinse showed maximum discoloration (ΔE=1.74±0.7) after seven days, which had a statistically significant difference with the control (P=0.000), Najo (P=0.004) and Epimax (P=0.014) mouthrinses.

The ΔE values after 14 days revealed that all groups had acceptable color change (ΔE<3.3; Fig. 2). The mean values and standard deviations of color change (ΔE) of each group of composite resin after 14 days of immersion in chlorhexidine mouthrinses are shown in Table 4.

Filtek Z250 in Najo mouthrinse (ΔE=2.65±1.46) and after that in Vi-One (ΔE=2.43±2.23) showed maximum discoloration; although it did not have significant differences with other groups (P>0.05). Filtek Z350 XT in Behsa showed maximum discoloration (ΔE=2.34±0.78), which




Fig. 1: Column chart showing the mean ΔE_{1-7} values and standard deviation of Filtek Z250 compared to Filtek Z350XT in different solutions

had significant differences with other groups ($P < 0.05$). The control group showed significant differences with Kin and Vi-One.

Comparison of discoloration between ΔE_{1-7} and ΔE_{1-14} is shown in Table 3. The ΔE values in Filtek Z350XT after 14 days in comparison to seven days showed higher discoloration in all groups and the discoloration was significant in all groups except for chlorhexidine and Najo.

The ΔE values in Filtek Z250 after 14 days in comparison to seven days showed higher discoloration in Epimax, Hexodine, Najo and Behsa groups and lower discoloration in other groups, and the discoloration was only significant in the control and Epimax groups.

DISCUSSION

The present study evaluated the effects of seven commercially available chlorhexidine mouthrinses in the Iranian market on color stability of two types of resin-based composites. The results revealed that the color change of composites after seven and 14 days of immersion in mouthrinses was clinically acceptable ($\Delta E < 3.3$). With regard to color parameters ($L^*a^*b^*$), the results showed that ΔL values were negative, which indicated that the specimens became darker in all groups. In a^* axis, the

specimens' color shifted towards red in all groups, and in b^* axis, the color of microhybrid composite shifted towards yellow and that of nanofilled composite shifted towards blue. In addition, Filtek Z250 (microhybrid) showed less color change than Filtek Z350XT (nanofilled).

After the first and second weeks, the color change (ΔE value) of Filtek Z250 with larger filler particles was greater than that of Filtek Z350XT in all groups. Filtek Z250 contains filler particles with an average size of $0.6\mu\text{m}$; while Filtek Z350XT contains filler particles ranging from 5 to 20nm [26]. Larger particles create a rough surface while polishing and smaller particles create a smooth surface; thus, composites with larger fillers are more susceptible to discoloration [27].

In addition, composites with larger filler particles are more susceptible to water sorption by the polymer network and the effect of coloring agents on the quality of the bond between the matrix and filler can cause discoloration [28]. Water sorption may cause micro-cracks by expanding and laminating the resin component and hydrolyzing the silane and decrease the functional life of composite resins; thus, micro-crack formation and interfacial gaps between the filler and matrix allow soluble dyes of




Fig. 2: Column chart showing the mean ΔE_{1-14} values and standard deviation of Filtek Z250 compared to Filtek Z350XT in different solutions

mouthrinses to penetrate and cause discoloration [29]; these reasons can explain the greater color stability of Filtek Z350XT. Our findings are in accordance with those of Al-Qaisi and Alrahman [30] and Festuccia et al [31].

After seven days of immersion in mouthrinses, Vi-One mouthrinse showed greater discoloration after alcohol-based mouthrinses. Vi-One contains citric acid. Weak acids like citric acid have a softening effect on polymer matrix and decrease the microhardness of composites in addition to alcohol [32]. Kin, Epimax, and Vi-One mouthrinses have citric acid in their composition but in this study, Vi-One showed greater discoloration. The manufacturers of Kin and Epimax claim that these mouthrinses have color preservers in their composition that inhibit discoloration of teeth and composites [33]; therefore, the greater discoloration of Vi-one may be due to the absence of color preserver in its formulation. After 14 days of immersion in mouthrinses, microhybrid composite in Najo with 10% alcohol ($\Delta E=2.65$) and nanofilled composite in Behsa with 11.6% alcohol ($\Delta E=2.34$) showed greater discoloration. Alcohol concentration in mouthrinses varies from 0 to 27%, which is comparable to the alcohol percentage of beer (4%) and wine (12%).

Ethanol is a bipolar molecule, which enhances the dissolution of hydrophobic and hydrophilic components. Alcohol in mouthrinses does not have any other therapeutic effect except as a solvent. Due to this reason, in the clinical setting, alcohol-free mouthrinses have been proven to have the same effect as alcohol-based mouthrinses with fewer side effects [34]. Our findings are similar to those of Villalta et al, [35] Asmussen [36], and Stober et al, [37] who reported that alcohol had a softening effect on composites, so the chromaticity of composites increases in alcohol-based solutions.

Comparison of discoloration between ΔE_{1-7} and ΔE_{1-14} revealed that Filtek Z350XT had significantly greater discoloration after 14 days in comparison to seven days in all groups except for two (Chlorhexidine and Najo); it means that all specimens showed a significant progressive increase in color change with increasing number of rinses in all chlorhexidine mouthrinses except for two groups, and Filtek Z250 showed a significant discoloration only in two groups (control and Epimax) after 14 days in comparison to seven days; this result may be due to the higher potential of nanofilled composites for discoloration as mentioned above and showed that increasing the frequency and duration of

rinses can affect the color stability of nanofilled composites more than microhybrid composites. In this study, despite the low pH of Epimax (pH=4.3), it did not show greater discoloration than other groups. We did not find a correlation between pH and discoloration of composites, which is in accord with the findings of Diab et al, [38] who reported that the pH of test solutions did not have an effect on discoloration of restorative materials.

In clinical situations, different factors may affect the color stability of restorative materials such as the presence of saliva, salivary pellicle, and the effect of different foods and beverages, which are difficult to simulate in an in-vitro setting [39]. This result may be due to the absence of these chromogenic materials, which could intensify the chromogenic potential of chlorhexidine mouthwashes [40]. Therefore, further experiments are needed to better simulate the clinical conditions.

CONCLUSION

The results of the present study indicated that composites showed an acceptable color change after two weeks of immersion in chlorhexidine mouthrinses. Mouthrinses, which contained alcohol and citric acid showed greater discoloration; thus, it is better to limit their prescription. Nano-filled composite showed better color stability than microhybrid composite.

REFERENCES

- 1- Catelan A, Briso AL, Sundfeld RH, Dos Santos PH. Effect of artificial aging on the roughness and microhardness of sealed composites. *J Esthet Restor Dent*. 2010 Oct;22(5):324-30.
- 2- Dietschi D, Campanile G, Holz J, Meyer JM. Comparison of the color stability of ten new-generation composites: an in vitro study. *Dent Mater*. 1994 Nov;10(6):353-62.
- 3- Furuse AY, Gordon K, Rodrigues FP, Silikas N, Watts DC. Colour-stability and gloss-retention of

- silorane and dimethacrylate composites with accelerated aging. *J Dent*. 2008 Nov;36(11):945-52.
- 4- Mundim FM, Garcia Lda F, Cruvinel DR, Lima FA, Bachmann L, Pires-de-Souza Fde C. Color stability, opacity and degree of conversion of pre-heated composites. *J Dent*. 2011 Jul;39 Suppl 1:e25-9.
- 5- Lee YK, Powers JM. Combined effects of staining substances on resin composites before and after surface sealant application. *J Mater Sci Mater Med*. 2007 May;18(5):685-91.
- 6- Wennström JL, Heijl L, Dahlén G, Gröndahl K. Periodic subgingival antimicrobial irrigation of periodontal pockets (I). Clinical observations. *J clin periodontol*. 1987 Oct;14(9):541-50.
- 7- Walker MP, Ries D, Kula K, Ellis M, Fricke B. Mechanical properties and surface characterization of beta titanium and stainless steel orthodontic wire following topical fluoride treatment. *Angle Orthod*. 2007 Mar;77(2):342-8.
- 8- Aulitto L, Ramaglia L, Ciaglia RN, Sbordone L. The use of antiseptic agents for the chemical control of dental plaque. *Minerva Stomatol*. 1991 Jan-Feb;40(1-2):29-35.
- 9- Bagis B, Baltacioglu E, Oezcan M, Ustaomer S. Evaluation of chlorhexidine gluconate mouthrinse-induced staining using a digital colorimeter: an in vivo study. *Quintessence Int*. 2011 Mar;42(3):213-23.
- 10- Mandel ID. Chemotherapeutic agents for controlling plaque and gingivitis. *J Clin Periodontol*. 1988 Sep;15(8):488-98.
- 11- Watts A, Addy M. Tooth discolouration and staining: A review of the literature. *Br Dent J*. 2001 Mar 24;190(6):309-16.
- 12- Lamba B, Lamba A, Ponnappa KC. Effect of mouth rinses on the color of three tooth-colored restorative materials. *Int J Stomatol occlusion Med*. 2012 Sep;5(3):104-9.
- 13- Celik C, Yuzugullu B, Erkut S, Yamanel K. Effects of mouth rinses on color stability of resin composites. *Eur J Dent*. 2008 Oct;2(4):247-53.
- 14- Ure D, Harris J. Nanotechnology in dentistry: reduction to practice. *Dent Update*. 2003 Jan-

- Feb;30(1):10-5.
- 15- Al-Shalan TA. In vitro staining of nanocomposites exposed to a cola beverage. *PODJ*. 2009 Jun;29(1):79-84.
- 16- Rong MZ, Zhang MQ, Pan SL, Friedrich K. Interfacial effects in polypropylene-silica nanocomposites. *J Appl Polym Sci*. 2004 Mar;92(3):1771-81.
- 17- O'Brien AJ. The therapeutic relationship: historical development and contemporary significance. *J Psychiatr Ment Health Nurs*. Apr 2001;8(2):129-37.
- 18- Barutçigil Ç, Yıldız M. Intrinsic and extrinsic discoloration of dimethacrylate and silorane based composites. *J Dent*. 2012 Jul;40 Suppl 1:e57-63.
- 19- Okubo SR, Kanawati A, Richards MW, Childress S. Evaluation of visual and instrument shade matching. *J Prosthet Dent*. 1998 Dec;80(6):642-8.
- 20- Lee SH, Lee YK. Effect of thermocycling on optical parameters of resin composites by the brand and shade. *Am J Dent*. 2008 Dec;21(6):361-7.
- 21- Um CM, Ruyter IE. Staining of resin-based veneering materials with coffee and tea. *Quintessence Int*. 1991 May;22(5):377-86.
- 22- Doray PG1, Wang X, Powers JM, Burgess JO. Accelerated aging affects color stability of provisional restorative materials. *J Prosthodont*. 1997 Sep;6(3):183-8.
- 23- Carpenter GH1, Pramanik R, Proctor GB. An in vitro model of chlorhexidine-induced tooth staining. *J Periodontal Res*. 2005 Jun;40(3):225-30.
- 24- Awliya WY, Al-Alwani DJ, Gashmer ES, Al-Mandil HB. The effect of commonly used types of coffee on surface microhardness and color stability of resin-based composite restorations. *Saudi Dent J* 2010 Oct;22(4):177-81.
- 25- Malek Afzali B, Ghasemi A, Mirani A, Abdolazimi Z, Akbarzade Baghban A, Kharazifard MJ. Effect of Ingested Liquids on Color Change of Composite Resins. *J Dent (Tehran)*. 2015 Aug;12(8):577-84.
- 26- Vichi A, Ferrari M, Davidson CL. Color and opacity variations in three different resin-based composite products after water aging. *Dent Mater*. 2004 Jul;20(6):530-4.
- 27- Bagheri R, Burrow MF, Tyas M. Influence of food-simulating solutions and surface finish on susceptibility to staining of aesthetic restorative materials. *J Dent*. 2005 May;33(5):389-98.
- 28- Manabe A1, Kato Y, Finger WJ, Kanehira M, Komatsu M. Discoloration of coating resins exposed to staining solutions in vitro. *Dent Mater J*. 2009 May;28(3):338-43.
- 29- von Fraunhofer JA, Kelley JI, DePaola LG, Meiller TF. The effect of a mouth rinse containing essential oils on dental restorative materials. *Gen Dent*. 2006 Nov-Dec;54(6):403-7.
- 30- Al-Qaisi SD, Alrahman MS. Evaluating the Effect of One Alcoholic and Two Alcoholic-free Mouthwashes on the Color Stability and Surface Roughness of Two Resinbased composites (In vitro Comparative Study). *IJSR*. 2015 Oct;4(10):254-7.
- 31- Festuccia MS, Garcia Lda F, Cruvinel DR, Pires-De-Souza Fde C. Color stability, surface roughness and microhardness of composites submitted to mouthrinsing action. *J Appl Oral Sci*. 2012 Mar-Apr;20(2):200-5.
- 32- Yap AU, Tan BW, Tay LC, Chang KM, Loy TK, Mok BY. Effect of mouthrinses on microhardness and wear of composite and compomer restoratives. *Oper Dent*. 2003 Nov-Dec;28(6):740-6.
- 33- Jmali A. Academic Center for Community Oral Health Products Ghazvin: Mouth and dental center; 2013 [updated 2013 Aug 10; cited 2015 Jan 10]. Available from: <http://dental.roomfa.com/>.
- 34- Bahna P, Hanna HA, Dvorak T, Vaporciyan A, Chambers M, Raad I. Antiseptic effect of a novel alcohol-free mouthwash: a convenient prophylactic alternative for high-risk patients. *Oral Oncol*. 2007 Feb;43(2):159-64.
- 35- Villalta P, Lu H, Okte Z, Garcia-Godoy F, Powers JM. Effects of staining and bleaching on color change of dental composite resins. *J Prosthet Dent*. 2006 Feb;95(2):137-42.
- 36- Asmussen E. Softening of BISGMA-based polymers by ethanol and by organic acids of plaque. *Scand J Dent Res*. 1984 Jun;92(3):257-61.

- 37- Stober T, Gilde H, Lenz P. Color stability of highly filled composite resin materials for facings. *Dent Mater.* 2001 Jan;17(1):87-94.
- 38- Diab M, Zaazou MH, Mubarak EH, Olaya MI. Effect of five commercial mouthrinses on the microhardness and color stability of two resin composite restorative materials. *Aust J Basic Appl Sci.* 2007;1(4):667-74.
- 39- Lee SY, Huang HM, Lin CY, Shih YH. Leached components from dental composites in oral simulating fluids and the resultant composite strengths. *J Oral Rehabil.* 1998 Aug;25(8):575-88.
- 40- Moran JM. Home-use oral hygiene products: mouthrinses. *Periodontol* 2000. 2008;48:42-53.