



Published in final edited form as:

RSC Adv. 2017 March 19; 7(28): 17137–17153. doi:10.1039/C7RA01224A.

Synthesis and Properties of Magnetic-Optical Core-Shell Nanoparticles

Elyahb Allie Kwizera, Elise Chaffin, Yongmei Wang, and Xiaohua Huang*


Department of Chemistry, The University of Memphis, Memphis, TN 38152

Abstract

Due to their high integrity, facile surface chemistry, excellent stability, and dual properties from the core and shell materials, magnetic-plasmonic core-shell nanoparticles are of great interest across a number of science, engineering and biomedical disciplines. They are promising for applications in a broad range of areas including catalysis, energy conversion, biological separation, medical imaging, disease detection and treatment. The technological applications have driven the need for high quality nanoparticles with well controlled magnetic and optical properties. Tremendous progress has been made during past few decades in synthesizing and characterizing magnetic-plasmonic core-shell nanoparticles, mainly iron oxide-gold core-shell nanoparticles. This review introduces various approaches for the synthesis of spherical and anisotropic magnetic-plasmonic core-shell nanoparticles focusing on iron oxide-gold core-shell nanoparticles. Growth mechanisms are discussed to provide understanding of the key factors controlling shape-controlled synthesis. Magnetic and optical properties are summarized from both computational and experimental studies.

Graphical Abstract

This review introduces and discusses synthetic approaches, magnetic and optical properties of iron oxide-gold core-shell nanoparticles in different shapes.



Keywords

Synthesis; optical properties; magnetic-plasmonic; core-shell nanoparticles; iron oxide; gold

*Corresponding Author: xhuang4@memphis.edu. Phone: (901) 678 1728. Fax: (901) 678 3744.

1. Introduction

Nanoscale materials are a topic of considerable interest across a number of science, engineering and biomedical disciplines. The basic rationale is that nanoscale materials, typically 1–100 nm, exhibit exceptional structural and functional properties that are not available in bulk materials or discrete molecules. Two major classes of functional nanoplatforms have been extensively studied and widely used in a variety of fields: plasmonic nanoparticles (NPs) and magnetic NPs (MNPs). Plasmonic NPs are typically composed of noble metals, generally gold (Au) and silver (Ag). They exhibit unique localized surface plasmon resonance (LSPR), the collective oscillation of the conduction electrons of the NPs in resonance with the electric field of the incident light.^{1–3} This LSPR leads to strongly enhanced radiative (e.g. absorption and scattering) and nonradiative (e.g. photothermal and energy transfer) properties.^{4,5} Compared to Ag NPs, Au NPs are more stable under ambient conditions. Additionally, the LSPR of Au NPs can be tuned from the visible to near infrared region (NIR) by adjusting the particle's size, shape and structure.^{5–9} These intriguing optical properties have made Au NPs highly favorable for sensing, optical imaging, photothermal cancer therapy, catalysis, and many other material and biomedical applications.^{10–14}

MNPs, commonly consisting of magnetic elements such as iron (Fe) and cobalt (Co) and their chemical compounds, show alignment of their magnetic moment in the presence of an external magnetic field and concentrate the external magnetic flux density.¹⁵ This magnetic response causes the attraction of the MNPs in the direction of applied magnetic gradient. This magnetic property makes the MNPs useful for many applications including data storage, spintronics, molecular and cellular isolation, magnetic resonance imaging (MRI) and hyperthermia treatment of cancer.^{16–19} The most common MNPs are iron oxide nanoparticles (IO NPs) including magnetite (Fe_3O_4) or maghemite ($\gamma\text{-Fe}_2\text{O}_3$). These MNPs have advantages of ease-of-preparation, biodegradability, excellent stability, and the tunability of magnetic properties through changes in size and shape, making them the most attractive MNP platforms. When the sizes of these MNPs are smaller than 30 nm, they are superparamagnetic, otherwise they are ferromagnetic.²⁰ Superparamagnetic NPs avoid the induced aggregation associated with the residual magnetization of ferromagnetic NPs. MNPs can be spherical or anisotropic such as rods, cubes and stars. Thus, they provide versatile structural platforms for generations of different nanostructures.

However, each of these NP types displays distinct limitations. For example, plasmonic NPs lack the ability to separate analytes, which is usually required for the analysis of rare molecules and cells in a complex milieu. MNPs do not exhibit the properties needed for highly sensitive optical imaging. Thus, hybrid NPs with combined magnetic and optical properties are much more powerful and can be used in a broad range of applications such as magnetic resonance imaging,^{21–27} optical imaging,^{26–28} biological separation,^{29–37} molecular/cellular detection,^{33–40} and cancer treatment.^{23–25, 27, 31, 41–43} Additionally, these hybrid NPs offer new modalities that neither plasmonic NPs nor MNPs exhibit. For example, Jin *et al.* have demonstrated the use of IO-Au core-shell NPs for magnetomotive photoacoustic imaging.⁴⁴ This novel imaging mode shows remarkable contrast

enhancement compared with photoacoustic images obtained using solid Au NPs. Magnetic-plasmonic core-shell NPs can consist of any magnetic core such as Fe, Co or their oxides and a plasmonic shell such as Au, Ag or platinum. However, IO-Au core-shell NPs have become the primary platform because of their remarkable advantages. The IO NPs are stable and easy to synthesize, and the Au surface offers facile surface modification, excellent stability, and biosafety. The optical properties of the IO-Au core-shell NPs can be precisely tuned by changing the core size, shell thickness as well as the core and shell shapes. A key to the technological applications is the synthesis of high quality IO-Au core-shell NPs with desirable magnetic and optical properties. During the past decade, intense research has been directed to make IO-Au core-shell NPs with different core sizes and shell thicknesses. Synthesizing anisotropic IO-Au core-shell NPs requires precise control of the thermodynamic and kinetic parameters of the growth solution. In this review, we introduce various approaches for the synthesis of monodisperse spherical and anisotropic IO-Au core-shell NPs. Growth mechanisms are discussed to provide understanding of the key factors controlling the uniform formation of the Au shell and shape-controlled synthesis. Magnetic and optical properties of these core-shell NPs are summarized in both computational and experimental results to better understand the structural-functional relationship of IO-Au core-shell NPs. This review focusses on IO-Au core-shell NPs, but the information can be applied to other types of core-shell NPs as well.

2. Synthesis

2.1 Synthesis of Spherical IO-Au Core-Shell NPs

Methods to make spherical IO-Au core-shell NPs can be divided into two major categories. In the first Au atoms are directly deposited onto IO NPs via the reduction of Au precursor in a growth solution containing IO NPs. In this direct deposition method, the surface of the IO NPs may be chemically modified to adsorb Au ions to facilitate Au shell formation. In the second method, Au atoms are deposited onto Au-seeded IO NPs in which Au seeds serve as nucleation sites to facilitate the growth of Au shell. This Au-seeded growth method requires more steps than the direct deposition method, but it provides flexibility in tuning the morphology of Au shell by fine control the kinetic and thermodynamic parameters of the growth solution.

2.1.1 Direct deposition methods—When two materials have similar crystal lattices, one material can be directly deposited onto the other to form a uniform shell via epitaxial growth. The spacings of Au are around and within 3% of those of Fe_3O_4 or $\gamma\text{-Fe}_2\text{O}_3$ (Table 1). Thus, it is possible to make IO-Au core-shell NPs via epitaxial growth of Au on bare IO NPs. Bare IO NPs can be readily prepared by the coprecipitation of a ferric chloride (FeCl_3) and ferrous chloride (FeCl_2) mixture in an alkaline medium. Au atoms are deposited onto the IO NPs via reduction of chloroauric acid (HAuCl_4) by sodium citrate in the presence of IO NPs aqueous solution at boiling temperature.^{32, 45, 46} Alternatively, this reduction can also be performed at room temperature by using sodium borohydride (NaBH_4) under sonication.⁴⁷ Sonication results in better particle monodispersity and avoids the agglomeration associated with ionic interactions. Other reducing agents such as glucose can also be used to reduce Au^{3+} ions to Au atoms.⁴⁸ The thickness of the Au shell can be tuned

by simply varying the ratio of IO NPs to Au precursor solution. Although this method is simple and rapid, it also produces self-nucleated Au NPs that must be removed from the IO-Au core-shell NPs, possibly via magnetic separation.

To synthesize IO-Au core-shell NPs with uniform Au surface, one approach is to iteratively deposit Au atoms onto IO NPs via repeated reduction of Au^{3+} by hydroxylamine (NH_2OH).^{27, 28, 33, 39, 49, 50} NH_2OH is known to promote Au^{3+} surface catalyzed reduction.⁵¹ Thus, Au atoms are deposited only on the surfaces of IO NPs rather than forming self-nucleated Au NPs. This method was first reported by Lyon *et al.* in 2004 (Figure 1A).⁴⁹ In their studies, $\gamma\text{-Fe}_2\text{O}_3$ or oxidized Fe_3O_4 NPs were immersed in sodium citrate for 10 min to exchange adsorbed hydroxide anions with citrate anions. Au atoms were deposited onto the IO NPs via the reduction of HAuCl_4 by NH_2OH at room temperature. Five additions of HAuCl_4 and NH_2OH were performed to achieve continuous Au shells on the IO NP surfaces. Characterization by transmission electron microscopy (TEM) showed that Au atoms were initially deposited onto specific sites of the IO core, which led to a jagged Au surface. Au atoms from the subsequent reduction steps filled the empty sites on the IO surface, producing a continuous Au shell and, thus, uniform IO-Au core-shell NPs. This process also explained why the size of the core-shell NPs did not change between the first and fifth depositions having similar sizes of around 60 nm in diameter following each step. It is interesting to note that they were not able to form an Au shell on the freshly prepared Fe_3O_4 NPs. This mechanism remains to be investigated. The unit cell parameters for both Fe_3O_4 and $\gamma\text{-Fe}_2\text{O}_3$ based cubic settings are almost identical with $a = 0.845\text{nm}$ for $\gamma\text{-Fe}_2\text{O}_3$ and $a = 0.840$ for Fe_3O_4 .^{52, 53} Therefore, the success of the Au shell formation on Fe_2O_3 /oxidized Fe_3O_4 NPs but not on freshly prepared Fe_3O_4 NPs cannot be ascribed to the lattice dissimilarity between the IO NPs and Au. Recently, Tamer *et al.* modified the method by treating the oxidized Fe_3O_4 NPs with ethylenediaminetetraacetic acid (EDTA) before Au coating and reduced HAuCl_4 with NH_2OH in the presence of EDTA-immobilized Fe_3O_4 NPs and cetyltrimethylammonium bromide (CTAB) in a basic solution was added.⁵⁴ Uniform, highly stable IO-Au core-shell NPs with a narrow size distribution were produced with one-step reductive Au deposition. In a different study by Zhang *et al.*, Fe_3O_4 NPs were modified with 3-aminopropyltrimethoxysilane (APTMS) before reductive deposition of Au with NH_2OH .⁵⁵ APTMS modification was used to facilitate Au ion adsorption because of its positive charge.

Another technique for forming IO-Au core-shell NPs is to perform the Au deposition in a microemulsion⁵⁶ or nanoemulsion⁵⁷ system that confines the Au precursor and IO NPs in close proximity to facilitate Au shell formation. The emulsion consists of an organic solvent, a surfactant such as CTAB or poly(vinylpyrrolidone) (PVP), and an aqueous mixture of FeCl_3 , FeCl_2 and HAuCl_4 . IO NPs are first formed inside the micelle by coprecipitation through the addition of basic solution such as sodium hydroxide. Then, a reducing agent, typically NaBH_4 , is added to reduce HAuCl_4 on the surface of the IO NPs to form Au shells.

Coprecipitation is the simplest way to make IO NPs without the need for capping materials. However, making monodisperse IO NPs via coprecipitation is difficult. Monodisperse IO NPs are usually produced by the thermal decomposition of Fe precursors at high temperatures.^{58, 59} These NPs are capped with oleic acid (OA) and/or oleylamine (OAM)

and are only dispersible in organic phase. Thus, the direct deposition of Au atoms onto the IO NPs must be performed in organic phase.^{22, 29, 60–65} For example, Wang et al. synthesized IO-Au core-shell NPs by heating a mixture of OA-capped Fe₃O₄ NPs, Au acetate (Au(OOCCH₃)₃) and 1,2-hexadecanediol in phenyl ether to 180–190°C for 1.5 h.⁶⁰ Xu et al. coated Au onto OA- and OAM-capped IO NPs at room temperature by gently reducing HAuCl₄ in a chloroform solution containing OAM.⁶² OAM served as a mild reducing agent as well as a surfactant. To make water-soluble core-shell NPs, the as-prepared IO-Au NPs were dried and then dissolved in an aqueous solution containing CTAB and sodium citrate. The water soluble IO-Au NPs can then be used as seeds for the growth of an Au shell. This subsequent Au shell growth was readily achieved by the reduction of HAuCl₄ by ascorbic acid in the presence of CTAB. By adjusting the amount of HAuCl₄, the thickness of Au shell can be finely controlled.

Spherical IO-Au core-shell NPs generally exhibit LSPR in the UV-Vis region. In 2010, Jin et al. developed a method to make spherical IO-Au core-shell NPs with NIR absorption by separating IO and Au by an organic gap (Figure 1B).⁴⁴ They first modified OA-capped Fe₃O₄ NPs with amphiphilic phospholipid-polyethylene glycol terminated with carboxylic acid. This allowed the particles to be dissolved into aqueous phase. Then, the particles were coated with poly-L-histidine that chelates Au³⁺. The poly-L-histidine is capable of immobilizing Au³⁺ on IO NPs with high packing density. The multilayer organic molecules prevent Au³⁺ from direct growth on the IO core. Subsequent reduction of chelated Au³⁺ led to the formation of thin layer of Au shell (1–5 nm) within 1 h, with a clear separation from the IO core. The total size of the IO-Au core-shell NPs was only around 35 nm with LSPR wavelength over 600 nm. This method enables the preparation of compact and monodisperse IO-Au NPs with NIR absorption.

2.1.2 Au-seeded growth methods—To facilitate Au shell growth, small Au NPs (<10 nm) can be adsorbed on the surfaces of IO NPs to serve as nucleation sites for the initiation of Au shell growth. This Au-seeded growth method has been previously used to grow Au shells on silica (Si) NPs by the Halas group.^{66, 67} Typically, Au seeds are adsorbed onto IO NPs via electrostatic interactions. Since citrate-capped Au seeds are negatively charged, the surfaces of IO NPs need to be positively charged. One way, is to modify IO NPs with APTMS, a method similar to the preparation of Si-Au core-shell NPs^{23, 68, 69} (Figure 2A). In this approach, OA-capped IO NPs are first modified with tetraethylorthosilicate (TEOS), which serve as anchor points for APTMS, via the sol-gel process. APTMS functionalization is performed by silane ligand exchange. Au seeds (2–3 nm) are prepared by the reduction of HAuCl₄ by tetrakis(hydroxymethyl) phosphonium chloride (THPC) followed by 1–2 weeks' aging at 4°C. They are then attached to the APTMS-modified IO NPs via the amino groups after incubation for overnight at 4°C in a basic medium. One day prior to the shell growth, an Au hydroxide solution is formed by the hydrolysis of HAuCl₄ with potassium carbonate. The Au-seeded IO NPs are added to the Au hydroxide solution, followed by the addition of formaldehyde to initiate Au shell growth. The change of the solution color from colorless to blue indicates the growth of the Au shell. The growth process is complete within 1 h. Although this method can lead to uniform IO-Au core-shell NPs, the process is time consuming, requiring days to complete.

A more expeditious Au-seeded growth method is to use positively charged poly(allylamine hydrochloride) (PAH) to adsorb the Au seeds, an approach developed in 2008 by Wang et al.⁷⁰ In this approach, Fe₃O₄ NPs of ~260 nm in diameter were prepared through a solvothermal method using FeCl₃ as the Fe precursor and sodium acetate as the alkali. A thin layer of polymer with carboxyl terminal groups was formed in situ by the copolymerization of acrylamide and methacrylic. The copolymer surface was coated with PAH via electrostatic interaction to introduce amine groups to attract the citrate-capped Au seeds. The gold nanoparticles used as seeds were prepared by reducing HAuCl₄ with NaBH₄ in the presence of sodium citrate. After adsorption of the citrate-capped Au seeds, the Au shell was formed by reducing HAuCl₄ with NH₂OH in the presence of the Au-seeded Fe₃O₄ NPs. Sequential reductive deposition steps led to uniform Au shell formation. These reduction reactions were performed under ultrasonication in an ice bath to prevent aggregation of the ferromagnetic Fe₃O₄ NPs.

Polyethyleneimine (PEI) is another positively charged polymer that is often used to attract negatively charged Au seeds.^{36, 71, 72} In 2009, Goon *et al.* developed an approach to directly make PEI-coated IO NPs and grew Au shells via repeated hydroxylamine reduction deposition on the PEI-coated IO NPs (Figure 2B).⁷¹ IO NPs were prepared by precipitation of iron sulfate in a basic solution followed by oxidization with potassium nitrate at 90 °C in the presence of branched PEI (MW ~25,000) in an oxygen-free environment. This method led to 50 nm cubic Fe₃O₄ NPs capped with PEI, allowing for the direct attachment of citrate-capped Au seeds in aqueous phase. 2 nm citrate-capped Au NPs were attached to the PEI-capped Fe₃O₄ NPs by mixing via stirring for 2 h. The surface coverage of PEI was critical to the loaded density of Au seeds, with a saturated amount of PEI at 0.88 μg PEI per cm² on the particle surface leading to the highest Au-seed density (47.7 wt%). The Au-seeded Fe₃O₄ NPs were further coated with another layer of PEI by mixing the particles in PEI solution for 1 h at 60°C. Thus, the Au seeds were sandwiched on the surface of IO NPs with two layers of PEI, ensuring a high density of Au seeds. The Au shells were then grown by iterative reduction of HAuCl₄ onto the PEI-Au seeds-PEI-IO NPs using NH₂OH as the reducing agent. A total of five iterations were performed to achieve a continuous Au shell. It is worthy to mention that the whole process was conducted in aqueous solution. In addition, the Au shell is free of capping agent, allowing for facile surface modification.

Other surface chemistry has also been used to adsorb Au seeds onto IO NPs to grow Au shell.^{30, 73–75} For example, Chin *et al.* modified Fe₃O₄ NPs with dopamine to introduce positively charged amine groups to attract citrate-capped Au NP seeds.⁷³ Park *et al.* used 2 nm decanethiol-capped Au NPs prepared by the Brust and Schiffrin method as the Au seeding NPs.³⁰ To attach the nonaqueous Au seeds to the IO NPs, they used a thermal processing treatment in which a mixture of DT-capped Au NPs, OA-capped Fe₂O₃ NPs and tetraoctylammonium bromide in toluene was heated at 149°C for 1 h. During this process, the Au seeds first adsorbed onto the Fe₃O₄ NPs via hydrophobic interactions and then coalesced to form Au shells. To make the particles water soluble, the as-prepared Fe₂O₃-Au core-shell NPs were subjected to ligand exchange with mercaptoundecanoic acid.

2.2 Synthesis of Anisotropic IO-Au Core-Shell NPs

Anisotropic NPs offer many advantages over spherical NPs due to well-known geometry-dependent LSPR properties. For example, the local field enhancement on anisotropic NPs can be orders of magnitude higher than spherical ones. For example, the E-field enhancement of Au tripod nanocrystals is 20 times higher than that of spherical NPs.⁷⁶ A direct outcome of this field enhancement is the strong augmentation of the Raman signals of adsorbed molecules as the intensity of Raman signals is proportional to the fourth power of the local field of the metal particle.⁷⁷ An enhancement factor on the order of 10^4 – 10^5 was observed for the Raman signals of adsorbed molecules on Au nanorods (NRs), while no such enhancement has been observed for the adsorbed molecules on Au nanospheres under similar condition.⁷⁸ In addition, the anisotropic NPs can extend the optical properties from the visible to the NIR region without changing particle size.⁷⁶ The NIR window is extremely important for biomedical applications as light in this region is tissue penetrative.⁷⁹ Thus, synthesis of anisotropic NPs with IO cores is extremely attractive.

A direct method to make anisotropic IO-Au core-shell NPs is to use anisotropic IO NPs as the core materials; the resulting core-shell NPs preserve the shape of the IO NPs. In 2006, Halas and co-workers reported the synthesis of IO-Au core-shell nanorice using an Au-seeded method (Figure 3).⁸⁰ In their studies, monodisperse hematite nanorice with aspect ratio of 6.3 (Length = 340 nm. Diameter = 54 nm) were fabricated by heating FeCl_3 and potassium dihydrogen phosphate at 100°C for 72 h. The nanorices were functionalized with APTMS to generate the amine groups to adsorb THPC-capped Au seeds. The growth of the Au shell was performed by the reduction of HAuCl_4 by formaldehyde in an aqueous solution containing the Au-seeded nanorice at room temperature. The growth of complete Au shells took only 5–10 min. Au shells from 10 to 30 nm were formed by adjusting the ratio of the hematite nanorice and HAuCl_4 . The hematite nanorice have the combined plasmonic properties of nanorods and nanoshells in the NIR region, making them promising for biomedical applications.

Making anisotropic IO-Au core-shell NPs with anisotropic IO NPs is simple and can preserve the shape of the cores. However, when the size of the IO NPs is small, it is difficult to grow the Au shell while preserving the shape of the core. For example, the use of 60 nm tetracubic IO NPs as the cores resulted in spherical IO-Au core-shell NPs.⁶⁹ An approach for preparing anisotropic IO-Au nanostars (NSTs) was developed by Wei and co-workers using spherical Fe_3O_4 NPs as the cores (Figure 4A).^{81, 82} Spherical Fe_3O_4 -Au core-shell NPs of 8.4–13 nm were first prepared in organic phase at 190°C by the reduction of gold chloride (AuCl_3) by 1,2-hexadecanediol in octyl ether containing 8.4 nm OA- and OAM-capped IO NPs (8.4 nm). This shell was only ~ 1.3 nm in thickness. The Fe_3O_4 -Au core-shell NPs with thin Au-shells were introduced into a growth solution containing HAuCl_4 , CTAB, silver nitrate (AgNO_3), and ascorbic acid (AA). This growth solution has been widely used to make anisotropic metallic NPs such as Au NRs due to the shape-directing CTAB surfactant and AgNO_3 additive.⁸³ AA is a surface-catalysed reducing agent, which prevents formation of solid Au NPs. Thus, anisotropic IO-Au NSTs were obtained. This is the first report of the synthesis of monodisperse IO-Au core-shell NSTs.

We recently developed a facile method for the synthesis of uniform IO-Au core-shell NSTs (Figure 4B)⁷² with all steps performed in aqueous solutions. In our studies, octahedral Fe₃O₄ NPs capped with PEI (edge length ~ 35 nm) were synthesized by precipitating ferrous sulfate in a base solution followed by oxidation with KNO₃ at 90 °C in the presence of branched PEI (MW ~ 25,000). Citrate-capped Au NPs (< 10 nm) were attached to the IO NPs by electrostatic adsorption and the Au-seeded Fe₃O₄ NPs were further stabilized with PEI. The growth of Au shells was initiated by injecting the Au-seeded IO NPs into a growth solution containing HAuCl₂, CTAB, AgNO₃ and AA. By adjusting the amount of Au-seeded Fe₃O₄ NPs, IO-Au core-shell NSTs with base sizes from 70 to 150 nm were obtained. In addition to forming NSTs, this method can be easily adapted to make nanospheres and nanopopcorns by changing the chemical composition of the growth solution. When AgNO₃ was removed from the growth solution, IO-Au core-shell nanospheres were formed. When the concentration of AA was tripled, nanopopcorns were obtained. The sizes of the nanospheres and nanopopcorns can also be tuned without affecting particle quality by simply varying the amount of Au-seeded IO NPs in the growth solution. A major advantage of this method is the capability to tune both the size and the shape of the core-shell particles. Later, Shi and co-workers reported another approach to make IO-Au NSTs using Ag-seeded IO NPs.²⁵ In their study, small Ag NPs were synthesized for the seeds via the reduction of AgNO₃ by NaBH₄ in a partially thiolated PEI aqueous solution. The PEI-stabilized Ag NPs were added into a mixture of FeCl₂ and ammonium hydroxide and autoclaved in a sealed pressure vessel at 134°C for 3 h to obtain Ag-seeded Fe₃O₄ NPs. This hydrothermal process led to the homogenous coating of Au NPs on the Fe₃O₄ NPs. Addition of the Ag-seeded Fe₃O₄ NPs into a growth solution containing HAuCl₄, CTAB, AgNO₃ and AA resulted in the formation of Fe₃O₄-Au core-shell NSTs within 1 h.

Using small Ag NPs (2–5 nm) as the seeds and Fe₃O₄ NPs coated with poly (maleic anhydride-alt-1-octadecene) as the core, we have produced IO-Au core-shell NPs in oval and pin shapes.^{37, 84} The polymer interacts with OA on IO NPs with the hydrophobic alkyl chain while exposing the hydrophilic carboxylate ions to anchor positively charged metal ions. Ag seeds were used as the nucleation sites because the Ag-seeded IO NPs can be formed without aggregation by reduction of the purified Ag(NH₃)₂⁺ adsorbed IO NPs. In this way, the formation of un-adsorbed Ag NPs that would lead to solid Au NPs is avoided. Ag has a nearly identical crystal structure to Au, with almost 100% lattice matching. Galvanic replacement between Au ions and Ag seeds during subsequent growth process is prevented by externally introducing a stronger agent, such as ascorbic acid (AA), that is stronger than Ag ($E^{\circ}_{\text{dehydroAA/AA}} = 0.06\text{V}$ versus $E^{\circ}_{\text{Ag}^+/\text{Ag}} = 0.80\text{V}$). Thus, Au can be uniformly deposited onto the Ag nucleation sites to form Au shell.

2.3 Growth Mechanism

A common model to understand the growth mechanism of anisotropic solid Au NPs is that the Au seeds are faceted NPs. The formation of various shapes is the outcome of the interplay between the facet binding tendency of the stabilizing agents and the growth kinetics.⁸⁵ As for the core-shell NPs, Halas and co-workers have studied the growth mechanism of spherical Au nanoshell on silica core by monitoring the progression of Au nanoshell formation with TEM imaging.⁶⁶ Their studies showed that at the early stages the

adsorbed Au seeds gradually grew with time on the silica core, then coalesced on the core surface until finally forming a continuous metallic shell. In the studies of IO-Au NSTs prepared from spherical IO-Au NPs, Wei and co-workers used high resolution TEM (HRTEM) and found multiple twinning defects and overall growth along the (111) directions. As the mismatching of crystal lattices of Au and IO are within 3%, it is believed that the formation of the shell is due to favorable epitaxial growth.

We recently investigated the growth mechanisms for shape-controlled synthesis by studying the growth processes of IO-Au nanospheres, popcorn and stars using both experimental and computational methods (Figure 5).⁷² By following the growth process with TEM, it was found that the IO-Au core-shell nanospheres grew at a faster rate than the popcorns and stars. For spheres, the Au seeds coalesced within 5 min and formed continuous Au shells within 20 min. For the popcorns and stars, no visible changes on the Au seeds were observed after 5 min. The Au seeds coalesced at 20 min, with continuous Au shell formation occurring after 30 min. Differences between popcorns and stars were found at 30 min, with the popcorns exhibiting short and wide protrusions and the stars thin spikes.

The growth of the Au-seeded IO NPs into anisotropic was due to the effects by AgNO_3 . AgNO_3 has been widely used to assist the preparation of Au NRs and other anisotropic metal NPs.^{85–87} It has also been used to form spiky Au nanoshells from an Ag-seeded polymer template.^{88, 89} A previous model to explain the role of Ag^+ is silver underpotential deposition, the reduction of Ag^+ to Ag^0 on a metal substrate with a surface potential less than the standard reduction potential.⁹⁰ Based on this model, Ag^+ is reduced and deposited onto the surfaces of Au seeds in the presence of a reducing agent. This may explain the slower growth rate for Au NPCs and NSTs compared with the nanospheres. Using the first principles density functional theory method, we have determined that the adsorption energies (the energy gain from adsorption) of Ag on (110), (100), and (111) are 3.0, 2.7, and 2.2 eV/atom, respectively. Thus, Ag deposition is correspondingly faster on the (110) facet, followed by the (100) and (111) surfaces. With sufficient Ag^+ in the solution, Ag covers the (110) and (100) surfaces of Au seeds, blocking the adsorption of Au on these faces. This blocking effect leaves only the (111) surface for Au growth, which leads to the anisotropic growth of the Au.

The branched growth of the IO-Au core-shell NPs into popcorns or stars is a result of kinetic control on the reductive deposition of Au by adjusting the concentration of AA. When the reduction of Au^+ to Au^0 is fast (higher AA concentration), Au atoms are deposited onto the entire (111) facet, leading to the growth of the Au island along the (111) direction. This mechanism is confirmed by the HRTEM image of the tip of the popcorn, which shows that the tip of popcorn grows along the {111} direction. When the reduction of Au^+ to Au^0 is slow, Au atoms are mainly deposited at the ridge formed by two {111} planes. This is because the Au atoms at the ridge are more under coordinated than that at the facet center, which makes new Au atoms bind the adsorbed Au atoms more strongly. Also, the electrical field at the ridge is stronger than that at the center of the facet, making the reduction of Au^+ faster at the ridge. This cohesive growth of Au atoms from two planes leads to the formation of a twin boundary along the (110) direction. This model was supported by the HRTEM

image of the star tip, which shows the tip is made of two of {111} planes growing towards the (110) direction.

3. Properties

3.1 Magnetic Properties of IO-Au Core-Shell NPs

Due to the unpaired electrons in the 3d shell of Fe^{2+} and Fe^{3+} , nanocrystals formed from Fe^{2+} and Fe^{3+} can be in ferromagnetic, ferrimagnetic and antiferromagnetic states. In ferromagnetic materials, the magnetic moments of two sublattices align parallel to each other even without an external field. In ferrimagnetic materials, the magnetic moments align antiparallel, but do not cancel each other out. This is different from the antiferromagnetic materials where the magnetic moments of two sublattices are equal and align antiparallel. Thus, there is no net magnetic moment in zero magnetic field for antiferromagnetic materials. The magnetic moments lose ordering beyond a specific temperature called the Curie temperature T_C for ferromagnets and ferrimagnets and the Neel temperature T_N for antiferromagnets. Magnetite Fe_3O_4 is a well-known ferrimagnetic material with a T_C of 858K.⁹¹ Maghemite $\gamma\text{-Fe}_2\text{O}_3$ is ferrimagnetic at room temperature. They are unstable at high temperatures and thus T_C is hard to determine. Both Fe_3O_4 and $\gamma\text{-Fe}_2\text{O}_3$ NPs are superparamagnetic at room temperature when their sizes are sufficiently small (less than 30 nm).^{20, 92–94} For the superparamagnetic NPs, the magnetization randomly flips directions due to thermal fluctuations and shows zero net magnetization at zero magnetic field. The particles behave like paramagnetic material under an external field but their magnetic susceptibility is much larger than that of paramagnets,

The magnetic properties of IO NPs depend on the surface. When the size of the NPs decreases, the magnetic properties decrease due to increased surface effects. Passivation with organic and inorganic layer helps decrease the surface effect, but it could also adversely affect the surface magnetic moment of IO NPs. The surface magnetic moments of IO NPs can be disordered via the interaction with Au electrons.⁹⁵ The IO-Au core-shell NPs could have larger surface effect than IO NPs by structural distortions that cause spin canting.^{63, 96} This leads to decreased magnetic properties of the IO-Au core-shell NPs compared to the IO NPs. Magnetic properties are commonly measured by a superconducting quantum interference device by scaling to the total mass of the materials. Au has 4 times higher density than IO. However, Au is diamagnetic in bulk states. It is ferromagnetic when the size very small (4–5 nm).⁹⁷ Therefore, IO-Au core-shell NPs generally give significantly lower saturation magnetization (M_s) than IO NPs due to the mass contribution from the diamagnetic Au shell. For example, coating the tetra-cubic IO NPs (~ 60 nm) with a 10.9 nm Au shell decreased the M_s from 20 to 0.6 emu/g at both 100 K and 250K (Figure 6A–B).⁶⁹ Coating 258 nm Fe_3O_4 NPs with a 7.5 nm Au shell decreased the M_s from 75.6 to 61.0 emu/g.⁷⁰

The IO-Au core-shell NPs typically exhibit the same magnetic behaviour as the IO core. Increasing Au shell would lead to a decrease in the magnetic properties of the core-shell NPs due to the mass contribution of the diamagnetic Au. However, in our recent studies, we found that increasing the Au shell thickness led to an increase of the magnetic properties of IO-Au core-shell nanopopcorns at 10K (Figure 6C).⁷² The particles are capped with CTAB

that binds to Au via Br⁻ and is counterbalanced by CTA⁺ in a bilayer structure.^{98–100} Thus, charge transfer between Br⁻ and Au may occur, which would enhance the electron mobility and, thus, the surface induced magnetism of Au. Similarly, studies by Crespo *et al.* showed that the charge transfer between a thiol ligand and an Au surface was a major reason for the observed ferromagnetic properties of thiolated Au NPs.⁹⁷ It has also been recognized that the magnetic material could spin polarize the Au conduction electrons at the IO-Au interface and thus result in magnetization of the surrounding nonmagnetic Au.¹⁰¹ In addition, a large orbital magnetic moment could be induced at the Fe₃O₄-Au interface. This interface effect leads to the magnetization enhancement of Fe₃O₄ NPs by a factor of six (Figure 6D).⁴⁶

Research has shown that there is no significant difference in the coercivity between coated and uncoated IO NPs.⁶⁹ However, enhanced coercivity has been reported by Pal *et al.* on small Fe₃O₄ NPs (6 nm) with ultrathin shell (1 nm thickness).⁶³ The Au-coated Fe₃O₄ NPs gave a coercivity H_c of 200 Oe while the uncoated Fe₃O₄ NPs had H_c of 160 Oe at 5 K. The coercivity enhancement is possibly due to the role of spin disorder at the Fe₃O₄-Au interface and weak exchange coupling between surface and core spins.

Separation of IO-Au core-shell NPs from suspension usually takes much longer than uncoated IO NPs because of the massive amount of Au added to the IO NPs by the Au shell. This can be theoretically understood by calculating the particle terminal velocity under external magnetic field. The particle terminal velocity V is equal to $V = \frac{F_m}{6\pi\eta R}$ where F_m is the magnetic force exerted onto the particle by the external magnetic field, η is the viscosity of the solution, and R is the hydrodynamic radius of the particle. The F_m of the IO-Au core-shell particle is the same as the IO particle if Au coating does not affect the magnetic property of the IO core. Thus, the particle terminal velocity V is inversely proportional to the hydrodynamic radius R of the particle. The particle also takes time to reach the terminal velocity. The time, called relaxation time τ is equal to $\tau = \frac{m}{6\pi\eta R}$ where m is the mass of the particle. This means that τ is linearly proportional to the mass of the particle and is inversely proportional to the hydrodynamic radius of the particle. Taking into account of both V and τ from the above two equations, the time taken for a particle to be separated by an external magnetic field is therefore proportional to the mass of the NP. The mass of IO and IO-Au core-shell NP can be calculated based on their sizes measured by TEM and the densities of IO (5.24 g/cm³) and Au (19.32 g/cm³). If an IO NP is 20 nm in diameter and the Au shell is 10 nm, the mass of IO-Au core-shell NPs is 27 times larger than the IO NP. This means that the separation time for a core-shell particle is roughly 27 times longer than that of the IO NP traveling the same distance. Thus, if an IO NP takes 5 min to be separated from the solution, the separation of an IO-Au core-shell NP requires more than 2 h due to the mass added by the diamagnetic Au shell.

3.2 Optical Properties of IO-Au Core-Shell NPs

The optical properties of core-shell plasmonic NPs have been a topic of great interest in materials science for many years. Their properties are dependent on the dielectric functions of the core and shell materials, the core size and shape, as well as the shell thickness and geometry. An intensely studied core-shell NP is the Au nanoshell with a silica core pioneered by Halas and co-workers.¹⁰² The Si-Au core-shell NPs exhibit strong NIR

properties, with increasing thickness of the Au shell leading to an LSPR blue shift.⁶⁶ They proposed a hybridization model to understand the plasmons of concentric nanoshells, where the hybridization of the plasmons of inner and outer nanoshells determines the LSPR of the Si-Au core-shell NPs.¹⁰³

Using Mie theory, we recently calculated the optical properties of spherical Fe₃O₄-Au core-shell NPs, and compared them with Si-Au, Co-Au, hollow Au, and solid Au NPs (Figure 7A).¹⁰⁴ Compared with solid Au NPs of the same size, the LSPR peak of IO-Au core-shell NPs is further red shifted than those of silica and hollow NPs. The LSPR peak intensity is comparable to that of solid Au NPs, but much lower than those of the hollow Au and Si-Au core-shell NPs. In contrast, the Co-Au core-shell NPs have very weak plasmon peaks, although cobalt NPs have stronger magnetic properties than magnetite NPs. These optical differences can be traced to the differences in the dielectric properties of the core material, which is related to the refractive index of the material. IO NPs are nontransparent and have complex refractive indices. Silica, on the other hand, is a non-absorbing material and has only a real refractive index. While the LSPR peak wavelength is determined by real component of the refractive index of the material, the peak intensity is determined by the imaginary component of the refractive index. Increasing the real refractive index leads to a red shift of the LSPR peak whereas increasing the imaginary refractive index leads to a reduction of the peak intensity (Figure 7B). Similar to Si-Au core-shell NPs, the LSPR wavelength blue shifts with the increase of Au shell thickness when the total diameter of the NPs is fixed (Figure 7C–D). It follows the same universal scaling as the Si-Au core-shell NPs that has been reported by Prashant and Mostafa.¹⁰⁵ The shift in LSPR wavelength is determined by the ratio of the thickness of the shell to the radius of the core (t/R). Compared to the Si-Au system, the Fe₃O₄-Au NPs show a larger decay constant in the plasmon shift versus the ratio of shell thickness. This is consistent with LSPR peaks that are more red-shifted than those of Si-Au NPs having identical shell thicknesses and core radii. In typical IO-Au NP synthesis, the IO-core diameter remains constant; as the Au shell thickness increases, the total particle size increases as well. In this case, the LSPR peak is seen to blue shift first with increasing the thickness of the Au shell (Figure 7E–F). However, as the thickness of the Au shell continues to grow, a red shift of the LSPR peak occurs. In this case, the peak shift seems do not adhere to the universal scaling equation. In fact, the universal scaling still applies. When the Au NPs with the same diameter of each core-shell NP are used as the references, the data follows the universal scaling nicely.

Theoretically, a spherical IO-Au core-shell NP with a 20 nm core and a 15 nm shell has a LSPR peak at 540 nm.¹⁰⁴ When the core is increased to 35 nm and Au shell thickness is decreased to 7.5 nm, the LSPR is red shifted to 650 nm. Most existing IO NPs are 30 nm and less. Thus, they have LSPR in the UV-Vis region after Au coating. To make particles with LSPR over 800 nm, the core needs to be larger than 100 nm assuming shell thickness t is equal to or larger than 5 nm.¹⁰⁵ NIR-absorbing IO-Au NPs less than 50 nm have been reported by Gao and co-workers (Figure 8A).⁴⁴ These particles have a core and shell separated by a few nanometer polymer gap. Although the core is only 25 nm in diameter, the particles absorb over 700 nm when the Au shell is 2–3 nm. When the shell is decreased to 1–2 nm, the particles show a broad absorption band with the plasmon resonance approximately

850 nm. This is consistent with our computational studies that demonstrated a polymer gap induce plasmon red shift.

A common way to tune the LSPR of plasmonic NPs is to change the shape. For example, when an Au NP is changed from sphere to rod, the LSPR is split into two peaks.¹⁴ One is around 520 nm (transverse band) resulting from the electron oscillations along the short axis of the rod. The other one (longitudinal band) is at a longer wavelength with much stronger intensity due to the electron oscillations along the long axis. The LSPR of this longitudinal band is very sensitive to the particle's aspect ratio (length/width). Increasing the aspect ratio causes large shift of the LSPR wavelength into NIR region. IO-Au core-shell nanorods have not been experimentally produced. Theoretically, Brulot et al. calculated the optical properties of IO-Au core-shell NPs with different aspect ratios using discrete dipole approximation (DDA) (Figure 8B).¹⁰⁶ For an IO-Au NR with fixed size ($R_{\text{effective}} = 10$ nm) and core to total volume ($V_{\text{core}}/V_{\text{total}} = 0.2$) the longitudinal LSPR shifts from 520 to 1000 nm when the aspect ratio increases from 1 to 5, accompanied by over 20-fold increase in the extinction efficiency. Core-shell nanorods have been reported by Halas and co-workers.⁸⁰ The nanorods (core length = 340 nm. Core diameter = 54 nm) have a weak transverse resonance at a wavelength lower than 800 nm and a strong longitudinal resonance over 1000 nm. These plasmon resonances are the result of the hybridization of the parent spheroid and cavity plasmon resonances corresponding to the aspect ratio of the particle. When the thickness of Au shell is increased from 9.8 to 27.5 nm, the longitudinal resonance blueshifts from 1300 nm to 1100 nm.

We recently investigated the optical properties of IO-Au core-shell nanopopcorns and nanostars with both experimental and computation studies.⁷² The nanopopcorns have LSPR from 600 to 700 nm depending on the size. When the base size (inner spherical IO-Au core) is increased from 65 to 89 and 145 nm, the LSPR redshifts from 600 nm to 633 and 665 nm, respectively. Compared with the IO-Au core-shell nanospheres, the LSPR peaks of the nanopopcorns shift to longer wavelengths and the bands become broader, owing to the anisotropic Au shell of the nanopopcorns (Figure 8C). The NSTs show multispectral feature, with distinct peaks from 500 nm to 1000 nm depending on the size. They exhibit most red-shifted plasmon resonance compared to the spheres and popcorns due to the elongated tip structure of the stars. DDA calculation using a six-tip star shows that the NSTs are characterized by four distinct peaks, two peaks with LSPR lower than 700 nm and two peaks over 700 nm (Figure 8D). The Core-shell NSTs show similar features to the solid Au NSTs investigated by Nordlander and co-workers.¹⁰⁷ These multiple plasmon resonances result from the hybridization of the core and tip plasmons. The most blueshifted peak less than 600 nm could be mainly due to the plasmon resonance of the IO-Au core-shell nanosphere core. The peaks corresponding to additional LSPR modes at longer wavelengths are likely the result of plasmonic coupling of the core and tips. Increasing the base sphere size of the nanostars leads to an increase in the intensities of the first two peaks within 700 nm, but a reduction in the intensities of the two peaks at longer wavelength. No significant plasmon resonance shifts are observed. It should be noted that the number and length of the Au tips are also major players in the optical properties of the nanostars. Further computational studies are needed to better understand the relationship between the optical properties of the

core-shell nanostars and the core size and shape, tip length and width, as well as the number of the tips.

4. Concluding Remarks and Future Perspectives

Due to the combined optical and magnetic properties, IO-Au core-shell NPs are of considerable interest in many fields, ranging from materials science to biology and medicine. Synthesis of uniform IO-Au core-shell NPs with desirable magnetic and optical properties are of extreme importance for their technological applications. During the past decade, the majority of studies have been focused on the preparation of spherical core-shell NPs. Two classes of approaches have been used: direct reductive deposition of Au onto IO cores and Au-seeded growth methods. The Au shell is formed either by epitaxial growth or coalescence of Au seeds on the surface of Au NPs. Anisotropic IO-Au core-shell NPs in several shapes have been achieved either using anisotropic IO cores or by controlling the kinetic and dynamic parameters in the growth solutions. IO-Au core-shell NPs generally exhibit the same magnetic behavior as the cores with reduced saturation magnetization due to the mass contribution of the diamagnetic Au. They show optical properties from the visible to the NIR region depending on the core size, shell thickness, and shape. IO-Au core-shell nanostars exhibit multiple plasmon resonances due to the coupling of the core and tip plasmons.

Despite the great progress in synthesis methods, the preparation of high quality anisotropic IO-Au core-shell NPs remains a major challenge. This is due to the difficulties in controlling the Au shell geometry. For example, IO-Au core-shell nanostars have been reported by several groups. But the samples are mixtures of stars with different numbers and dimensions of tips. Compared with solid Au NPs, the shape control for IO-Au core-shell NPs is also limited. New shapes with fine tuning of the optical properties will be sought-after in the near future. In addition, new nanostructures should have ultrathin Au shells in order to preserve the advantageous magnetic properties of the core. The effect of the Au shell on the magnetic properties of the IO core at the interface is also much less understood. IO-Au core-shell NPs show similar optical trends to the prototype Si-Au core-shell NPs with their structural variations. But more studies, especially computational studies need to be performed to understand the shape-dependent optical properties. The computational studies can have precise structural controlling on the size and shape of the nanoparticles. Calculated results will greatly help us understand the structure-function relationship as well as the origins of the plasmon peaks.

Acknowledgments

We gratefully acknowledge the support from the National Institutes of Health (Grant No. 1R15 CA 195509-01).

References


1. Kerker, M. The scattering of light and other electromagnetic radiation. New York: Academic Press; 1969.
2. Papavassiliou GC. Prog Solid State Chem. 1980; 12:185.

3. Bohren, CF., Huffman, DR. Absorption and scattering of light by small particles. New York: Wiley; 1983.
4. Link S, El-Sayed MA. *Ann Rev Phys Chem.* 2003; 54:331. [PubMed: 12626731]
5. Link S, El-Sayed MA. *Int Rev Phys Chem.* 2000; 19:409.
6. Kelly KL, Coronado E, Zhao LL, Schatz GC. *J Phys Chem B.* 2003; 107:668.
7. Xia Y, Halas NJ. *MRS Bulletin.* 2005; 30:338.
8. Lee KS, El-Sayed MA. *J Phys Chem B.* 2005; 109:20331. [PubMed: 16853630]
9. Eustis S, El-Sayed MA. *Chem Soc Rev.* 2006; 35:209. [PubMed: 16505915]
10. Daniel MC, Astruc D. *Chem Rev.* 2004; 104:293. [PubMed: 14719978]
11. Hu M, Chen J, Li ZY, Au L, Hartland GV, Li X, Marqueze M, Xia Y. *Chem Soc Rev.* 2006; 35:1084. [PubMed: 17057837]
12. Dickerson EB, Dreaden EC, Huang X, El-Sayed IH, Chu H, Pushpanketh S, McDonald JF, El-Sayed MA. *Cancer Lett.* 2008; 269:57. [PubMed: 18541363]
13. Lal S, Clare SE, Halas NJ. *Acc Chem Res.* 2008; 41:1842. [PubMed: 19053240]
14. Huang X, Neretina S, El-Sayed MA. *Adv Mater.* 2009; 21:4880. [PubMed: 25378252]
15. Kodama RH. *J Magn Magn Mater.* 1999; 200:359.
16. Pankhurst QA, Connolly J, Jones SK, Dobson J. *J Phys D Appl Phys.* 2003; 36:R167.
17. Shubayev VI, Pisanic TR II, Jin S. *Adv Drug Deliv.* 2009; 61:467.
18. Frey NA, Peng S, Cheng K, Sun S. *Chem Soc Rev.* 2009; 38:2532. [PubMed: 19690734]
19. Singamaneni S, Bliznyuk VN, Bineck C, Tsybmal EY. *J Mater Chem.* 2011; 21:16819.
20. Bishop KJM, Wilmer CE, Soh S, Grzybowski BA. *Small.* 2009; 5:1600. [PubMed: 19517482]
21. Cho SJ, Jarrett BR, Louie AY, Kauzlarich SM. *Nanotechnol.* 2006; 17:640.
22. Kumagai M, Sarma TK, Cabral H, Kaida S, Sekino M, Herlambang N, Osada K, Kano MR, Nishiyama N, Kataoka K. *Macromol.* 2010; 31:1521.
23. Ji X, Shao R, Elliott AM, Stafford RJ, Esparza-Coss E, Bankson JA, Liang G, Luo ZP, Park K, Markert JT, Li C. *J Phys Chem C.* 2007; 111:6245.
24. Melancon MP, Elliott A, Ji X, Shetty A, Yang Z, Tian M, Taylor B, Stafford RJ, Chun Li. *Invest Radiol.* 2011; 46:132. [PubMed: 21150791]
25. Li J, Hu Y, Yang J, Wei P, Sun W, Shen M, Zhang G, Shi X. *Biomaterials.* 2015; 38:10. [PubMed: 25457979]
26. Cai H, Li K, Shen M, Wen S, Luo Y, Peng C, Zhang G, Shi X. *J Mater Chem.* 2012; 22:15110.
27. Larson TA, Bankson J, Aaron J, Sokolov K. *Nanotechnol.* 2007; 18:325101.
28. Aaron JS, Oh J, Larson TA, Kumar S, Milner TE, Sokolov KV. *Opt Express.* 2006; 14:12930. [PubMed: 19532186]
29. Wu CH, Huang YY, Chen P, Hoshino K, Liu H, Frenkel EP, Zhang JXJ, Sokolov KV. *ACS Nano.* 2013; 7:8816. [PubMed: 24016305]
30. Park HY, Schadt MJ, Wang L, Lim IS, Njoki PN, Kim SH, Jang MY, Luo J, Zhong CJ. *Langmuir.* 2007; 23:9050. [PubMed: 17629315]
31. Fan Z, Shelton M, Singh AK, Senapati D, Khan SA, Ray PC. *ACS Nano.* 2012; 6:1065. [PubMed: 22276857]
32. Pham TTH, Cao C, Sim SJ. *J Magn Magn Mater.* 2008; 320:2049.
33. Bao F, Yao JL, Gu RA. *Langmuir.* 2009; 25:10782. [PubMed: 19552373]
34. Tamer U, Gündo du Y, Boyacı IH, Pekmez K. *J Nanopart Res.* 2010; 12:1187.
35. Lin L, Crew E, Yan H, Shan S, Skeete Z, Mott D, Krentsel T, Yin J, Chernova NA, Luo J, Engelhard MH, Wang C, Li Q, Zhong CJ. *J Mater Chem B.* 2013; 1:4320.
36. Zhang L, Xua J, Mi L, Gong H, Jiang S, Yu Q. *Bioelectron.* 2012; 31:130.
37. Bhana S, Chaffin E, Wang Y, Mishra SR, Huang X. *Nanomedicine(Lond).* 2014; 9:593. [PubMed: 23763633]
38. Zhou X, Xu W, Wang Y, Kuang Q, Shi Y, Zhong L, Zhang Q. *J Phys Chem C.* 2010; 114:19607.
39. Liang CH, Wang CC, Lin YC, Chen CH, Wong CH, Wu CY. *Analy Chem.* 2009; 81:7750.
40. Chen H, Qi F, Zhou H, Jia S, Gao Y, Koh K, Yin Y. *Sens Actuator B-Chem.* 2015; 212:505.

41. Kayal S, Ramanujan RV. *J Nanosci Nanotechnol.* 2010; 10:1.
42. Chung RJ, Shih HT. *Materials.* 2014; 7:653.
43. Guo Y, Zhang Z, Kim DH, Li W, Nicolai J, Procissi D, Huan Y, Han G, Omary RA, Larson AC. *Int J Nanomed.* 2013; 8:3437.
44. Jin Y, Jia C, Huang SW, O'Donnel M, Gao X. *Nat Commun.* 2010; 1:1. [PubMed: 20975674]
45. Lu QH, Yao KL, Xi D, Liu ZL, Luo XP, Ning Q. *J Magn Magn Mater.* 2006; 301:44.
46. Banerjee S, Raja SO, Sardar M, Gayathri N, Ghosh B, Dasgupta A. *J Appl Phys.* 2011; 109:123902.
47. Tamer U, Gündoğdu Y, Boyacı IH, Pekmez K. *J Nanopart Res.* 2010; 12:1187.
48. Mandal M, Kundu S, Ghosh SK, Panigrahi S, Sau TK, Yusuf SM, Pal T. *J Colloid Interf Sci.* 2005; 286:187.
49. Lyon JL, et al. *Nano Lett.* 2004; 4:719.
50. Kumar GVP, Rangarajan N, Sonia B, Deepika P, Rohman N, Narayana C. *Bull Mater Sci.* 2011; 34:207.
51. Brown KR, Natan MJ. *Langmuir.* 1998; 14:726.
52. Chen T, et al. *Earth Planet Sci Lett.* 2005; 240:790.
53. Kuncser V, et al. *J Phy: Condens Matter.* 2007; 19:016205.
54. Tamer U, et al. *Int J Mol Sci.* 2013; 14:6223. [PubMed: 23507756]
55. Wheeler DA, Adams SA, Lopez-Luke T, Torres-Castro A, Zhang JZ. *Ann Physis (Berlin).* 2012; 524:670–679.
56. Mikhaylova M, Kim DK, Bobrysheva N, Osmolowsky M, Semenov V, Tsakalakos T, Muhammed M. *Langmuir.* 2004; 20:2472. [PubMed: 15835712]
57. Liu H, Hou P, Zhang WX, Wu JH. *Colloids Surf A.* 2010; 356:21.
58. Yu WW, Falkner JC, Yavuz CT, Colvin VL. *Chem Commun.* 2004:2306.
59. Park J, An K, Hwang Y, Park JG, Noh HJ, Kin JY, Park JH, Hwang NM, Hyeon T. *Nature.* 2004; 3:891.
60. Wang L, Luo J, Maye MM, Fan Q, Rendeng Q, Engelhard MH, Wang C, Lin Y, Zhong CJ. *J Mater Chem.* 2005; 15:1821.
61. Wang LY, Luo J, Fan Q, Suzuki M, Suzuki IS, Engelhard MH, Lin Y, Kim N, Wang JQ, Zhong CJ. *J Phys Chem B.* 2005; 109:21593. [PubMed: 16853803]
62. Xu Z, Hou Y, Sun S. *J Am Chem Soc.* 2007; 129:8698. [PubMed: 17590000]
63. Pal S, Morales M, Mukherjee P, Srikanth H. *J Appl Phys.* 2009; 105:07B504.
64. Robinson I, Tung LD, Maenosono S, Walti C, Thanh NTK. *Nanoscale.* 2010; 2:2624. [PubMed: 20967339]
65. Skoropata E, Desautels RD, Chi CC, Ouyang H, Freeland JW, van Lierop J. *Phys Rev B.* 2014; 89:024410.
66. Oldenburg SJ, Averitt RD, Westcott SL, Halas NJ. *Chem Phys Lett.* 1998; 288:243.
67. Hirsch LR, Stafford RJ, Bankson JA, Sershen SR, Price RE, Hazle JD, Halas NJ, West JL. *Proc Nat Acad Sci USA.* 2003; 100:13549. [PubMed: 14597719]
68. Rasch MR, Sokolov KV, Korgel BA. *Langmuir.* 2009; 25:11777. [PubMed: 19711913]
69. Levin CS, Hofmann C, Ali TA, Kelly AT, Morosan E, Nordlander P, Whitmire KH, Halas NJ. *ACS Nano.* 2009; 3:1379. [PubMed: 19441794]
70. Wang L, Bai J, Li Y, Huang Y. *Angew Chem Int Ed.* 2008; 47:2439.
71. Goon IY, Lai LMH, Lim M, Munroe P, Gooding JJ, Amal R. *Chem Mater.* 2009; 21:673.
72. Kwizera EA, Chaffin E, Shen X, Chen J, Gai Z, Bhana S, O'Connor R, Wang L, Adhikari H, Mishra S, Wang Y, Huang X. *J Phys Chem C.* 2016; 120:10530.
73. Chin SF, Iyer KS, Raston CL. *Cryst Growth Des.* 2009; 9:2685.
74. Lim JK, Majetich SA, Tilton RD. *Langmuir.* 2009; 25:13384. [PubMed: 19928938]
75. Zhang Q, Ge J, Goebel J, Hu Y, Sun Y, Yin Y. *Adv Mater.* 2010; 22:1905. [PubMed: 20526992]
76. Hao E, Schatz G, Hupp J. *J Fluor.* 2004; 14:331.
77. Kneipp K, Kneipp H, Itzkan H, Dasari RR, Feld MS. *J Phys Condens Matter.* 2002; 14:R597.


78. Nikoobakht B, Wang J, El-Sayed MA. *Chem Phys Lett.* 2002; 366:17.
79. Weissleder R. *Nat Biotechnol.* 2001; 19:316. [PubMed: 11283581]
80. Wang H, Brandl DW, Le F, Nordlander P, Halas NJ. *Nano Lett.* 2006; 6:827. [PubMed: 16608292]
81. Wei Q, Song HM, Leonov AP, Hale JA, Oh D, Ong QK, Ritchie K, Wei A. *J Am Chem Soc.* 2009; 131:9728. [PubMed: 19435348]
82. Song HM, Wei Q, Ong QK, Wei A. *ACS Nano.* 2010; 4:5163. [PubMed: 20690598]
83. Murphy CJ, Sau TK, Gole AM, Orendorff CJ, Gao J, Gou L, Hunyadi SE, Li T. *J Phys Chem B.* 2005; 109:13857. [PubMed: 16852739]
84. Bhana S, Rai BK, Mishra SR, Wang Y, Huang X. *Nanoscale.* 2012; 4:4939. [PubMed: 22806589]
85. Sau TK, Murphy CJ. *J Am Chem Soc.* 2004; 126:8648. [PubMed: 15250706]
86. Nikoobakht B, El-Sayed MA. *Chem Mater.* 2003; 15:1957.
87. Orendorff CJ, Murphy CJ. *J Phys Chem B.* 2006; 110:3990. [PubMed: 16509687]
88. Sanchez-Gaytan BL, Park SJ. *Langmuir.* 2010; 26:19170. [PubMed: 21090617]
89. Sanchez-Gaytan B, Swanglap P, Lamkin TJ, Hickey RJ, Fakhraai Z, Link S, Park SJ. *J Phys Chem C.* 2012; 116:10318.
90. Liu M, Guyot-Sionnest P. *J Phys Chem B.* 2005; 109:22192. [PubMed: 16853888]
91. Stohr, J., Siegmann, HC., editors. *Magnetism: from fundamentals to nanoscale dynamics.* Springer; New Yorks: 2006.
92. Teja AS, Koh PY. *Prog Cryst Growth Charact Mater.* 2009; 55:22.
93. Ramprasad R, Zurcher P, Petras M, Miller M, Renaud P. *J Appl Phys.* 2004; 96:519.
94. Guardia P, Labarta A, Batlle X. *J Phys Chem B.* 2001; 115:390.
95. Wang L, et al. *J Phys Chem B.* 2005; 109:21593. [PubMed: 16853803]
96. Morales MP, Veintemillas-Verdaguer S, Montero MI, Serna CJ, Roig A, Casas LI, Martinez B, Sandiumenge F. *Chem Mater.* 1999; 11:3058.
97. Crespo P, Litrán R, Rojas TC, Multigner M, de la Fuente JM, Sánchez-López JC, García MA, Hernando A, Penadés S, Fernández A. *Phys Rev Lett.* 2004; 93:087204. [PubMed: 15447222]
98. Nikoobakht B, El-Sayed MA. *Langmuir.* 2001; 17:6368.
99. Gao J, Bender CM, Murphy CJ. *Langmuir.* 2003; 19:9065.
100. Grzelczak M, Pérez-Juste J, Mulvaney P, Liz-Marzán LM. *Chem Soc Rev.* 2008; 37:1783. [PubMed: 18762828]
101. Hauser JJ. *Phys Rev.* 1969; 187:580.
102. Loo CH, Lin A, Hirsch LR, Lee MH, Barton J, Halas NJ, West J, Drezek RA. *Technol Cancer Res Treat.* 2004; 3:33. [PubMed: 14750891]
103. Prodan E, Radloff C, Halas NJ, Nordlander P. *Science.* 2003; 302:419. [PubMed: 14564001]
104. Chaffin E, Bhana S, Huang X, Wang Y. *J Phys Chem B.* 2014; 118:14076. [PubMed: 25010347]
105. Jain PK, El-Sayed MA. *Nano Lett.* 2007; 7:2854. [PubMed: 17676810]
106. Brullot W, Valev VK, Verbiest T. *Nanomedicine.* 2012; 8(5):559. [PubMed: 21945901]
107. Hao F, Nehl CL, Hafner JH, Nordlander P. *Nano Lett.* 2007; 7:729. [PubMed: 17279802]

Biographies



Elyahb A. Kwizera received his bachelor's degree in chemistry and mathematics from the University of Central Arkansas in 2014. He is currently a Ph.D. student under the

supervision of Dr. Xiaohua Huang. His research is focused on controlled synthesis, properties and applications of magnetic-plasmonic core-shell nanoparticles as well as development of novel nanotechnology-based technologies for detection and analysis of circulating vesicles.



Dr. Elise Chaffin received her Ph.D. degree in chemistry from the University of Memphis in 2016. She is currently a postdoctoral fellow at the University of Memphis. Under the mentorship of Drs. Wang and Huang, her research has been focused on modelling the optical properties of noble metal nanoparticles using discrete dipole approximation and Mie theory in collaboration with the synthesis and characterization by the Huang group.



Dr. Yongmei Wang is a tenured full professor at Department of Chemistry, The University of Memphis. She received her PhD in Chemistry from University of Notre Dame in 1990 and postdoctoral training at University of Akron from 1990 to 1993 and University of Houston from 1994 to 1996. She began her academic career in 1996 as an Assistant Professor at North Carolina Agricultural and Technical State University and moved to the University of Memphis in 2003. Her research interests are theoretical/computational studies for polymer characterization, polymer based gene delivery and nanomedicines.



Dr. Xiaohua Huang is an associate professor of chemistry at The University of Memphis, USA. She received her Ph.D. degree in chemistry from Georgia Institute of Technology in 2006 and postdoctoral training at Georgia Institute of Technology and Emory University from 2006 to 2010. She has published 50 peer-reviewed journal articles including 11 reviews with over 15,000 citations. Her research is primarily in the area of cancer nanomedicine. Currently her group is working on shape-controlled synthesis and properties of iron oxide-gold core-shell nanoparticles as well as capture, detection, and molecular analysis of circulating cancer biomarkers.

Appendix. List of acronyms

Acronyms	Full Name
AA	ascorbic acid
Ag	silver
AgNO ₃	silver nitrate
APTMS	3-aminopropyltrimethoxysilane
Au	gold
AuCl ₃	gold chloride
Co	cobalt
CTAB	cetyltrimethylammonium bromide
DDA	discrete dipole approximation
EDTA	ethylenediaminetetraacetic acid
Fe	iron
Fe ₃ O ₄	magnetite
FeCl ₂	ferrous chloride
FeCl ₃	ferric chloride
γ-Fe ₂ O ₃	maghemite
HAuCl ₄	chloroauric acid
HRTEM	high resolution transmission electron microscopy
IO	iron oxide
IO-Au	iron oxide - gold
LSPR	localized surface plasmon resonance
MNPs	magnetic nanoparticles
MRI	magnetic resonance imaging
Ms	saturation magnetization
NaBH ₄	sodium borohydride
NPs	nanoparticles
NH ₂ OH	hydroxylamine
NIR	near infrared region
NR	nanorod
NST	nanostar
OA	oleic acid
OAM	oleylamine
PAH	poly(allylamine hydrochloride)
PEI	polyethyleneimine
PVP	poly(vinylpyrrolidone)
Si	silica
TEM	transmission electron microscopy
THPC	tetrakis(hydroxymethyl) phosphonium chloride




Figure 1.

Synthesis of IO-Au core-shell NPs by the direct deposition method. (A) Synthesis of IO-Au core-shell NPs by iterative hydroxylamine seeding. Top: Schematic of the preparation procedure. Bottom: TEM images of IO-Au core-shell NPs with zero, one, three, and five times of deposition of Au atoms via reduction of Au³⁺ with hydroxylamine, respectively. Scale bar: XX nm. Reprinted with permission from ref 49. Copyright (2009) American Chemical Society. (B) Synthesis of IO-Au core-shell NPs by hydroxylamine reduction of Au precursor on the surface of polymer-coated IO NPs. Left: Schematic of the preparation procedure. Right: TEM image of Fe₃O₄ NPs and Fe₃O₄-Au core-shell NPs. Reprinted by permission from Macmillan Publishers Ltd: [Nature Communications] (ref 44), copyright (2010).




Figure 2. Synthesis of IO-Au core-shell NPs via Au-seeded growth methods. (A) APTMS and (B) PEI are used as the anchor agent for the adsorption of Au seeds on IO NPs. (A) is reprinted with permission from ref 23. Copyright (2007) American Chemical Society. (B) is reprinted with permission from ref 71. Copyright (2009) American Chemical Society.




Figure 3. Synthesis of IO-Au core-shell nanorices via an Au-seeded growth method. (A) Schematic of the preparation of IO-Au core-shell nanorices. (B–E) SEM (left) and TEM (right) images of IO-Au core-shell nanorices at different preparation steps. (B) The IO nanorices. (C) Au-seeded IO nanorices. (D) IO-Au core-shell nanorices with thin shells (~13 nm). (E) IO-Au core-shell nanorices with thick shells (~28 nm). Reprinted with permission from ref 80. Copyright (2006) American Chemical Society.




Figure 4. Synthesis of IO-Au core-shell NSTs. (A) Synthesis of IO-Au core-shell NSTs from small IO-Au core-shell nanospheres. (Top) Schematic of the preparation procedure. (Bottom) TEM image of IO NPs (left), HRTEM image of a tip (middle), and TEM image of IO-Au NSTs. Reprinted with permission from ref 82. Copyright (2010) American Chemical Society. (B) Synthesis of IO-Au core-shell NSTs by the Au-seeded growth method. (Top) Schematic of the preparation procedure. (Bottom) TEM images of IO NPs (left), Au-seeded IO NPs (middle) and IO-Au NSTs. Reprinted with permission from ref 72. Copyright (2016) American Chemical Society.




Figure 5. Computational studies on growth mechanisms of IO-Au core-shell nanospheres, nanopopcorns, and nanostars. (A–C) TEM images of IO-Au core-shell nanospheres, nanopopcorns, and nanostars. (D–F) The adsorption of Ag on the Au (100) surface (D), Au (110) surface (E), and Au (111) surface (F). (G) Schematic of the proposed geometry of the tip of the nanostar. (H) HRTEM image of a tip of the nanostar. The inset shows an enlarged view of the lattice, where the position of each atom is visible. (I) The positions of atoms according to the proposed model in (G), which is viewed from the $[1-10]$ direction. (J–L) The growth mechanism of Au nanospheres (J), nanopopcorn (K), and nanostars (L). Reprinted with permission from ref 72. Copyright (2016) American Chemical Society.




Figure 6. Magnetic properties of IO-Au core-shell NPs. (A–B) Magnetization as a function of applied field at 100 K and 250 K for uncoated and Au coated tetracubic IO NPs. Reprinted with permission from ref 69. Copyright (2009) American Chemical Society. (C) Magnetization as a function of applied field at 10 K for IO-Au core-shell nanopopcorns of three different sizes. Reprinted with permission from ref 72. Copyright (2016) American Chemical Society. (D) Magnetization as a function of applied field at 10 K and 300 K for bare IO NPs (sample A), IO-Au core-shell NPs with low Au (sample B) and high Au (sample C). Reprinted with permission from ref 46. Copyright (2011) American Chemical Society.




Figure 7.

Calculated optical properties of Fe₃O₄-Au core-shell NPs. (A) Extinction spectrum of Fe₃O₄-Au core-shell NPs in comparison with other core-shell NPs and solid Au NPs with the same diameter $D_{total}=50$ nm of NPs and a shell thickness of 5nm. (B) Extinction spectra of core-shell NPs with varied core refractive indices. (C) Extinction spectra of Fe₃O₄-Au core-shell NPs with different shell thickness with fixed total particle size. $D_{total} = 50$ nm. (D) Fractional shifts ($\Delta\lambda/\lambda_0$) of the LSPR peak maximums of the IO-Au NPs from (C). (E) Extinction spectra of Fe₃O₄-Au core-shell NPs with different shell thickness with fixed IO core size. $D_{core} = 15$ nm. (F) Fractional shifts ($\Delta\lambda/\lambda_0$) of the LSPR peak maximums of the IO-Au NPs from (E). Reprinted with permission from ref 104. Copyright (2014) American Chemical Society.




Figure 8. NIR absorbing IO-Au core-shell NPs. (A) Absorption spectra of Fe_3O_4 -Au core-shell NPs with different shell thickness. D core = 25 nm. Reprinted by permission from Macmillan Publishers Ltd: [Nature Communications] (ref 44), copyright (2010). Calculated extinction spectra of IO-Au core-shell NRs with different aspect ratios. Reprinted with permission from ref 106. Copyright (2011) Elsevier. (C) Absorption spectra of Fe_3O_4 -Au core-shell NPs with different shapes. The Fe_3O_4 core is octahedral with an edge length of 35 nm. Reprinted with permission from ref 72. Copyright (2016) American Chemical Society. (D) Calculated extinction spectra of IO-Au core-shell NSTs with different base size. The Fe_3O_4 core is octahedral with an edge length of 35 nm. Reprinted with permission from ref 72. Copyright (2016) American Chemical Society.

Table 1

Standard atomic spacing for Fe₃O₄, γ -Fe₂O₃ and Au along with their respective hkl indexes from the crystal structure database.

(hkl) index	Fe ₃ O ₄ (Å)	γ -Fe ₂ O ₃ (Å)	Au (Å)
111	4.85	4.82	2.35
220	2.97	2.95	1.44
311	2.53	2.52	1.23
400	2.10	2.09	1.02
422	1.71	1.70	0.83

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript