

Diarrhea-predominant irritable bowel syndrome: creation of an electronic version of a patient-reported outcome instrument by conversion from a pen-and-paper version and evaluation of their equivalence

Leticia Delgado-Herrera¹
Benjamin Banderas²
Oluwafunke Ojo²
Ritesh Kothari³
Bernhardt Zeiher¹

¹Astellas Pharma Global Development, Inc., Northbrook, IL, ²Adelphi Values LLC, Boston, MA, ³ACCESS Medical LLC, Chicago, IL, USA



Correspondence: Leticia Delgado-Herrera
Astellas Pharma Global Development, Inc., 1 Astellas Way, Northbrook, IL 60062, USA
Tel +1 224 205 5485
Fax +1 224 205 5921
Email leticia.delgado-herrera@astellas.com

Background: Subjects with diarrhea-predominant irritable bowel syndrome (IBS-D) experience abdominal cramping, bloating, pressure, and pain. Due to an absence of clinical biomarkers for IBS-D severity, evaluation of clinical therapy benefits depends on valid and reliable symptom assessments. A patient-reported outcome (PRO) instrument has been developed, comprising of two questionnaires – the IBS-D Daily Symptom Diary and IBS-D Symptom Event Log – suitable for clinical trials and real-world settings. This program aimed to support instrument conversion from pen-and-paper to electronic format.

Materials and methods: Digital technology (Android/iOS) and a traditional mode of administration study in the target population were used to migrate or convert the validated PRO IBS-D pen-and-paper measure to an electronic format. Equivalence interviews, conducted in three waves, each had three parts: 1) conceptual equivalence testing between formats, 2) electronic-version report-history cognitive debriefing, and 3) electronic version usability evaluation. After each interview wave, preliminary analyses were conducted and modifications made to the electronic version, before the next wave. Final revisions were based on a full analysis of equivalence interviews. The final analysis evaluated subjects' ability to read, understand, and provide meaningful responses to the instruments across both formats. Responses were classified according to conceptual equivalence between formats and mobile-format usability assessed with a questionnaire and open-ended probes. **Results:** Equivalence interviews (n=25) demonstrated conceptual equivalence between formats. Mobile-application cognitive debriefing showed some subjects experienced difficulty with font/screen visibility and understanding or reading some report-history charts and summary screens. To address difficulties, minor revisions/modifications were made and landscape orientation and zoom-in/zoom-out features incorporated.

Conclusion: This study indicates that the two administration modes are conceptually equivalent. Since both formats are conceptually equivalent, both are psychometrically reliable, as established in the pen-and-paper version. Subjects found both mobile applications (Android/iOS) offered many advantages over the paper version, such as real-time assessment of their experience.

Keywords: irritable bowel syndrome diarrhea-predominant, IBS-D, symptoms, mobile application, patient-reported outcomes, conceptual equivalence

Introduction

Irritable bowel syndrome with diarrhea-predominant symptoms (IBS-D) has a major impact on patients, especially for those with moderate-to-severe IBS-D. It affects

the lower gastrointestinal tract, causing such symptoms as abdominal cramping, bloating, pressure, and pain, although it does not cause permanent damage. Subjects' health-related quality of life is substantially impaired, and leads to high health care-resource utilization. Because of an absence of established clinical biomarkers for assessing IBS-D severity,¹ evaluation of the level of clinical benefit provided by a treatment is dependent on the availability of valid and reliable symptom assessments.

Patient-reported outcome (PRO) measures are useful for assessing the impact of a disease on patients, especially in situations where clinical determinations are as yet unavailable, as is the case with IBS-D. In order to improve PRO-measure effectiveness and availability, PRO instruments are being transitioned from traditional pen-and-paper formats onto electronic formats, administered via computers or other portable electronic devices. The use of electronic formats for collecting data has several benefits over pen-and-paper formats, eg, reducing missing or ambiguous data by not allowing the patient to move forward to the next question until the current one is answered and enabling the use of adaptive questioning, whereby the response from one question leads to the following question. In addition, transcription errors and the time taken to migrate or convert data from paper for analysis are eliminated. Electronic formats also allow data to be summarized in real time via graphs and tables, allowing quick access to patient data, which might yield information useful in guiding patient care. Lastly, since electronic devices are able to capture input times, patients' compliance with completing electronic diaries and logs in a timely manner can be assessed.^{2,3}

It is important to note what differences, if any, there are in subjects' understanding and comprehension of an instrument in one format versus the other. Although the item content and response are identical between the pen-and-paper and electronic formats, they are presented and administered differently. It is also important to assess how easy it is for subjects to complete an instrument on an electronic device, particularly for those who may not be familiar with this platform.

The IBS-D PRO instrument, which comprises two questionnaires – the IBS-D Daily Symptom Diary and the IBS-D Symptom Event Log (Astellas Pharma Global Development, Inc., Northbrook, IL) was developed for use within clinical trials and real-world settings;⁴ its ability to be translated into ten languages has been confirmed.⁵ The primary goal of this study was to support the migration of the IBS-D PRO instrument from its pen-and-paper-based version to an electronic mobile version

by testing the conceptual equivalence of the two formats and the usability of the mobile application for subjects with IBS-D.

Materials and methods

IBS-D PRO instrument

The IBS-D PRO instrument consists of two parts: the IBS-D Daily Symptom Diary and the IBS-D Symptom Event Log. It has undergone both qualitative assessments of content validity and quantitative assessments of its psychometric properties.⁵⁻⁷ The pen-and-paper version of the instrument is shown in Figures 1 and 2.

IBS-D electronic PRO instrument

The IBS-D electronic PRO (IBS-D e-PRO) instrument was developed for use on Android and iOS mobile platforms. It was derived from the original pen-and-paper version (IBS-D PRO), with careful consideration of ways in which patient interpretation of the instruments may differ between formats. As with the pen-and-paper version, the electronic version comprises both the IBS-D Daily Symptom Diary and the IBS-D Symptom Event Log (Figure 3). The electronic version of the IBS-D Daily Symptom Diary displays each of the six items on an individual screen to aid patient understanding and interpretation of the information (Figure 4). Likewise, the electronic version of the IBS-D Symptom Event Log displays each of the four items on an individual screen (Figure 5).

The electronic format allows inclusion of features not possible with the pen-and-paper format. The IBS-D e-PRO mobile application sends daily notifications via a pop-up screen to users to encourage entering of data in a timely manner. If data are not entered in the IBS-D Symptom Event Log within 24 hours, a reminder is generated by the application. Similarly, the IBS-D Daily Symptom Diary must be completed each day to allow entry of data into the IBS-D Symptom Event Log on subsequent days. Users are required to enter complete information for both the IBS-D Daily Symptom Diary and IBS-D Symptom Event Log. The report-history section allows aggregated data for periods of 1 day, 1 week, 1 month, and 3 months to be displayed in both graphic and summary format (Figures 6 and 7), with the option to share with a clinician via email as a PDF file attachment. For this study, sample data were programmed into the device, in order to evaluate the report-history section.

The IBS-D e-PRO instrument includes features ensuring data integrity and security when used in the clinical trial setting. Once subjects grant informed consent, each is assigned an identification number (for trial site access to data via a secured web portal), a randomization code (not available to

Irritable bowel syndrome with diarrhea (IBS-D) daily symptom diary

The purpose of this diary is to collect some information about the symptoms of IBS-D that you have experienced. Please read each question carefully, answering as completely as you can and without help from anyone.

Please answer the following questions to describe the IBS-D symptoms you have experienced **within the past 24 hours**. For each question, please mark an **X** for the **one** answer most appropriate for that IBS-D symptom.

1. In the past 24 hours, on a scale of 0–10, how would you rate the severity of your abdominal pain?										
0	1	2	3	4	5	6	7	8	9	10
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
No abdominal pain										Most severe abdominal pain

2. In the past 24 hours, on a scale of 0–10, how would you rate the severity of your abdominal cramps?										
0	1	2	3	4	5	6	7	8	9	10
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
No abdominal cramps										Most severe abdominal cramps

3. In the past 24 hours, on a scale of 0–10, how would you rate the severity of of the pressure you felt in your abdomen?										
0	1	2	3	4	5	6	7	8	9	10
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
No abdominal pressure										Most severe abdominal pressure

4. In the past 24 hours, on a scale of 0–10, how bloated did you feel?										
0	1	2	3	4	5	6	7	8	9	10
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Not bloated										Extremely bloated

5. In the past 24 hours, how often did you pass gas?				
1	2	3	4	5
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
None of the time	A little of the time	Some of the time	Most of the time	All of the time

6. In the past 24 hours, did you have any accidents (lose control of your bowels)?		
Yes	No	
<input type="checkbox"/>	<input type="checkbox"/>	

Figure 1 The six-item IBS-D Daily Symptom Diary.
Note: ©2012 Astellas Pharma Global Development, Inc. (APGD). Reprinted in *Patient Related Outcome Measures* with permission of APGD.

subjects), and a four-digit access code (for subject access). Trial sites have the ability to access daily subject data and confirm integrity according to US Food and Drug Administration compliance, including guidelines of part 11 of title 21 of the Code of Federal Regulations (electronic records, electronic signature compliance), with an audit trail saved for data-change management. Study sponsors can access

only aggregated data to determine compliance with the study protocol. Although not part of the application-development activities, the data-integrity and security features are also available when used in the real-world setting, as applicable Health Insurance Portability and Accountability Act law will be applied by physicians or clinicians when patients share data with them.

Irritable bowel syndrome with diarrhea (IBS-D) Symptom Event Log

The purpose of this Event Log is to collect some information about your bowel movements. After EVERY bowel movement, Please fill out the date and time, and answer all of the following questions on that row. Please see the example provided in the first row.









Date (MM/DD/YYYY)	Time (HH:MM)	a.m. or p.m.	No immediate need	Slight immediate need	Moderate immediate need	Quite a bit of immediate need	Extreme immediate need									Did you feel like you completely emptied your bowels?	
																Yes	No
(Example) 01/31/2008	1:00	X	1	2	3	4	5	1	2	3	4	5	6	7	8		X
__/__/__	__:__		1	2	3	4	5	1	2	3	4	5	6	7	8		
__/__/__	__:__		1	2	3	4	5	1	2	3	4	5	6	7	8		
__/__/__	__:__		1	2	3	4	5	1	2	3	4	5	6	7	8		
__/__/__	__:__		1	2	3	4	5	1	2	3	4	5	6	7	8		
__/__/__	__:__		1	2	3	4	5	1	2	3	4	5	6	7	8		
__/__/__	__:__		1	2	3	4	5	1	2	3	4	5	6	7	8		
__/__/__	__:__		1	2	3	4	5	1	2	3	4	5	6	7	8		
__/__/__	__:__		1	2	3	4	5	1	2	3	4	5	6	7	8		
__/__/__	__:__		1	2	3	4	5	1	2	3	4	5	6	7	8		
__/__/__	__:__		1	2	3	4	5	1	2	3	4	5	6	7	8		

Figure 2 The four-item IBS-D Symptom Event Log.
Note: ©2012 Astellas Pharma Global Development, Inc. (APGD). Reprinted in *Patient Related Outcome Measures* with permission of APGD.




Figure 3 The IBS-D electronic PRO mobile application.
Note: ©2012 Astellas Pharma Global Development, Inc. (APGD). Reprinted in *Patient Related Outcome Measures* with permission of APGD.
Abbreviations: IBS-D, irritable bowel syndrome with diarrhea; PRO, patient-reported outcome.

DAILY SYMPTOM DIARY

In the past 24 hours, on a scale of 0-10, how would you rate the severity of your abdominal pain?

Please **select** the **one** answer most appropriate.

0 (No abdominal pain)

1

2

3

4

5

6

7

8

9

10 (Most severe abdominal pain)

Previous
Next

Figure 4 The IBS-D electronic PRO mobile application: Daily Symptom Diary.
Note: ©2012 Astellas Pharma Global Development, Inc. (APGD). Reprinted in *Patient Related Outcome Measures* with permission of APGD.
Abbreviations: IBS-D, irritable bowel syndrome with diarrhea; PRO, patient-reported outcome.

Study design

This study was conducted through three waves of equivalence interviews. If preliminary results from each wave of interviews warranted modifications to the mobile application, revisions were made and the revised application used with subjects in the subsequent waves of equivalence interviews (Figure 8).

Prior to the study start, all required study documents were reviewed and approved by the Copernicus Group Independent Review Board (Durham, NC, US; protocol DV6442A). All study subjects provided written informed consent for study participation. All interviews were conducted face to face by trained personnel, who had undergone National Institutes of Health human participant-protection training, as well as data-protection and interview training.

SYMPTOM EVENT LOG

Which best describes what your bowel movement looked like?

Please **select** the **one** answer most appropriate.

Like marbles or hard rocks

A single, solid clumpy stool

Hard, solid formed, harder to pass

Smooth, a softer stool

Soft chunks or clumps

Loose, mushy stool

Watery and muddy

Just liquid

Previous
Next

Figure 5 The IBS-D electronic PRO mobile application: Symptom Event Log.
Note: ©2012 Astellas Pharma Global Development, Inc. (APGD). Reprinted in *Patient Related Outcome Measures* with permission of APGD.
Abbreviations: IBS-D, irritable bowel syndrome with diarrhea; PRO, patient-reported outcome.

Subjects and recruitment targets

Subjects were aged ≥ 18 years, with a clinician-confirmed diagnosis of IBS-D (mild, moderate, or severe) and symptoms for ≥ 6 months prior to diagnosis. To be eligible for the study, subjects had to meet all inclusion criteria and no exclusion criteria (Table S1). A priori recruitment targets were identified in order to achieve a diverse study sample and ensure the sample closely reflected the disease epidemiology (Table S2). The target enrolment was 25 subjects.

Interviews

Interviews were conducted via 90-minute face-to-face interviews by trained personnel. Prior to study-subject interviews, mock interviews were conducted among interviewers to identify potential issues with the interview guide




Figure 6 The IBS-D electronic PRO mobile application: Daily Symptom Diary report history.

Note: ©2012 Astellas Pharma Global Development, Inc. (APGD). Reprinted in *Patient Related Outcome Measures* with permission of APGD.

Abbreviations: IBS-D, irritable bowel syndrome with diarrhea; PRO, patient-reported outcome.

and to ensure good interviewing practices. All interviews with subjects were audio-recorded and transcribed by an independent transcription company. Transcripts were anonymized by removing potentially identifying information. Interviews consisted of three parts: 1) conceptual equivalence testing of the electronic versus pen-and-paper versions, 2) cognitive debriefing assessing subjects' ability to understand and interpret the report-history section of the mobile application, and 3) evaluation of the usability of the mobile application.

Conceptual equivalence testing

Conceptual equivalence interviews aimed to evaluate the extent to which the migrated instrument (IBS-D Symptom




Figure 7 The IBS-D electronic PRO mobile application: IBS-D Symptom Event Log report history.

Note: ©2012 Astellas Pharma Global Development, Inc. (APGD). Reprinted in *Patient Related Outcome Measures* with permission of APGD.

Abbreviations: IBS-D, irritable bowel syndrome with diarrhea; PRO, patient-reported outcome.

Event Log and the IBS-D Daily Symptom Diary) was interpreted in similar ways by subjects, regardless of format. Subjects first completed both the mobile-application and pen-and-paper versions of the IBS-D Symptom Event Log and provided feedback, which included interpretation of the instructions, items, and response options in the questionnaires. Half of the subjects completed the pen-and-paper format first, while the other half completed the mobile-application format first. After completion of the first format, feedback was provided before starting the other format and subsequently providing its feedback. Subjects then completed the IBS-D Daily Symptom Diary in the same crossover manner. Before completing the electronic format, subjects were asked to download the mobile application onto their




Figure 8 Overview of methodology.

electronic device (with assistance from the interviewer if required). Assistance provided for the download was recorded.

Subjects were asked to use a “think-aloud” methodology, whereby they discussed the process used to arrive at their response to each questionnaire item, as well as how they interpreted each concept/item and response option in the questionnaires. The interviewers used targeted probes when feedback from the think-aloud method was incomplete or lacking. Subjects’ interpretations were compared across the two formats to assess whether the instructions, items, and response options were conceptually equivalent.

Cognitive debriefing for the mobile-application report-history section

The report-history section of the interview was a cognitive debriefing, which assessed subjects’ ability to understand and interpret results from the IBS-D Daily Symptom Diary

covering periods of 1 week and 1 and 3 months, and from the IBS-D Symptom Event Log covering periods of 1 day and 1 and 3 months. Subjects were told that the report history contained sample data that did not reflect their responses to the questionnaires in the previous section of the interview (ie, the IBS-D Daily Symptom Diary and IBS-D Symptom Event Log). They were asked to interpret graphic representations of simulated data, and their understanding of the summary results for each item in the questionnaires was documented.

Usability of the mobile application

The usability section of the interview elicited subjects’ opinions on the mobile application’s ease of use, appearance, and downloading. Subjects could elaborate on their responses through open-ended questions posed by the interviewer, and were also given the opportunity to suggest any changes to improve usability.

Data handling, analysis, and presentation

Interim results

Before complete coding and analysis of interview transcripts, interim results for each wave were created, based on the interviewers' summaries of interviews, to identify equivalence, cognitive, or usability issues raised during that wave. Results from each wave were reported to the study sponsor and mobile-application developer, so that appropriate changes could be made before the next wave of interviews, if applicable.

Transcription and coding

Following the completion of the third wave of interviews, coding and analysis of the anonymized interview transcripts across all three waves were carried out. These anonymized transcripts served as the source data for analysis. Coding was used to organize and catalog subjects' feedback during the think-aloud exercise and their responses to the open-ended interview questions. Transcripts were entered into Atlas.ti version 7.5 (Scientific Software Development GmbH, Berlin, Germany), a software package designed specifically to facilitate the organization and analysis of qualitative data.⁸

The primary goal of transcript coding for the conceptual equivalence section of the interviews was to organize and catalog subjects' interpretations of the instructions, items, and response options that compose the instrument for each format. Conceptual equivalence data for each questionnaire in the IBS-D PRO instrument (ie, the IBS-D Daily Symptom Diary and the IBS-D Symptom Event Log) were analyzed separately. For the report-history section of the mobile application, transcripts were coded to organize and catalog subjects' interpretations of the filters (ie, 1 day, 1 week, 1 month, and 3 months), charts, and summary information presented. The usability section of the transcripts was coded to organize and catalog subjects' overall impressions of the mobile application, as well as their responses to specific questions related to download and installation, the appearance

of text and icons, ease of response selection, and navigation through the mobile application.

Analysis

For the conceptual equivalence data, subjects' reports on interpretation of instructions, items, and response choices were compared between formats for each questionnaire. A determination was then made by the research team as to whether a subject interpreted each instruction, item, and response choice equivalently between the two formats. Determining conceptual equivalence was guided by the principles detailed in Table 1.

For the report-history section, subjects were deemed to have been able to interpret an item's report history if they were able correctly to express the significance of an axis or point in a chart and the meaning of data contained in the item's summary screen. Findings from the mobile application-usability section of the interviews, specific to interviewer questions regarding subjects' ability to operate, maneuver in, and complete the mobile-application format of the instrument, were classified, organized, and analyzed.

Results

Study sites and subjects' demographic, medical, and health-related characteristics

In total, 25 subjects were recruited for interview from three clinical sites in the US. The first wave of interviews was conducted in Chicago, IL with seven subjects, the second wave in St Louis, MO with eight subjects, and the third wave in New Orleans, LA with ten subjects. Subjects' demographic characteristics are provided in Table 2.

Subjects' medical and health-related characteristics are provided in Table 3. As assessed by clinicians, subjects were evenly divided among levels of IBS-D severity (mild, eight [32%] subjects; moderate, nine [36%] subjects; severe, eight [32%] subjects). Most subjects considered themselves to be in either very good (n=9 [36%]) or good (n=9 [36%]) health, and more than half reported no coexisting health conditions (n=15 [60%]).

Table 1 Authors' conceptual equivalence terminology

Concepts	Definition
Conceptually equivalent	The subject interpreted the instruction, item, or response option consistently across both formats.
Not conceptually equivalent	The subject did not interpret the instruction, item, or response option consistently across both formats.
Unclear conceptual equivalence	The subject provided insufficient data or did not provide an interpretation during at least one format to determine equivalent understanding across both formats. Unclear responses did not indicate a lack of conceptual equivalence, due to the difference in formats.
Data not provided	The subject did not provide an interpretation during either format (may be due to time constraints, a subject's refusal to answer probes, or recording-device malfunction).

Table 2 Demographic characteristics of the study subjects

Characteristics	Value
Patients, n	25
Age, years	
Range	26.1 – 79.2
Mean ± standard deviation	52.7±13.4
Sex, n (%)	
Female	15 (60)
Male	10 (40)
Ethnicity, n (%)	
Not Spanish/Hispanic/Latino	23 (92)
Hispanic	2 (8)
Race, n (%)	
Black/African-American	7 (28)
White/Caucasian	16 (64)
Hispanic	2 (8)
Education, n (%)	
High school diploma (or GED) or less	4 (16)
Some college or certificate program	8 (32)
College or university degree (2 or 4 years)	10 (40)
Graduate degree	3 (12)
Living status, n (%)	
Living alone	7 (28)
Living with family or friends	18 (72)
Annual household income in US\$, n (%)	
Under \$25,000	2 (8)
\$25,000–\$49,999	5 (20)
\$50,000–\$74,999	6 (24)
\$75,000–\$99,999	6 (24)
\$100,000 and over	6 (24)
Employment status, n (%)	
Working full-time	13 (52)
Working part-time	6 (24)
Retired	3 (12)
Unemployed	2 (8)
On disability	1 (4)
Relationship status, n (%)	
Single	5 (20)
Have significant other	1 (4)
Married	10 (40)
Divorced	8 (32)
Widowed	1 (4)

Mobile-device operating systems

Of the 25 subjects interviewed, 16 (64%) used an Android mobile device and nine (36%) used an iOS device. Because of difficulties with downloading and installing the mobile application, eleven (44%) subjects who originally intended to use an Android device for the interview actually used a backup device (Android [n=3]; iOS [n=8]) provided by researchers conducting the interviews.

Interim results

The interim results were summarized after each wave, based on interviewer notes, and appropriate changes to the mobile application were made prior to the next wave of interviews.

Table 3 Medical and health-related characteristics of the study subjects

Characteristics	Patients, n (%)
Clinically reported condition severity	
Mild	8 (32)
Moderate	9 (36)
Severe	8 (32)
Subject-reported health in general	
Excellent	2 (8)
Very good	9 (36)
Good	9 (36)
Fair	5 (20)
Subject-reported other health conditions	
None	15 (60)
High blood pressure	6 (24)
High cholesterol	5 (20)
Asthma	2 (8)
Chronic obstructive pulmonary disease	2 (8)
Diabetes type 2	2 (8)
Diabetes unspecified	1 (4)
Heart disease	1 (4)
Sinus	1 (4)

Notes: Counts not mutually exclusive; one subject did not provide information on other health conditions.

A description of the results of each wave of interviews and modifications made after wave 1 and 2 interviews are provided in [Tables S3–S5](#). Revisions were made to the mobile application to improve usability. No revisions were made to the instructions, items' content, or response options of the IBS-D Daily Symptom Diary or IBS-D Symptom Event Log between waves of interviews or after the final wave of interviews.

Conceptual equivalence testing IBS-D Daily Symptom Diary

The results of the equivalence interviews demonstrated the conceptual equivalence of the instructions, items, and response options of the IBS-D Daily Symptom Diary across both formats, with no subject providing interpretation data that were considered not conceptually equivalent. Nearly all subjects interpreted the instructions consistently across both formats (n=25 [100%] for the first part of the instructions ["The purpose of this diary . . ."] and n=24 [96%] for the second part of the instructions ["Please answer the following questions . . ."]); one subject (4%) provided insufficient data to determine conceptual equivalence for the second part. Most subjects (n=25 [100%] for items 1 and 3–6, n=24 [96%] for item 2) interpreted the items consistently across both formats, with one subject (4%) providing insufficient data to determine conceptual equivalence for item 2. Of the subjects who provided an interpretation, most (≥20 [≥80%])

Table 4 Final revisions to the mobile application following completion of all three interview waves

Interview wave	Content item	Revisions
IBS-D Daily Symptom Diary report history	“Number of times passed gas past week” chart	<ul style="list-style-type: none"> • Enable landscape view • Add descriptors “all of the time”; “most of the time”; “some of the time”; “a little of the time”; “none of the time” to numbers on the vertical axis
	“Number of days with accidents past week” chart	<ul style="list-style-type: none"> • Replace pie chart for report history for the past week with the top part of the number of days with accidents chart summary (ie, “Number of days with accidents in past week”, number in a circle, and the word “days” under the number)
	“Average severity of IBS-D pain, cramping, and pressure past week” chart	<ul style="list-style-type: none"> • Remove the “Average severity of IBS-D pain, cramping, and pressure over the past week” summary
IBS-D Symptom Event Log report history	“Immediacy of need” chart summary	<ul style="list-style-type: none"> • Include date of immediacy of need at the top of the table after “today” and delete the date column for the 24-hour report history (include date column for other report histories, eg, past week, past month) • Bold and underline “today”
	“Bowel-movement appearance” chart summary	<ul style="list-style-type: none"> • Include the date of bowel movement at the top of the table after “today” and delete the date column for the 24-hour report history (to include date for other report histories, eg, past week, past month) • Bold and underline “today”
Usability of the mobile application		<ul style="list-style-type: none"> • Enable landscape view in order to improve readability (ie, font size and graphs) • Address the downloading difficulties experienced by the subjects by making the mobile application publicly available via the Android or iOS application stores

Abbreviation: IBS-D, irritable bowel syndrome with diarrhea.

interpreted the response options to all items consistently across both formats (Table S6).

IBS-D Symptom Event Log

The results of the equivalence interviews demonstrated the conceptual equivalence of the instructions, items, and response options of the IBS-D Symptom Event Log across both formats, with no subject providing interpretation data that were considered not conceptually equivalent. All subjects interpreted the instructions and all four questionnaire items consistently across both formats, and most subjects who provided an interpretation (≥ 22 [$\geq 88\%$]) interpreted the response options consistently across formats (Table S7).

Cognitive debriefing of the mobile-application report-history section

IBS-D Daily Symptom Diary report history

All subjects who provided an interpretation of the IBS-D Daily Symptom Diary report-history instructions interpreted them as intended. No revisions to the mobile-application instructions were suggested. Subjects' interpretations of the mobile-application report history for the IBS-D Daily Symptom Diary are shown in Table S8. Revisions to the “how often passed gas” chart and summary screen, “number of days without accidents” chart, and “average severity of IBS-D pain, cramping, and pressure” chart and summary screen were recommended (Table 4).

IBS-D Symptom Event Log report history

Subjects' interpretations of the mobile-application report history for the IBS-D Symptom Event Log are shown in Table 5. No revision to immediacy-of-need or bowel-movement-appearance report-history charts was recommended, but revisions were recommended for their respective associated summary screens (Table 4). As subjects completed each questionnaire (ie, the IBS-D Daily Symptom Diary and the IBS-D Symptom Event Log) in the mobile application, a pop-up screen appeared with the following message: “Thank you for your entry. Click ‘Submit’ if you are done. Click ‘Close’ and then Click ‘Previous’ if you would like to review your answers”. Subjects were asked their interpretation of this pop-up notification following their completion of the IBS-D Symptom Event Log. All 24 subjects who provided a response interpreted the pop-up notification as intended; due to data limitations, data for one subject (4%) were not collected.

Usability of the mobile application

All 25 subjects (100%) had a positive overall opinion of the mobile application, with some describing it as “convenient”, “user-friendly”, “clear”, “helpful”, and “comprehensive”. Without interviewer prompting, 18 (72%) subjects indicated that the application was easy to use, and three (12%) indicated that it would be easy or beneficial for their physician to review the data. Changes to the application were suggested by seven (28%) subjects, the majority of which were related

Table 5 Interpretation of the mobile application IBS-D Symptom Event Log report history

Chart item	Interpretation parameter	Interpretation as intended, n (%)			Data not collected, n (%)
		Yes	No	Insufficient data	
Number of bowel movements	Chart	23 (92)	1 (4)	1 (4)	0
	Summary screen (time shown for first bowel movement of day)	25 (100)	0	0	0
	Summary screen (time shown for last bowel movement of day)	22 (88)	3 (12)	0	0
Immediacy of need	Vertical axis	23 (92)	1 (4)	1 (4)	0
	Difficulty interpreting summary screen	21 (84)	3 (12)	1 (4)	0
Bowel movement appearance	Vertical axis	23 (92)	2 (8)	0	0
	Difficulty interpreting summary screen	19 (76)	3 (12)	3 (12)	0
Feeling of complete emptying	Chart	24 (96)	1 (4)	0	0
	How many bowel movements felt completely empty	24 (96)	1 (4)	0	0
	Summary screen	23 (92)	2 (8)	0	0
Filters (phrases)	Today	23 (92)	1 (4)	0	1 (4)
	Horizontal axis on past-month chart	22 (92)	1 (4)	1 (4)	1 (4)
	Horizontal axis on "past 3 months" chart	23 (100)	0	0	2 (8)

Abbreviation: IBS-D, irritable bowel syndrome with diarrhea.

Table 6 Mobile-application usability interview responses

Chart item	Opinion, n (%)			Specific criticisms/suggested improvements
	Positive	Negative	Insufficient data	
Positive overall opinion	25 (100)	0	0	
Look of questions	20 (80)	4 (16)	1 (4)	<ul style="list-style-type: none"> • Small font made questions hard to read (n=4) • Different color would help them stand out more (n=1) • Icons not responsive enough to the touch (n=1) • Suggestion to change icons on the opening "report history" screen to make it more intuitive for users to know which questionnaire results they would be viewing (n=1)
Icons	22 (88)	2 (8)	1 (1)	
Font color, size, and style	15 (60)	10 (40)	0	
Downloading	12 (50)	12 (50)	0	<ul style="list-style-type: none"> • Font should be larger (n=7) • Landscape mode would make font easier to read • Steps to download were too difficult, took too long, or were incompatible with their personal phones

Notes: Due to interview limitations, one subject (4%) did not provide an interpretation. Backup phones used by eleven subjects to complete the interview.

to its appearance to make it easier to read and understand. Usability-interview responses are summarized in Table 6 and revisions in Table 4.

Final revisions to the mobile application

Equivalence interviews (n=25) demonstrated conceptual equivalence between formats. To address some difficulties in the report-history section, which is not part of the pen-and-paper version, some revisions were made only to this section of the mobile application in order to improve screen visibility. Revisions to the report-history section included minor modifications to the font size, landscape orientation, and zoom-in and zoom-out features, which improved the usability and visibility of this section. Final revisions are shown in Table 4.

Discussion

The primary goal of the mode-of-administration equivalence interviews was to test the conceptual equivalence between the pen-and-paper and mobile-application formats of the IBS-D PRO instrument. The interviews demonstrated that pen-and-paper and mobile electronic formats of the IBS-D PRO instrument were conceptually equivalent. Overall, subjects interpreted the instructions, items, and response options consistently across both formats.

An additional goal of the equivalence interviews was to conduct a cognitive debriefing of the report-history section of the mobile application, a feature not feasible in the pen-and-paper version. In its real-world setting, the report-history section will allow subjects to view a summary of their responses to each item in both questionnaires over a selected period of time

(past week, month, or 3 months for the IBS-D Daily Symptom Diary; past day, month, or 3 months for the IBS-D Symptom Event Log). The report-history section was populated with sample data, and subjects were asked to provide their interpretation and understanding of the chart and associated summary screen for each item of both questionnaires of the IBS-D PRO instrument. For the IBS-D Daily Symptom Diary report history, while subjects were able to interpret and understand the charts and summary screens for the first four questionnaire items as intended, some subjects experienced difficulty in interpreting and understanding the other two items; where applicable, appropriate revisions were made to the charts and summary screens. Several subjects also experienced difficulty understanding and interpreting the average of the abdominal pain, cramps, and swelling score chart and its associated summary screen; minor revisions were made to both. For the IBS-D Symptom Event Log report history, subjects were able to understand and interpret the report-history charts for every item as intended. However, some did not interpret the summary screens for the “immediacy of need” report history and the “bowel movement appearance” report history as intended; changes to both of those summary screens were made.

The final goal of the equivalence interviews was to obtain subjects’ opinions on the mobile application and its usability. All subjects expressed a positive opinion of the mobile application, with many spontaneously noting that it was easy to use and some reporting that they preferred the mobile application to the pen-and-paper format. Some subjects also felt that the mobile-application report history would be easy or beneficial for their physician to review their data. However, subjects expressed difficulties with two aspects of the mobile application. First, about a third of subjects noted that the small font made questions and charts on the mobile application difficult to read. Landscape orientation and zoom-in and zoom-out features were incorporated to make the text and charts clearer. Secondly, about half of the subjects experienced difficulty in downloading and installing the mobile application on their devices. This was true for users of both Android and iOS devices. However, download issues are expected to be obviated when the mobile application becomes publicly available in the application stores of both mobile platforms.

In conclusion, this study demonstrates the equivalence of the pen-and-paper and mobile-application formats of the IBS-D PRO instrument. Usability testing also confirmed that the mobile application was, by and large, used easily by subjects, with no difference observed in usability by age. The subjects found that both mobile applications (Android and iOS) would offer many advantages over the original paper version, such as real-time assessment of patients’ experience

by physicians. Given the equivalence and past established measurement properties (ie, reliability and validity) of the IBS-D PRO instrument, use of the electronic administration mode is recommended, given its ability to capture higher-quality data versus the original pen-and-paper version.

Acknowledgments

The PRO instrument for IBS-D was developed by Astellas Pharma Global Development, Inc., and the electronic version was developed by ACCESS Medical LLC. The authors would like to thank Brittany Klooster, MPH and Roger Lamoureux, MDiv at Adelphi Values LLC for conducting interviews and data analysis. The authors would also like to thank Jane M Gilbert, BSc, CMPP and Gill Sperrin, CBiol, MRSB, CMPP at Envision Scientific Solutions for providing medical writing support, funded by Astellas Pharma Global Development, Inc. This study and the preparation of this paper were funded in full by Astellas Pharma Global Development Inc.

Author contributions

LDH, BB, OO, RK, and BZ contributed to the design of the study, RK performed the research and designed and developed the mobile application, BB and OO performed the research and participated in data acquisition, and all authors were involved in the analysis/interpretation of the data and drafting or critically reviewing/revising the manuscript. All authors approved the final version of the manuscript, and agree to be accountable for all aspects of the work.

Disclosure

LDH and BZ are employees of Astellas Pharma Global Development, Inc. BB and OO are employed by Adelphi Values, and were contracted by Astellas Pharma Global Development, Inc. to work on IBS-D PRO instrument development. RK is employed by ACCESS Medical LLC, and was contracted by Astellas Pharma Global Development Inc. to migrate the IBS-D PRO instrument from a paper-based version to an electronic version for use on mobile electronic devices. The authors report no other conflicts of interest in this work.

References

1. Plavšić I, Hauser G, Tkalčić M, Pletikosić S, Salkić N. Diagnosis of irritable bowel syndrome: role of potential biomarkers. *Gastroenterol Res Pract*. 2015;2015:490183.
2. Gwaltney CJ, Shields AL, Shiffman S. Equivalence of electronic and paper-and-pencil administration of patient-reported outcome measures: a meta-analytic review. *Value Health*. 2008;11(2):322–333.
3. Coons SJ, Gwaltney CJ, Hays RD, et al. Recommendations on evidence needed to support measurement equivalence between electronic and paper-based patient-reported outcome (PRO) measures: ISPOR ePRO Good Research Practices Task Force report. *Value Health*. 2009;12(4):419–429.

4. Marquis P, Lasch KE, Delgado-Herrera L, et al. Qualitative development of a patient-reported outcome symptom measure in diarrhea-predominant irritable bowel syndrome. *Clin Transl Gastroenterol*. 2014; 5:e59.
5. Delgado-Herrera L, Lasch K, Popielnicki A, et al. Cultural adaptation: translatability assessment and linguistic validation of the patient-reported outcome instrument for irritable bowel syndrome with diarrhea. *Patient Relat Outcome Meas*. 2016;7:81–92.
6. Lasch K, Delgado-Herrera L, Tesler Waldman L, et al. Development of a new instrument to assess stool form and consistency in irritable bowel syndrome with diarrhea. *Gastroenterol Hepatol Open Access*. 2016;4(1):00084.
7. Rosa K, Delgado-Herrera L, Zeiher B, et al. Psychometric assessment of the IBS-D Daily Symptom Diary and Symptom Event Log. *Qual Life Res*. 2016;25(12):3197–3208.
8. Friese S. *ATLAS.ti 7 User Guide and Reference*. Berlin: Scientific Software Development GmbH; 2013.

Patient Related Outcome Measures

Publish your work in this journal

Patient Related Outcome Measures is an international, peer-reviewed, open access journal focusing on treatment outcomes specifically relevant to patients. All aspects of patient care are addressed within the journal and practitioners from all disciplines are invited to submit their work as well as healthcare researchers and patient support groups.

Submit your manuscript here: <http://www.dovepress.com/patient-related-outcome-measures-journal>

Dovepress

The journal is included in PubMed. The manuscript management system is completely online and includes a very quick and fair peer-review system. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.