CORRECTION Open Access



Correction to: Exosomes derived from human adipose mesenchymal stem cells attenuate hypertrophic scar fibrosis by miR-192-5p/IL-17RA/Smad axis

Yan Li^{1†}, Jian Zhang^{1†}, Jihong Shi^{1†}, Kaituo Liu^{1†}, Xujie Wang¹, Yanhui Jia¹, Ting He¹, Kuo Shen¹, Yunchuan Wang¹, Jiagi Liu¹, Wei Zhang², Hongtao Wang^{1*}, Zhao Zheng^{1*} and Dahai Hu^{1*}

Correction to: Stem Cell Research & Therapy (2021) 12:221 https://doi.org/10.1186/s13287-021-02290-0

The original article [1] contained an error in author Hongtao Wang's name which has since been corrected.

Author details

¹Department of Burns and Cutaneous Surgery, Xijing Hospital, Fourth Military Medical University, 127 West Chang-le Road, Xi'an 710032, Shaanxi, China. ²Department of Plastics and Aesthetic Surgery, The First Affiliated Hospital of Xi'an Medical University, No.48 West Fenghao Road, Xi'an 710077, Shaanxi, China.

Published online: 03 September 2021

Reference

 Li Y, et al. Exosomes derived from human adipose mesenchymal stem cells attenuate hypertrophic scar fibrosis by miR-192-5p/lL17RA/ Smad axis. Stem Cell Res Ther. 2021;12:221. https://doi.org/10.1186/ s13287-021-02290-0.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at https://doi.org/10.1186/s13287-021-02290-0

Full list of author information is available at the end of the article



© The Author(s) 2021. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

^{*}Correspondence: wanght@fmmu.edu.cn; haimianbaobao228@163.com; xijingburnslab1@163.com

[†]YanLi, Jian Zhang, Jihong Shi and Kaituo Liu contributed equally to this

¹ Department of Burns and Cutaneous Surgery, Xijing Hospital, Fourth Military Medical University, 127 West Chang-le Road, Xi'an 710032,