



HHS Public Access

Author manuscript

Annu Rev Public Health. Author manuscript; available in PMC 2022 July 07.

Published in final edited form as:

Annu Rev Public Health. 2022 April 05; 43: 331–353. doi:10.1146/annurev-publhealth-052220-112457.

Designing for Dissemination and Sustainability to Promote Equitable Impacts on Health

Bethany M. Kwan¹, Ross C. Brownson^{2,3}, Russell E. Glasgow¹, Elaine H. Morrato⁴, Douglas A. Luke⁵

¹Department of Family Medicine and Adult & Child Consortium for Health Outcomes Research and Delivery Science, University of Colorado School of Medicine, University of Colorado Anschutz Medical Campus, Aurora, Colorado, USA

²Prevention Research Center, Brown School, Washington University in St. Louis, St. Louis, Missouri, USA

³Department of Surgery (Division of Public Health Sciences) and Alvin J. Siteman Cancer Center, Washington University School of Medicine, St. Louis, Missouri, USA

⁴Parkinson School of Health Sciences and Public Health and Institute for Translational Medicine, Loyola University Chicago, Maywood, Illinois, USA

⁵Center for Public Health Systems Science, Brown School, Washington University in St. Louis, St. Louis, Missouri, USA

Abstract

Designing for dissemination and sustainability (D4DS) refers to principles and methods for enhancing the fit between a health program, policy, or practice and the context in which it is intended to be adopted. In this article we first summarize the historical context of D4DS and justify the need to shift traditional health research and dissemination practices. We present a diverse literature according to a D4DS organizing schema and describe a variety of dissemination products, design processes and outcomes, and approaches to messaging, packaging, and distribution. D4DS design processes include stakeholder engagement, participatory codesign, and context and situation analysis, and leverage methods and frameworks from dissemination and implementation science, marketing and business, communications and visual arts, and systems science. Finally, we present eight recommendations to adopt a D4DS paradigm, reflecting shifts in ways of thinking, skills and approaches, and infrastructure and systems for training and evaluation.

This work is licensed under a [Creative Commons Attribution 4.0 International License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See credit lines of images or other third-party material in this article for license information

bethany.kwan@cuanschutz.edu .

DISCLOSURE STATEMENT

This work was supported in part by the National Center for Advancing Translational Science (UL1 TR002535, 1UL1 TR002389), the Data Science to Patient Value (D2V) Initiative at the University of Colorado School of Medicine, the National Cancer Institute (P50 CA244688, P50CA244431, R25DK123008), the National Institute of Diabetes and Digestive and Kidney Diseases (P30DK092950), and the Centers for Disease Control and Prevention (U48DP006395, CDC/NCI SIP 19–005). The findings and conclusions in this article are those of the authors and do not necessarily represent the official positions of the National Institutes of Health or the Centers for Disease Control and Prevention.

Keywords

designing for dissemination; designing for sustainability; health equity; impact; knowledge translation; stakeholder engagement

INTRODUCTION

To realize a public health impact of investments in research and evaluation, we should broadly and equitably disseminate and sustain use of evidence-based public health, community, clinical, and health services innovations in diverse settings. However, a return on societal investments in health research is often not seen for a decade or more (5). Passive dissemination of evidence-based interventions is ineffective, resulting in only small changes in the uptake of new practices (12, 91). Barriers to dissemination, sustainability, and impact range from poor fit between health innovations and the context in which they are meant to be used to the research paradigms used to develop and test innovations to cultures and systems that fail to incentivize and support active dissemination and translation of evidence into practice (56, 59, 147, 155; definition from Reference 136). Moreover, greater focus on advancing the science of innovation design and adaptation is warranted to ensure innovations are designed from the outset for diverse reach and feasibility to better address health inequities and improve adoption of health innovations in marginalized and underresourced communities (7).

Dissemination:

“An active approach of spreading evidence-based interventions to the target audience via determined channels using planned strategies”

Sustainability:

the degree to which an evidence-based program, policy, or intervention can deliver its intended benefits over an extended period of time

Designing for dissemination:

the process of ensuring that the products of research are developed to match the...contextual characteristics of the target audience and setting

Designing for sustainability:

early planning and design processes designed to increase the likelihood of sustainment of an evidence-based program or practice after initial implementation

Over the past 20 years, the field of dissemination and implementation (D&I) science emerged as part of a collective commitment to accelerate and improve translation of evidence into practice (24). Within D&I science, the concepts of designing for dissemination

—and more recently, designing for sustainability—refer to principles and methods for addressing innovation–context fit and the need for early and active dissemination and sustainability planning (17, 71). A key principle in designing for dissemination and sustainability (D4DS) is beginning with the end in mind, that is, to plan for future dissemination, implementation, and sustainability at the outset of a research effort (127). Essentially, D4DS principles and methods aim to enhance the equitable and long-lasting impact of evidence-based innovations on health and well-being. D4DS is now recognized as a key competency for D&I researchers (127).

In this article we suggest that a D4DS perspective can enhance the potential for adoption, sustainability, and ultimately impact of health and health equity. We first summarize the historical context leading to the concepts of D4DS. We then organize and summarize key findings from a narrative literature review according to a schema of dissemination products developed, evaluated, and distributed via various design processes, methods, and frameworks. Finally, we present recommendations and answerable questions for advancing the science of D4DS.

HISTORICAL CONTEXT

The foundations of D4DS can be traced to diffusion theory, with the earliest concepts originating from the nineteenth-century French judge, Gabriel Tarde, who first proposed the S-curve of diffusion and the importance of opinion leaders (45). In the United States, the seminal event in diffusion was the publication in 1943 of a report on the diffusion of hybrid seed corn in two Iowa communities (142), which contributed to a set of tools and practices for agriculture extension agents (47). The late Everett Rogers formalized many current properties of diffusion in his classic text, *Diffusion of Innovations* (139, 140). Multiple elements from diffusion theory apply to D4DS, including (a) the role of specific properties of innovations (e.g., evidence-based interventions) that affect adoption (e.g., costs, advantages over existing practices, compatibility with existing workflow); (b) the importance of properties of adopters affecting diffusion, especially the degree of innovativeness within an organization; and (c) how social context affects diffusion, including the role of opinion leaders and norms.

There is a well-documented chasm between how researchers disseminate their findings and how practitioners and policy makers learn about and use the latest evidence (26). According to the push-pull-capacity model (1, 43, 54, 124), successful dissemination requires a basis in science and technology (the push), a demand from organizations or the populations being served (the pull), and the delivery ability of public health and health care systems (capacity). Dissemination strategies have often focused too much on the push side of this model while lacking creative approaches and resources to address pull and capacity. The push-pull disconnect between researchers and practitioners was illustrated in the 2002 workshop *Designing for Dissemination* sponsored by the US National Cancer Institute (NCI) (114). A key workshop insight was the endorsement of the importance of active dissemination of the evidence—but neither researchers nor practitioners assumed the responsibility for dissemination activities. Unfortunately, when no one takes leadership and ownership for

dissemination or when capacity is lacking, the activity often sinks to low priority in already overstressed systems (27, 79).

A D4DS perspective situates the responsibility for active dissemination within the research enterprise. Guidance on frameworks and necessary systems and processes has emerged, such as with Nutbeam's (122) 1996 ideas on how to enhance dissemination beyond traditional journal article publications, incentives to reward researchers for translational research, and expanded practitioner training. In 2006, Bauman and colleagues (6) proposed a six-step dissemination framework that highlights the need to (a) describe the innovation, (b) identify the target audience and the sequence, timing, and format for dissemination, (c) define the communication channels, (d) determine the role of key policy makers and partnerships, (e) identify the barriers and facilitators for dissemination, and (f) evaluate the dissemination process.

Although there has been progress in advancing the D4DS perspective, there remains substantial room to improve. A 2012 study of US public health researchers showed only half of respondents (53%) had personnel dedicated to dissemination to nonresearch audiences (27). Only 17% used a model to plan their dissemination activities; 34% always or usually involved stakeholders in the research process. A similar 2018 survey of US and Canadian researchers found some improvement in stakeholder engagement in D4DS processes yet also identified a continuing misalignment between which dissemination methods affect a researcher's career and which methods affect practice and policy (84).

Theories, methods, and outcomes of evidence-based adoption and implementation have been widely studied (92, 134), whereas relatively less attention has been paid to factors related to successful sustainability of programs and practices postimplementation (154). Programs and practices need to be sustained over time to achieve their desired health impacts and associated outcomes (146). However, many evidence-based programs and policies are not sustained after initial implementation, wasting large amounts of financial, organizational, and social capital (60). Fortunately, new work has started making the case for more systematic study of sustainability, including conceptual development (35, 148), method development (94, 100, 128), and applications to various health disciplines, such as public health, mental health, and health care delivery systems (19). An important audience to consider when designing for sustainability is policy makers—those who make decisions at both local or organizational levels (small p policy) and national or international levels (big P policy) about how and by whom public health and health care should be delivered and financed (23). Designing research products so that they can be effectively communicated to policy audiences helps ensure long-term and sustained impacts of discoveries (9, 69).

A D4DS ORGANIZING SCHEMA AND LOGIC MODEL

For this review, we organize the literature and describe a series of exemplar research projects according to a novel D4DS organizing schema (Figure 1). This schema was informed by and expands on previous work to conceptualize processes, products, and system changes needed to support D4DS efforts (27, 126). The schema is represented as a logic model depicting four phases in designing for dissemination in ways that support

adoption, sustainment, and equitable impact on health. An initial conceptualization phase determines the need and demand for a solution to a health problem (the pull) and draws on an evidence base of effective strategies for addressing that health problem. To effectively disseminate the evidence in response to the demand, a D4DS approach then considers a design phase (determining the product to be disseminated and how the product will be packaged and delivered) followed by an active dissemination phase (making use of systems and infrastructure—the capacity—to broadly disseminate the product package to intended audiences; the push) and an impact phase (ensuring adoption, sustainment, and ultimate impact on health and health equity). Evaluation occurs at every stage of design and dissemination and is ideally iterative and ongoing to ensure continued fit to context, reach, adoption, sustainment, and equitable impact on health (see the sidebar titled Example D4DS Design Phase Plans).

Sustainment:

the degree to which an evidence-based program, policy, or intervention actually remains in use and delivers its intended benefits over an extended period of time

A D4DS perspective elevates the importance of the design phase (see the blue box in Figure 1): designing a dissemination product (such as an evidence-based health-related program, device, or service model) and a product messaging, packaging, and distribution plan.

A dissemination product may include one or more of the following:

- evidence (i.e., the generalizable knowledge resulting from the conduct of research and evaluation)
- programs, interventions, and services (i.e., health promotion and/or disease prevention or educational programs, interventions, initiatives, treatments, or services)
- technology and infrastructure (i.e., devices, software, hardware, web-based and other tools and equipment for disease prevention or management, research, evaluation, or educational purposes)
- D&I strategies (i.e., methods, approaches, guides, or materials for dissemination, implementation, and sustainment of effective, equitable, and efficient public health and health care practices in real-world settings)
- policy and guidelines (i.e., local and/or national public health and health care guidelines, practice or implementation standards, and policies emerging from the evidence base)
- methods (i.e., research and evaluation techniques, instruments, tools, models, measures, and/or equipment)

These research products may be packaged in a variety of forms and made available to users through several platforms with messaging tailored to audience needs and perspectives—that is, a messaging, packaging, and distribution plan that also fits the context of intended adoption and use (see the sidebar titled Dissemination Product Examples).

Using various design processes, the dissemination product is designed to fit the context in which it will be adopted and sustained, and the messaging, packaging, and distribution plans fit the information needs and communication channels appropriate for the intended audience. Design processes refer to the methods, frameworks, or approaches used to develop and test the dissemination product and product messaging, packaging, and distribution plans. Design outcomes are those elements relevant for fit to context—such as perceived acceptability, appropriateness, and feasibility or relative advantage, usability, and user satisfaction—and are assessed during the design process.

A NARRATIVE REVIEW OF THE D4DS LITERATURE

Here we present and organize the literature relevant to the design phase of D4DS: dissemination products, design processes, design outcomes and evaluation, and messaging, packaging, and distribution approaches. The literature described here came from a May 2020 narrative review of published English literature indexed in Ovid MEDLINE, Embase, Web of Science, and Google Scholar. The search included literature referencing dissemination, design, knowledge translation, stakeholder engagement, and/or diffusion of innovation, as well as public health, health science, and clinical research—topics considered likely to identify instances of designing for dissemination in health research. We supplemented papers identified via the designing for dissemination review with additional publications focused on sustainability and sources describing relevant projects identified by the authors.

Context and situation analysis:

a formal assessment of the audience, setting, workflows, processes, policies, resources, and systems in which a health innovation is intended to be used

Social marketing:

application of marketing principles and techniques to create, communicate, and deliver value in order to influence target audience behavior

D4DS Design Phase: Design Processes

The design phase of D4DS refers to the active process of developing a dissemination product and planning for its distribution, scale-up, and sustainment, as well as evaluating and iteratively improving design outcomes relevant to ensuring fit to context. We highlight six interrelated major categories of design processes useful for D4DS that emerged from the narrative review: (a) participatory codesign and stakeholder involvement, (b) application of D&I science theories and frameworks, (c) marketing and business approaches, (d) context and situation analysis, (e) systems, engineering, and complexity science approaches, and (f) communication and the arts. These categories are organized by field (marketing, engineering, communication, D&I science) and/or purpose (stakeholder engagement, context analysis).

D4DS efforts may use one or more of these processes. For instance, a D4DS effort may engage stakeholders in a codesign process and conduct a situation analysis within the context of a D&I process framework to design a dissemination product that is then packaged for delivery with graphic design experts and promoted using social marketing (see the sidebar titled Leveraging Multiple D4DS Processes). Furthermore, these processes are not mutually exclusive, nor are they exhaustive of the disciplines and approaches that may be applicable.

Design process type 1: participatory codesign and stakeholder involvement.

—Ideally, design is done in partnership with the intended audience—such as a participatory, codesign approach—with many arguing that end user or other stakeholder involvement in the design process is essential to equitable adoption and use of health innovations (14, 30, 65, 84). Many types of stakeholders, from multiple cultures and socioecological levels, including members of the public, practitioners, policy makers, and payers, can and should be involved at each stage in the design process (38). Many stakeholder and community engagement methods are available for use in D&I research (107).

The participatory codesign methods category includes techniques such as brokered or deliberative dialogue (129), codesign/coproduction such as experience-based codesign and behavioral design teams (137), group model building and concept mapping (61, 105), consensus approaches such as nominal group technique or Delphi processes (34, 145), and the Double Diamond design approach, which is a four-phase design process popular in the United Kingdom that includes discover, design, develop, and deliver phases (44). Codesign processes benefit from leveraging multisectoral partnerships among academic, industry, health system, and community groups (138).

Design process type 2: application of dissemination and implementation science theories and frameworks.

—Application of D&I process frameworks can provide structure to the D4DS process. For instance, the IDEAS (Integrate, DEsign, Assess, and Share) framework describes a step-by-step process for designing digital health interventions that is based on design thinking, behavioral theory, user-centered design, and dissemination approaches (112). Developed by the US Department of Veterans Affairs Office of Research and Development Research-to-Real-World Workgroup, the Research Lifecycle framework explicitly incorporates scale-up, spread, and sustain phases of research, depicting the need for a research business plan, common impact metrics, and a sustainability plan as critical steps in the translation of research innovations into common practice (80). Among other D&I frameworks with implementation or planning phases ideal for consideration of D4DS are EPIS (Exploration, Preparation, Implementation, and Sustainment) (111), i-PARIHS (integrated Promoting Action on Research Implementation in Health Services) (90), and the World Health Organization ExpandNet framework for scaling-up (165).

D&I context and determinants frameworks such as diffusion of innovation theory (46) and the PRISM (practical, robust implementation and sustainability model) expansion of RE-AIM (reach, effectiveness, adoption, implementation, maintenance) (55) can guide consideration of multilevel factors that influence dissemination, impact, and sustainability

during the design process, informing product features that address barriers and facilitators (17). To enable effective planning for D4DS, Klesges and colleagues (82) illustrated the usefulness of the RE-AIM framework for designing studies with a higher likelihood of future dissemination and uptake. D&I science also contributes methodology and frameworks for planning for adaptation to ensure sustained fit to context, including considerations for cultural adaptations (50, 51). Although still an emerging area, guiding adaptations in a way that maintains the core functions (or principles) of a program, but adapts the form or specifics of how the program is delivered in ways that fit local context, is a promising direction to enhance success (36, 50).

Design process type 3: marketing and business approaches.—Marketing strategies also seek to promote adoption and are similarly grounded in diffusion of innovation theory and practice. For example, the field of public health has embraced frameworks and strategies from social marketing (85). Social marketing has shown promise as a dissemination framework for public health efforts (87, 162). Marketing behavior-change techniques can be used to promote broad participation and engagement with dissemination products (52). Best business practices also embrace a multistage development process consistent with D4DS principles: (a) problem–solution fit, (b) product–market fit, and (c) business model fit (15). In the first stage, the developer gathers evidence demonstrating that the innovation is designed to solve an important job to be done, problem, or goal from the adopter’s point of view better than competing alternatives and will generate sufficient value to promote adoption. In the second stage, the developer validates that the innovation does indeed provide that value and that there is a market of potential adopters. In the last stage, the developer ensures the value proposition is embedded in a financially sustainable and scalable business model.

Systems thinking:

understanding how things influence one another holistically

The method of iterative customer discovery and value proposition design is foundational in several national training programs designed for the academic research audience: the National Science Foundation/National Institutes of Health I-Corp™ training program and its adaptation for clinical and translational scientists [I-Corps@NCATS (National Center for Advancing Translational Sciences)] and the NCI SPRINT (SPeeding Research-tested INTerventions) program supporting sustainability (109, 116). Considering and designing for the consumer perspective—which may include direct marketing to consumers—can serve as a form of collaborative program development (144).

Design process type 4: context and situation analysis.—A critical aspect of D4DS is gaining an in-depth understanding of the context and situation in which a product is intended to be used and sustained. Understanding context is foundational to tailoring dissemination products that fit context (8, 118, 132). Context and situation analysis methods yield insights into the unmet needs and perspectives of the intended audience; the existing networks, systems, processes, and workflows into which the product will be integrated; and the resources available to support sustained use (10). Methods such as

process mapping, network analysis, needs assessment, ethnography, and discourse analysis fall into this category (53, 95). Qualitative and mixed methods research such as surveys, key informant interviews, and focus groups designed to assess audience needs, circumstances, and perspectives may be used during product design to understand contextual factors thought to influence dissemination, use, and sustainability (143). Of note, context and situation analysis is ideally guided by D&I determinants and outcomes frameworks (as described above). More recent literature on the roles of context stresses the dynamic nature of context and, as noted above, the ability to adapt to changing context as being critical for successful dissemination and sustainability (35, 150).

Design process type 5: systems, engineering, and complexity science

approaches.—Dissemination and sustainability activities are embedded within complex social, health, organizational, and political systems (97, 121). Systems science approaches such as systems thinking, systems mapping, system dynamics, and human factors engineering have all been used in D4DS endeavors (29, 136, 138, 164). These distinct but related approaches help address the interactive and complex adaptive systems issues in dissemination and sustainment. For instance, systems thinking based on complex adaptive systems with system dynamics mapping has been used to inform large-scale change related to guideline implementation in Canada (13) and various health services outcomes in the US Veterans Administration system (163, 166). A review of system dynamics applications in injury prevention research concluded that building capacity for system dynamics can support stakeholder engagement and policy analysis (115). Other researchers have demonstrated the usefulness of iterative engineering approaches to successful program D&I (135).

Complexity and systems science approaches focus attention on three specific substantive issues: dynamics, heterogeneity, and interactivity. First, the organizations and communities that are adopting and implementing new evidence-based practices are dynamic, not static. Systems perspectives can help focus attention on these dynamics, including feedback loops, indirect effects, and unintended consequences, as well as the need for program adaptation over time (35). Second and third, these complex systems are composed of heterogeneous actors (e.g., patients, health care providers, regulatory agencies, commercial businesses) that interact with one another. Systems tools that reveal and explore these interactions, such as social network analysis and systems mapping, are thus useful for the dissemination design process (98, 158). Systems thinking can inform dynamic and complicated processes that ensue once a scientific discovery moves into the real world. For example, policy resistance is the general tendency for policy interventions to be weakened or defeated by the system's response to the intervention itself (58, 153). A vivid recent example of this has been the pushback by communities and government leaders on the implementation of evidence-based vaccination and masking policies to combat the coronavirus disease 2019 (COVID-19) pandemic (149). Historically, the tobacco industry and other commercial and political allies have used tools such as grandfathering, preemption of local policy implementation, and delaying full policy implementation to weaken the effects of evidence-based tobacco control policies (99). By preparing for policy resistance in the design process, dissemination products can lead to greater adoption and sustainability and subsequent health impacts.

Arts-based knowledge translation:

using various art genres, such as visual arts, performing arts, creative writing, and multimedia including video and photography, to communicate research

Design process type 6: communication and the arts.—Methods from the fields of communication, media production, advertising, journalism, and graphic design are especially relevant to the design of dissemination product messaging, packaging, and distribution plans (18, 104). Arts-based knowledge translation (3, 88) has been proposed as a viable strategy for dissemination to health care provider and consumer groups. Use of visual graphics can support communication with and translation of complex science concepts to target audiences (73, 119). For instance, this video by the University of Colorado Record Linkage team (<https://youtu.be/kt9u5omGwsY>) uses graphic storytelling to explain research data privacy and security concepts. The *SAGE Handbook of Visual Research Methods* (102, 130) describes a plethora of visual research techniques for public engagement and communication, including visual media production, photovoice, visual ethnography, anthropological filmmaking, multimodal strategies, and making arguments with images, many of which have great potential for use in D4DS efforts.

D4DS Design Phase: Messaging, Packaging, and Distribution of Dissemination Products

As shown in Figure 1, the way in which a dissemination product is messaged, packaged, and distributed to intended audiences is an aspect of the D4DS approach parallel to, but distinct from, the design of the dissemination product itself. Messaging, packaging, and distribution plans should be aligned with how the intended audience best receives information and should leverage existing and familiar distribution channels, platforms, and systems of communication and influence (25). Presenting data in ways that are engaging and easily understood is a hallmark of effective evidence communication to many audiences. For instance, data visualization techniques and tools have been used to communicate complex health science data in areas such as cancer genome data (83) and HIV population dynamics (16) (see the sidebar titled Packaging and Distribution of a Dissemination Product).

Marketing and communication methods are particularly relevant to message design. The customer discovery and value proposition design approach, a method taught in the I-Corps@NCATS training program (117), yields validated message framing about the value of a dissemination product on metrics most important for the target audience and in the context of competing alternatives (125). Customer discovery and value proposition design has been used to develop positioning and key claims (e.g., business pitches) and distribution plans for dissemination products such as behavioral interventions (78, 123) and research networks (109, 110).

End user preferences for how evidence should be packaged and delivered need to be considered, as preferences can vary by audience (151, 156). For instance, Crick & Hartling (41) described an evaluation of stakeholder preferences for sharing evidence from systematic reviews, showing that patients, caregivers, and nurses preferred infographic-style reports while physicians preferred critical appraisal-style reports. For policy audiences, research

should be presented in brief formats with talking points, reflecting needs relevant to current policy priorities, and tailored to meeting policy needs based on local data (4).

Packaging dissemination products have taken multiple forms, such as web-based knowledge translation platforms (11, 42), evidence search and synthesis tools (48, 68), and professional learning and training platforms (64). Implementation guidance products include implementation guides (39, 152), knowledge management tools for informing evidence-based decision making (159), and multimedia informational briefs and education materials (67). Some particularly creative examples of public dissemination strategies include the use of applied theater to share findings from a study of prenatal genetic screening (74) and an arts-based immersive concept exhibit to disseminate evidence from more than 500 scientific studies of menopausal hot flashes (32, 33).

As would be expected in the digital age, packaging and distribution often leverage computer and information technology, such as the internet. Twenty years ago, the US NCI funded four Digital Divide Pilot Projects, which were intended to be models for larger-scale efforts, to test the use of computer technology and the World Wide Web for the dissemination of cancer education to the public (86). In the time since, interest has grown in the use of the internet and social media for research dissemination and health communication with the public and clinical and public health professional audiences (37, 57, 75). Although it can be challenging to address health misinformation and disinformation on social media and other forms of mass media (62), the ability to disseminate to the public at such a large scale has been unprecedented. A 2020 review of social media use for knowledge translation and education of physicians and trainees identified over 450 examples of the use of platforms such as Twitter, Facebook, blogs, and podcasts for medical education (37). An increasingly popular web-based approach to health sciences knowledge translation is collaborative writing applications (CWAs), such as wikis or learning management systems (2). A 2013 scoping review on the use of CWAs for knowledge translation showed that CWAs are often used by members of the public and researchers for health information seeking and by health professionals for peer-to-peer communication (2).

Collaborative writing application (CWA):

social media software platform that allows multiple users to create and edit content

D4DS Design Phase: Design Outcomes and Iterative Evaluation

To ensure a dissemination product exhibits fit to context, the design process should include evaluation of design outcomes such as perceived acceptability, appropriateness, and feasibility (161); implementability (76); and sustainability at the setting level (77) and usability, usefulness, and user satisfaction at the user level (133). Other design outcomes may include needed adaptations to fit changes in context over time or when translating a product for use in a new setting (35). Evaluation and research methods for assessing design outcomes range from user testing (e.g., system usability, user satisfaction, user engagement) (141) to randomized trials and other research designs appropriate for testing D&I strategies (103) and can use quantitative and/or qualitative methods. Ideally, researchers rapidly and

iteratively assess design outcomes on the basis of successive prototypes or minimum viable products before moving on to large-scale testing. For instance, the Multiphase Optimization Strategy (MOST) approach (63)—often used to guide design and testing of multicomponent behavioral interventions—includes an optimization phase that can benefit from rapid and iterative testing of early prototypes (see the sidebar titled Iterative Design and Evaluation).

Upon evaluating design outcomes, it may become clear that the envisioned dissemination product does not fit the context or target audience needs, necessitating a pivot or possible abandonment of the idea altogether. This is a valuable outcome, as it can prevent continued investment in a product unlikely to be broadly adopted. Public health officials, clinicians, and health care organizations often waste time and resources on adapting and adopting solutions that are ultimately not scalable nor financially sustainable, thereby providing a negative feedback loop and reducing motivation to engage in the implementation of future solutions (72) (see the sidebar titled Example Pivots in the D4DS Process).

D4DS Dissemination Phase: Capitalizing on Systems and Infrastructure for Dissemination

To accelerate D4DS, systems and infrastructure need to be in place (27). Applying the push-pull-capacity model described above, push issues include providing incentives and infrastructure for researchers to actively disseminate to nonresearch audiences (e.g., a dedicated communication/dissemination unit, promotion/tenure guidelines) (108, 155), hiring faculty with practice and policy experience (155), making dissemination to nonresearch audiences a scorable part of the grant review process, and including practice and policy stakeholders in the grant review process (93). To enhance the pull for research among practitioners, organizations must focus on changing their climate and culture. For example, evidence-based organizations in public health provide ready access to research-tested products, leadership applies principles of evidence-based decision making, and innovation is encouraged in day-to-day activities (22).

Capacity for D4DS can be supported in several ways. For example, infrastructure that facilitates bidirectional communication between community practice and research to support evidence dissemination includes practice-based research networks (70). Personnel such as knowledge brokers and implementation facilitators support health settings by integrating new knowledge of practices into daily work (49). Health sciences libraries can support dissemination activities such as data visualization and dissemination product archiving and cataloging (66).

D4DS Impact Phase: Assessing Adoption, Sustainment, and Equitable Impact

As our D4DS schema suggests (Figure 1), longer-term health and equity impacts are the natural goal of effective design of dissemination, implementation, and sustainability products and processes. Conversely, a lack of attention to the specific aspects of design, as described above, impedes our ability to move from evidence to impact and exacerbates health disparities. Underlying a D4DS approach is a need for consideration of equity concepts, methods, and activities in all phases of research. Health equity is a critical part of the goals of positive health impact (see the right side of Figure 1). That is, part of the conceptualization of D4DS, as ensuring fit to context means ensuring dissemination

products are culturally appropriate, can be used in low-resource settings, can align with the strengths and assets of the intended audience and setting, and can affect outcomes that matter to local stakeholders (120, 150). Although recognition of health disparities has a long history, we are only now formally integrating concepts of social justice, health equity, and social determinants of health into D&I theories, methods, and practices (20, 28). Through authentic engagement of stakeholders in design, implementation, and evaluation of health innovations and use of science communication approaches sensitized to a diversity, equity, and inclusion lens, dissemination products are more likely to reach historically marginalized and underserved communities (28, 31).

An unfortunate aspect of traditional graduate training in public health, mental health, and clinical science research programs is the overemphasis on immediate scientific outputs (i.e., papers, conference presentations, grants) relative to training for how to frame, communicate, and assess longer-term health and social benefits of health research. Government funding agencies and university systems in many parts of the world, particularly in the United Kingdom and Commonwealth countries (e.g., Research Impact Canada, the United Kingdom's Research Excellence Framework, University College Dublin's framework for research impact assessment), have formally started to adopt policies that support (and even require) more attention to research impact. New impact frameworks and tools focus specifically on health and clinical sciences research (89, 96) and health equity (106). For example, the Translational Sciences Benefits Model (TSBM) suggests that the long-term benefits of health and clinical sciences research will be seen in predominantly four areas: clinical improvements, community and population health improvements, new economic activities and benefits, and enhanced policies and laws (96). These frameworks provide some conceptual structure and goals for the early design phases in health research. That is, just as we can design for dissemination and sustainability, we can also design for impact.

RECOMMENDATIONS TO ADVANCE THE FIELD OF D4DS

In Table 1, we articulate eight D4DS recommendations to advance the field and address the need for improved adoption, sustainment, and equitable impact of health innovations. For each recommendation, we propose specific actions and answerable questions to be tested in comparative effectiveness research.

CONCLUSION

Most health research is neither translated into practice nor sustained owing to poor innovation–context fit as well as a lack of resources to support it and a lack of emphasis on active dissemination. A D4DS perspective places the responsibility for active dissemination in the scope of work of the research enterprise and related partners. To support the D4DS perspective, we offer an organizing schema that emphasizes the design phase of developing a dissemination product and a messaging, packaging, and distribution plan. We specify design processes that can be used individually or in combination during the design phase. Yet to advance the science and practice of D4DS, we should reorient toward a mindset of beginning with the end in mind and consider from the outset the needs and demands of the intended audience and setting for use of research innovations. Finally, those seeking

to implement our recommendations should advocate for changes to promotion and tenure criteria that emphasize dissemination, sustainment, and impact beyond academic journal articles.

ACKNOWLEDGMENTS

The authors are grateful for the contributions of colleagues who aided in early conceptualizations of a D4DS framework and provided helpful comments on the D4DS organizing schema included in this article, including participants in the Institute for Implementation Science Scholars program and Drs. Jodi Holtrop, Amy Huebschmann, Maura Kepper, Natalia Loskutova, Sarah Moreland-Russell, Brad Morse, Borsika Rabin, and Jenna Reno.

LITERATURE CITED

1. Anderson N, Orleans C, Gruman J. 1999. Roadmaps for the next frontier: getting evidence-based behavioral medicine into practice. Paper presented at the 20th Annual Meeting of the Society of Behavioral Medicine, San Diego, CA, Mar. 3–6
2. Archambault PM, Van De Belt TH, Grajales FJ III, Faber MJ, Kuziemy CE, et al. 2013. Wikis and collaborative writing applications in health care: a scoping review. *J. Med. Internet Res.* 15:e210 [PubMed: 24103318]
3. Archibald MM, Caine V, Scott SD. 2014. The development of a classification schema for arts-based approaches to knowledge translation. *Worldviews Evidence-Based Nurs.* 11:316–24
4. Ashcraft LE, Quinn DA, Brownson RC. 2020. Strategies for effective dissemination of research to United States policymakers: a systematic review. *Implement. Sci.* 15:89 [PubMed: 33059748]
5. Balas EA, Boren SA. 2000. Managing clinical knowledge for health care improvement. *Yearb. Med. Inform* 1:65–70
6. Bauman AE, Nelson DE, Pratt M, Matsudo V, Schoeppe S. 2006. Dissemination of physical activity evidence, programs, policies, and surveillance in the international public health arena. *Am. J. Prev. Med.* 31:57–65
7. Baumann AA, Cabassa LJ. 2020. Reframing implementation science to address inequities in healthcare delivery. *BMC Health Serv. Res.* 20:190 [PubMed: 32164706]
8. Bayliss EA, Bonds DE, Boyd CM, Davis MM, Finke B, et al. 2014. Understanding the context of health for persons with multiple chronic conditions: moving from what is the matter to what matters. *Ann. Fam. Med.* 12:260–69 [PubMed: 24821898]
9. Bennett GG, Shelton RC. 2017. Extending our reach for greater impact. *Health Educ. Behav.* 44:835–38 [PubMed: 29025265]
10. Bergström A, Dinh H, Duong D, Pervin J, Rahman A, et al. 2014. The Context Assessment for Community Health tool - investigating why what works where in low- and middle-income settings. *BMC Health Serv. Res.* 14:P8
11. Berman J, Mitambo C, Matanje-Mwagomba B, Khan S, Kachimanga C, et al. 2015. Building a knowledge translation platform in Malawi to support evidence-informed health policy. *Health Res. Policy Syst.* 13:73 [PubMed: 26646212]
12. Bero LA, Grilli R, Grimshaw JM, Harvey E, Oxman AD, Thomson MA. 1998. Closing the gap between research and practice: an overview of systematic reviews of interventions to promote the implementation of research findings. *BMJ* 317:465–68 [PubMed: 9703533]
13. Best A, Berland A, Herbert C, Bitz J, van Dijk MW, et al. 2016. Using systems thinking to support clinical system transformation. *J. Health Organ. Manag.* 30:302–23 [PubMed: 27119388]
14. Blachman-Demner DR, Wiley TRA, Chambers DA. 2017. Fostering integrated approaches to dissemination and implementation and community engaged research. *Transl. Behav. Med.* 7:543–46 [PubMed: 28936762]
15. Bland DJ, Osterwalder A. 2019. *Testing Business Ideas: A Field Guide for Rapid Experimentation.* Hoboken, NJ: John Wiley & Sons

16. Blevins M, Wehbe FH, Rebeiro PF, Caro-Vega Y, McGowan CC, et al. 2016. Interactive data visualization for HIV cohorts: leveraging data exchange standards to share and reuse research tools. *PLOS ONE* 11:e0151201 [PubMed: 26963255]
17. Bodkin A, Hakimi S. 2020. Sustainable by design: a systematic review of factors for health promotion program sustainability. *BMC Public Health* 20:964 [PubMed: 32560718]
18. Botsis T, Fairman JE, Moran MB, Anagnostou V. 2020. Visual storytelling enhances knowledge dissemination in biomedical science. *J. Biomed. Inform.* 107:103458 [PubMed: 32445856]
19. Braithwaite J, Ludlow K, Testa L, Herkes J, Augustsson H, et al. 2020. Built to last? The sustainability of healthcare system improvements, programmes and interventions: a systematic integrative review. *BMJ Open* 10:e036453
20. Braveman PA, Kumanyika S, Fielding J, LaVeist T, Borrell LN, et al. 2011. Health disparities and health equity: The issue is justice. *Am. J. Public Health* 101:S149–55 [PubMed: 21551385]
21. Brown CH, Curran G, Palinkas LA, Aarons GA, Wells KB, et al. 2017. An overview of research and evaluation designs for dissemination and implementation. *Annu. Rev. Public Health* 38:1–22 [PubMed: 28384085]
22. Brownson RC, Allen P, Duggan K, Stamatakis KA, Erwin PC. 2012. Fostering more-effective public health by identifying administrative evidence-based practices: a review of the literature. *Am. J. Prev. Med.* 43:309–19 [PubMed: 22898125]
23. Brownson RC, Chiqui JF, Stamatakis KA. 2009. Understanding evidence-based public health policy. *Am. J. Public Health* 99:1576–83 [PubMed: 19608941]
24. Brownson RC, Colditz GA, Proctor EK. 2018. *Dissemination and Implementation Research in Health: Translating Science to Practice*. Oxford, UK: Oxford Univ. Press
25. Brownson RC, Eyster AA, Harris JK, Moore JB, Tabak RG. 2018. Getting the word out: new approaches for disseminating public health science. *J. Public Health Manag.* 24:102–11
26. Brownson RC, Fielding JE, Green LW. 2018. Building capacity for evidence-based public health: reconciling the pulls of practice and the push of research. *Annu. Rev. Public Health* 39:27–53 [PubMed: 29166243]
27. Brownson RC, Jacobs JA, Tabak RG, Hoehner CM, Stamatakis KA. 2013. Designing for dissemination among public health researchers: findings from a national survey in the United States. *Am. J. Public Health* 103:1693–99 [PubMed: 23865659]
28. Brownson RC, Kumanyika SK, Kreuter MW, Haire-Joshu D. 2021. Implementation science should give higher priority to health equity. *Implement. Sci.* 16:28 [PubMed: 33740999]
29. Calancie L, Anderson S, Branscomb J, Apostolico AA, Lich KH. 2018. Using behavior over time graphs to spur systems thinking among public health practitioners. *Prev. Chronic Dis.* 15:E16 [PubMed: 29389313]
30. Cameron R, Brown KS, Best JA. 1996. The dissemination of chronic disease prevention programs: linking science and practice. *Can. J. Public Health* 87(Suppl. 2):S50–53 [PubMed: 9002344]
31. Canfield KN, Menezes S, Matsuda SB, Moore A, Mosley Austin AN, et al. 2020. Science communication demands a critical approach that centers inclusion, equity, and intersectionality. *Front. Commun* 5:2
32. Carpenter JS, Kesling M, Schmidt KK. 2019. An arts-based educational exhibit on menopausal hot flashes. *Menopause* 26:1062–67 [PubMed: 31453971]
33. Carpenter JS, Schmidt KK, Jarvis LM, Lapum JL, Kesling MD. 2019. Focus group reactions to an arts-based educational exhibit on menopausal hot flashes. *Menopause* 26:981–98 [PubMed: 31453959]
34. Carter N, Lavis JN, MacDonald-Rencz S. 2014. Use of modified Delphi to plan knowledge translation for decision makers: an application in the field of advanced practice nursing. *Policy Politics Nurs. Pract.* 15:93–101
35. Chambers DA, Glasgow RE, Stange KC. 2013. The dynamic sustainability framework: addressing the paradox of sustainment amid ongoing change. *Implement. Sci.* 8:117 [PubMed: 24088228]
36. Chambers DA, Norton WE. 2016. The adaptome: advancing the science of intervention adaptation. *Am. J. Prev. Med.* 51:S124–31 [PubMed: 27371105]

37. Chan TM, Dzara K, Dimeo SP, Bhalerao A, Maggio LA. 2020. Social media in knowledge translation and education for physicians and trainees: a scoping review. *Perspect. Med. Educ.* 9:20–30 [PubMed: 31834598]
38. Concannon TW, Fuster M, Saunders T, Patel K, Wong JB, et al. 2014. A systematic review of stakeholder engagement in comparative effectiveness and patient-centered outcomes research. *J. Gen. Intern. Med.* 29:1692–701 [PubMed: 24893581]
39. Corso KA, Hunter CL, Dahl O, Kallenberg GA, Manson L. 2016. *Integrating Behavioral Health into the Medical Home: A Rapid Implementation Guide*. Phoenix, MD: Greenbranch Publ.
40. Craven MP, Goodwin R, Rawsthorne M, Butler D, Waddingham P, et al. 2019. Try to see it my way: exploring the co-design of visual presentations of wellbeing through a workshop process. *Perspect. Public Health* 139:153–61 [PubMed: 30955447]
41. Crick K, Hartling L. 2015. Preferences of knowledge users for two formats of summarizing results from systematic reviews: infographics and critical appraisals. *PLOS ONE* 10:e0140029 [PubMed: 26466099]
42. Cross A, Rosenbaum P, Grahovac D, Brocklehurst J, Kay D, et al. 2018. A web-based knowledge translation resource for families and service providers (the “F-words” in Childhood Disability Knowledge Hub): developmental and pilot evaluation study. *JMIR Rehabil. Assist. Technol.* 5:e10439 [PubMed: 30578233]
43. Curry SJ. 2000. Organizational interventions to encourage guideline implementation. *Chest* 118:40S–46S [PubMed: 10939998]
44. Daly-Smith A, Quarmby T, Archbold VSJ, Corrigan N, Wilson D, et al. 2020. Using a multi-stakeholder experience-based design process to co-develop the Creating Active Schools Framework. *Int. J. Behav. Nutr. Phys. Act.* 17:13 [PubMed: 32028968]
45. De Tarde G 1903. *The Laws of Imitation*. New York: H. Holt
46. Dearing JW. 2004. Improving the state of health programming by using diffusion theory. *J. Health Commun.* 9:21–36 [PubMed: 14960402]
47. Dearing JW, Kee KF, Peng T. 2018. Historical roots of dissemination and implementation science. In *Dissemination and Implementation Research in Health: Translating Science to Practice*, ed. Brownson RC, Colditz GA, Proctor EK, pp. 47–61. Oxford, UK: Oxford Univ. Press
48. Dobbins M, DeCorby K, Robeson P, Husson H, Tirilis D, Greco L. 2010. A knowledge management tool for public health: health-evidence.ca. *BMC Public Health* 10:496 [PubMed: 20718970]
49. Dobbins M, Robeson P, Ciliska D, Hanna S, Cameron R, et al. 2009. A description of a knowledge broker role implemented as part of a randomized controlled trial evaluating three knowledge translation strategies. *Implement. Sci.* 4:23 [PubMed: 19397820]
50. Escoffery C, Lebow-Skelley E, Haardoerfer R, Boing E, Udelson H, et al. 2018. A systematic review of adaptations of evidence-based public health interventions globally. *Implement. Sci.* 13:125 [PubMed: 30257683]
51. Escoffery C, Lebow-Skelley E, Udelson H, Böing EA, Wood R, et al. 2019. A scoping study of frameworks for adapting public health evidence-based interventions. *Transl. Behav. Med.* 9:1–10 [PubMed: 29346635]
52. Estrada CA, Krishnamoorthy P, Smith A, Staton L, Korf MJ, et al. 2011. Marketing to increase participation in a web-based continuing medical education cultural competence curriculum. *J. Contin. Educ. Health* 31:21–27
53. Evans-Agnew RA, Johnson S, Liu F, Boutain DM. 2016. Applying critical discourse analysis in health policy research: case studies in regional, organizational, and global health. *Policy Politics Nurs. Pract.* 17:136–46
54. Farrelly MC, Chaloupka FJ, Berg CJ, Emery SL, Henriksen L, et al. 2017. Taking stock of tobacco control program and policy science and impact in the United States. *J. Addict. Behav. Ther.* 1:8 [PubMed: 30198028]
55. Feldstein AC, Glasgow RE. 2008. A practical, robust implementation and sustainability model (PRISM) for integrating research findings into practice. *Joint Comm. J. Q. Patient Saf.* 34:228–43
56. Fraser I 2004. Organizational research with impact: working backwards. *Worldviews Evidence-Based Nurs.* 1:S52–59

57. Fung IC, Blankenship EB, Ahweyevu JO, Cooper LK, Duke CH, et al. 2020. Public health implications of image-based social media: a systematic review of Instagram, Pinterest, Tumblr, and Flickr. *Perm. J.* 24:18.307
58. Ghaffarzadegan N, Lyneis J, Richardson GP. 2011. How small system dynamics models can help the public policy process. *Syst. Dyn. Rev.* 27:22–44
59. Glasgow RE, Estabrooks PE. 2018. Pragmatic applications of RE-AIM for health care initiatives in community and clinical settings. *Prev. Chronic Dis.* 15:E02 [PubMed: 29300695]
60. Goodman RM, Steckler A. 1989. A model for the institutionalization of health promotion programs. *Fam. Community Health* 11:63–78
61. Green AE, Fettes DL, Aarons GA. 2012. A concept mapping approach to guide and understand dissemination and implementation. *J. Behav. Health Serv. Res.* 39:362–73 [PubMed: 22892987]
62. Green LW, Fielding JE, Brownson RC. 2021. More on fake news, disinformation, and countering these with science. *Annu. Rev. Public Health* 42:v–vi [PubMed: 33798405]
63. Guastaferrero K, Collins LM. 2019. Achieving the goals of translational science in public health intervention research: the Multiphase Optimization Strategy (MOST). *Am. Public Health Assoc.* 109(S2):S128–29
64. Guerry JD. 2016. Another way through the two-way mirror: a review of Psychotherapy.net. *Cogn. Behav. Pract.* 23:256–61
65. Hampshaw S, Cooke J, Mott L. 2018. What is a research derived actionable tool, and what factors should be considered in their development? A Delphi study. *BMC Health Serv. Res* 18:740 [PubMed: 30261925]
66. Hanneke R, Link JM. 2019. The complex nature of research dissemination practices among public health faculty researchers. *J. Med. Libr. Assoc.* 107:341–51 [PubMed: 31258440]
67. Harrison D, Wilding J, Bowman A, Fuller A, Nicholls SG, et al. 2016. Using YouTube to disseminate effective vaccination pain treatment for babies. *PLOS ONE* 11:e0164123 [PubMed: 27695054]
68. Hayman SL, Tieman JJ. 2016. Discovering the dementia evidence base: tools to support knowledge to action in dementia care (innovative practice). *Dementia* 15:1279–88 [PubMed: 26021332]
69. Haynes A, Rowbotham SJ, Redman S, Brennan S, Williamson A, Moore G. 2018. What can we learn from interventions that aim to increase policy-makers' capacity to use research? A realist scoping review. *Health Res. Policy Syst.* 16:31 [PubMed: 29631606]
70. Heintzman J, Gold R, Krist A, Crosson J, Likumahuwa S, DeVoe JE. 2014. Practice-based research networks (PBRNs) are promising laboratories for conducting dissemination and implementation research. *J. Am. Board Fam. Med.* 27:759–62 [PubMed: 25381072]
71. Hill K, Vratsidis F, Clemson L, Lovarini M, Russell M. 2011. Community Falls Prevention Program Sustainability Guidelines and Workbook. *Natl. Health Med. Res. Council., Victorian Gov. Dept. Health, Austr.*
72. Hodgkins M, Houry C, Katz C, Lloyd S, Barron M. 2018. Health care industry requires a roadmap to accelerate the impact of digital health innovations. *Health Affairs Blog*, June 8. <https://www.healthaffairs.org/doi/10.1377/hblog20180606.523635/full/>
73. Hristov N, Strohecker C, Allen L, Merson M. 2018. Designing for broad understanding of science insights from practice. *Integr. Comp. Biol.* 58:113–26 [PubMed: 29873715]
74. Hundt GL, Bryanston C, Lowe P, Cross S, Sandall J, Spencer K. 2011. Inside 'Inside View': reflections on stimulating debate and engagement through a multimedia live theatre production on the dilemmas and issues of pre-natal screening policy and practice. *Health Expect.* 14:1–9
75. Kapp JM, Hensel B, Schnoring KT. 2015. Is Twitter a forum for disseminating research to health policy makers? *Ann. Epidemiol.* 25:883–87 [PubMed: 26460202]
76. Kastner M, Estey E, Hayden L, Chatterjee A, Grudniewicz A, et al. 2014. The development of a guideline implementability tool (GUIDE-IT): a qualitative study of family physician perspectives. *BMC Fam. Pract* 15:19 [PubMed: 24476491]
77. Kastner M, Sayal R, Oliver D, Straus SE, Dolovich L. 2017. Sustainability and scalability of a volunteer-based primary care intervention (Health TAPESTRY): a mixed-methods analysis. *BMC Health Serv. Res.* 17:514 [PubMed: 28764687]

78. Kepper MM, Walsh-Bailey C, Brownson RC, Kwan BM, Morrato EH, et al. 2021. Development of a health information technology tool for behavior change to address obesity and prevent chronic disease among adolescents: designing for dissemination and sustainment using the ORBIT model. *Front. Digit. Health* 3:648777 [PubMed: 34713122]
79. Kerner J, Rimer B, Emmons K. 2005. Introduction to the special section on dissemination: dissemination research and research dissemination: How can we close the gap? *Health Psychol.* 24:443–46 [PubMed: 16162037]
80. Kilbourne AM, Braganza MZ, Bowersox NW, Goodrich DE, Miake-Lye I, et al. 2019. Research lifecycle increase the substantial real-world impact of research: accelerating innovations to application. *Med. Care* 57(10 Suppl. 3):S206–12 [PubMed: 31517789]
81. Kinsinger LS, Jones KR, Kahwati L, Harvey R, Burdick M, et al. 2009. Design and dissemination of the MOVE! Weight-Management Program for veterans. *Prev. Chronic Dis.* 6:A98 [PubMed: 19527600]
82. Klesges LM, Estabrooks PA, Dzewaltowski DA, Bull SS, Glasgow RE. 2005. Beginning with the application in mind: designing and planning health behavior change interventions to enhance dissemination. *Ann. Behav. Med.* 29:66–75 [PubMed: 15921491]
83. Klonowska K, Czubak K, Wojciechowska M, Handschuh L, Zmienko A, et al. 2016. Oncogenomic portals for the visualization and analysis of genome-wide cancer data. *Oncotarget* 7:176–92 [PubMed: 26484415]
84. Knoepke CE, Ingle MP, Matlock DD, Brownson RC, Glasgow RE. 2019. Dissemination and stakeholder engagement practices among dissemination & implementation scientists: results from an online survey. *PLOS ONE* 14:e0216971 [PubMed: 31721784]
85. Kotler P, Lee N. 2008. *Social Marketing: Influencing Behaviors for Good*. London: Sage
86. Kreps GL, Gustafson D, Salovey P, Perocchia RS, Wilbright W, et al. 2007. The NCI digital divide pilot projects: implications for cancer education. *J. Cancer Educ.* 22:S56–60 [PubMed: 17572002]
87. Kreuter MW, Bernhardt JM. 2009. Reframing the dissemination challenge: a marketing and distribution perspective. *Am. J. Public Health* 99:2123–27 [PubMed: 19833993]
88. Kukkonen T, Cooper A. 2019. An arts-based knowledge translation (ABKT) planning framework for researchers. *Evidence Policy J. Res. Debate Pract.* 15:293–311
89. Kuruvilla S, Mays N, Pleasvant A, Walt G. 2006. Describing the impact of health research: a Research Impact Framework. *BMC Health Serv. Res.* 6:134 [PubMed: 17049092]
90. Laycock A, Harvey G, Percival N, Cunningham F, Bailie J, et al. 2018. Application of the i-PARIHS framework for enhancing understanding of interactive dissemination to achieve wide-scale improvement in Indigenous primary healthcare. *Health Res. Policy Syst.* 16:117 [PubMed: 30497480]
91. Lehoux P, Denis J-L, Tailliez S, Hivon M. 2005. Dissemination of health technology assessments: identifying the visions guiding an evolving policy innovation in Canada. *J. Health Politics Policy Law* 30:603–42
92. Lobb R, Colditz GA. 2013. Implementation science and its application to population health. *Annu. Rev. Public Health* 34:235–51 [PubMed: 23297655]
93. Lobb R, Petermann L, Manafo E, Keen D, Kerner J. 2013. Networking and knowledge exchange to promote the formation of transdisciplinary coalitions and levels of agreement among transdisciplinary peer reviewers. *J. Public Health Manag. Pract.* 19:E9–20
94. Luke DA, Calhoun A, Robichaux CB, Elliott MB, Moreland-Russell S. 2014. The program sustainability assessment tool: a new instrument for public health programs. *Prev. Chronic Dis.* 11:130184 [PubMed: 24456645]
95. Luke DA, Harris JK. 2007. Network analysis in public health: history, methods, and applications. *Annu. Rev. Public Health* 28:69–93 [PubMed: 17222078]
96. Luke DA, Sarli CC, Suiter AM, Carothers BJ, Combs TB, et al. 2018. The translational science benefits model: a new framework for assessing the health and societal benefits of clinical and translational sciences. *Clin. Transl. Sci.* 11:77–84 [PubMed: 28887873]
97. Luke DA, Stamatakis KA. 2012. Systems science methods in public health: dynamics, networks, and agents. *Annu. Rev. Public Health* 33:357–76 [PubMed: 22224885]

98. Luke DA, Wald LM, Carothers BJ, Bach LE, Harris JK. 2013. Network influences on dissemination of evidence-based guidelines in state tobacco control programs. *Health Educ. Behav.* 40:33S–42S [PubMed: 24084398]
99. Malone R 2010. The tobacco industry. In *The Bottom Line or Public Health: Tactics Corporations Use to Influence Health and Health Policy, and What We Can Do to Counter Them*, ed. Wiist WH, pp. 155–91. New York: Oxford Univ. Press
100. Malone S, Prewitt K, Hackett R, Lin JC, McKay V, et al. 2021. The Clinical Sustainability Assessment Tool: measuring organizational capacity to promote sustainability in healthcare. *Implement. Sci. Commun.* 2:77 [PubMed: 34274004]
101. Mangin D, Lamarche L, Oliver D, Bomze S, Borhan S, et al. 2020. Health TAPESTRY Ontario: protocol for a randomized controlled trial to test reproducibility and implementation. *Trials* 21:714 [PubMed: 32795381]
102. Margolis E, Pauwels L. 2011. *The SAGE Handbook of Visual Research Methods*. London: Sage
103. Mazzucca S, Tabak RG, Pilar M, Ramsey AT, Baumann AA, et al. 2018. Variation in research designs used to test the effectiveness of dissemination and implementation strategies: a review. *Front. Public Health* 6:32 [PubMed: 29515989]
104. McCormack L, Sheridan S, Lewis M, Boudewyns V, Melvin CL, et al. 2013. Communication and dissemination strategies to facilitate the use of health-related evidence. *Evidence Rep. Technol. Assess.* 213:1–520
105. Mills SL, Bergeron K, Pérez G. 2015. Using concept mapping to develop a strategy for self-management support for underserved populations living with chronic conditions, British Columbia, August 2013–June 2014. *Prev. Chronic Dis.* 12:E173 [PubMed: 26447550]
106. Ministry of Health and Long-Term Care. 2012. MOH Health Equity Impact Assessment (HEIA) Tool. Ministry of Health, Ontario, Canada. <https://www.health.gov.on.ca/en/pro/programs/hea/tool.aspx>
107. Minkler M, Salvatore A, Chang C. 2018. Participatory approaches for study design and analysis in dissemination and implementation research. In *Dissemination and Implementation Research in Health: Translating Science to Practice*, ed. Brownson RC, Colditz GA, Proctor EK, pp. 175–90. Oxford, UK: Oxford Univ. Press
108. Moore JB, Maddock JE, Brownson RC. 2017. The role of dissemination in promotion and tenure for public health. *J. Public Health Manag. Pract.* 24:1–3
109. Morrato EH, Hamer MK, Sills M, Kwan B, Schilling LM. 2019. Applying a commercialization-readiness framework to optimize value for achieving sustainability of an electronic health data research network and its data capabilities: the SAFTINet Experience. *eGEMs* 7:48 [PubMed: 31523697]
110. Morrato EH, Lennox LA, Sendro ER, Schuster AL, Pincus HA, et al. 2020. Scale-up of the Accrual to Clinical Trials (ACT) network across the Clinical and Translational Science Award Consortium: a mixed-methods evaluation of the first 18 months. *J. Clin. Transl. Sci* 4:515–28 [PubMed: 33948228]
111. Moullin JC, Dickson KS, Stadnick NA, Rabin B, Aarons GA. 2019. Systematic review of the exploration, preparation, implementation, sustainment (EPIS) framework. *Implement. Sci.* 14:1 [PubMed: 30611302]
112. Mummah SA, Robinson TN, King AC, Gardner CD, Sutton S. 2016. IDEAS (integrate, design, assess, and share): a framework and toolkit of strategies for the development of more effective digital interventions to change health behavior. *J. Med. Internet Res.* 18:e317 [PubMed: 27986647]
113. Nash D 2020. Designing and disseminating metrics to support jurisdictional efforts to end the public health threat posed by HIV epidemics. *Am. J. Public Health* 110:53–57 [PubMed: 31800278]
114. NCI (Natl. Cancer Inst.). 2002. *Designing for Dissemination: Conference Summary Report*. Washington, DC: Natl. Cancer Inst.
115. Naumann RB, Austin AE, Sheble L, Lich KH. 2019. System dynamics applications to injury and violence prevention: a systematic review. *Curr. Epidemiol. Rep.* 6:248–62 [PubMed: 31911889]

116. Nearing K, Rainwater J, Morrato E, Neves S, Bhatti P, et al. 2020. I-Corps@NCATS: A novel designing-for-dissemination learning laboratory for clinical and translational researchers to increase intervention relevance and speed dissemination. *Implement. Sci.* 15:25 [PubMed: 32384899]
117. Nearing K, Rainwater J, Neves S, Bhatti P, Conway B, et al. 2021. I-Corps@ NCATS trains clinical and translational science teams to accelerate translation of research innovations into practice. *J. Clin. Transl. Sci.* 5:e66
118. Nilsen P, Bernhardsson S. 2019. Context matters in implementation science: a scoping review of determinant frameworks that describe contextual determinants for implementation outcomes. *BMC Health Serv. Res.* 19:189 [PubMed: 30909897]
119. Ninomiya MEM. 2017. More than words: using visual graphics for community-based health research. *Can. J. Public Health* 108:e91–94 [PubMed: 31820419]
120. Nooraie RY, Kwan BM, Cohn E, AuYoung M, Roberts MC, et al. 2020. Advancing health equity through CTSA programs: opportunities for interaction between health equity, dissemination and implementation, and translational science. *J. Clin. Transl. Sci.* 4:168–75 [PubMed: 32695484]
121. Northridge ME, Metcalf SS. 2016. Enhancing implementation science by applying best principles of systems science. *Health Res. Policy Syst.* 14:74 [PubMed: 27716275]
122. Nutbeam D 1996. Achieving ‘best practice’ in health promotion: improving the fit between research and practice. *Health Educ. Res* 11:317–26 [PubMed: 10163564]
123. Oh A, Gaysynsky A, Knott CL, Nock NL, Erwin DO, Vinson CA. 2019. Customer discovery as a tool for moving behavioral interventions into the marketplace: insights from the NCI SPRINT program. *Transl. Behav. Med.* 9:1139–50 [PubMed: 31313817]
124. Orleans CT. 2007. Increasing the demand for and use of effective smoking-cessation treatments: reaping the full health benefits of tobacco-control science and policy gains—in our lifetime. *Am. J. Prev. Med.* 33:S340–48 [PubMed: 18021909]
125. Osterwalder A, Pigneur Y, Bernarda G, Smith A. 2014. *Value Proposition Design: How to Create Products and Services Customers Want.* Hoboken, NJ: John Wiley & Sons
126. Owen N, Goode A, Sugiyama T, Koohsari J, Healy G, et al. 2017. Designing for dissemination in chronic disease prevention and management. In *Dissemination and Implementation Research in Health: Translating Science to Practice*, ed. Brownson RC, Colditz GA, Proctor EK, pp. 107–20. Oxford, UK: Oxford Univ. Press
127. Padek M, Colditz G, Dobbins M, Koscielniak N, Proctor EK, et al. 2015. Developing educational competencies for dissemination and implementation research training programs: an exploratory analysis using card sorts. *Implement. Sci.* 10:114 [PubMed: 26264453]
128. Palinkas LA, Chou C-P, Spear SE, Mendon SJ, Villamar J, Brown CH. 2020. Measurement of sustainment of prevention programs and initiatives: the sustainment measurement system scale. *Implement. Sci.* 15:71 [PubMed: 32883352]
129. Parsons JA, Lavery JV. 2012. Brokered dialogue: a new research method for controversial health and social issues. *BMC Med. Res. Methodol.* 12:92 [PubMed: 22747922]
130. Pauwels L, Mannay D. 2019. *The SAGE Handbook of Visual Research Methods.* London: Sage
131. Peskin MF, Hernandez BF, Gabay EK, Cuccaro P, Li DH, et al. 2017. Using intervention mapping for program design and production of iCHAMPSS: an online decision support system to increase adoption, implementation, and maintenance of evidence-based sexual health programs. *Front. Public Health* 5:203 [PubMed: 28848729]
132. Pfadenhauer LM, Gerhardus A, Mozygemba K, Lysdahl KB, Booth A, et al. 2017. Making sense of complexity in context and implementation: the Context and Implementation of Complex Interventions (CICI) framework. *Implement. Sci.* 12:21 [PubMed: 28202031]
133. Porat T, Marshall IJ, Sadler E, Vadillo MA, McKeivitt C, et al. 2019. Collaborative design of a decision aid for stroke survivors with multimorbidity: a qualitative study in the UK engaging key stakeholders. *BMJ Open* 9:e030385
134. Proctor E, Silmere H, Raghavan R, Hovmand P, Aarons G, et al. 2011. Outcomes for implementation research: conceptual distinctions, measurement challenges, and research agenda. *Adm. Policy Ment. Health Ment. Health Serv. Res.* 38:65–76

135. Quanbeck A, Brown RT, Zgierska AE, Johnson RA, Robinson JM, Jacobson N. 2016. Systems consultation: protocol for a novel implementation strategy designed to promote evidence-based practice in primary care. *Health Res. Policy Syst.* 14:8 [PubMed: 26818455]
136. Rabin BA, Brownson RC. 2017. Terminology for dissemination and implementation research. In *Dissemination and Implementation Research in Health: Translating Science to Practice*, ed. Brownson RC, Colditz GA, Proctor EK, pp. 19–45. Oxford, UK: Oxford Univ. Press
137. Robertson T, Darling M, Leifer J, Footer O, Grodsky D. 2017. Behavioral design teams: the next frontier in clinical delivery innovation? Issue Brief, Nov. 10, Commonwealth Fund, Washington, DC. <https://www.commonwealthfund.org/publications/issue-briefs/2017/nov/behavioral-design-teams-next-frontier-clinical-delivery>
138. Robinson K, Elliott SJ, Driedger SM, Eyles J, O’Loughlin J, et al. 2005. Using linking systems to build capacity and enhance dissemination in heart health promotion: a Canadian multiple-case study. *Health Educ. Res.* 20:499–513 [PubMed: 15613492]
139. Rogers E 1962. *Diffusion of Innovations*. New York: Free Press
140. Rogers E 2003. *Diffusion of Innovations*. New York: Free Press
141. Rosenbaum SE, Glenton C, Nylund HK, Oxman AD. 2010. User testing and stakeholder feedback contributed to the development of understandable and useful Summary of Findings tables for Cochrane reviews. *J. Clin. Epidemiol.* 63:607–19 [PubMed: 20434023]
142. Ryan B, Gross NC. 1943. The diffusion of hybrid seed corn in two Iowa communities. *Rural Sociol.* 8:15–24
143. Salloum RG, Theis RP, Pbert L, Gurka MJ, Porter M, et al. 2018. Stakeholder engagement in developing an electronic clinical support tool for tobacco prevention in adolescent primary care. *Children* 5:170
144. Sanders MR, Kirby JN. 2012. Consumer engagement and the development, evaluation, and dissemination of evidence-based parenting programs. *Behav. Ther* 43:236–50 [PubMed: 22440062]
145. Savoia E, Preston J, Biddinger PD. 2013. A consensus process on the use of exercises and after action reports to assess and improve public health emergency preparedness and response. *Prehospital Disaster Med.* 28:305–8 [PubMed: 23537693]
146. Scheirer MA. 2005. Is sustainability possible? A review and commentary on empirical studies of program sustainability. *Am. J. Eval.* 26:320–47
147. Scheirer MA, Dearing JW. 2011. An agenda for research on the sustainability of public health programs. *Am. J. Public Health* 101:2059–67 [PubMed: 21940916]
148. Schell SF, Luke DA, Schooley MW, Elliott MB, Herbers SH, et al. 2013. Public health program capacity for sustainability: a new framework. *Implement. Sci.* 8:15 [PubMed: 23375082]
149. Schmelz K, Bowles S. 2021. Overcoming COVID-19 vaccination resistance when alternative policies affect the dynamics of conformism, social norms, and crowding out. *PNAS* 118:e2104912118 [PubMed: 34099578]
150. Shelton RC, Chambers DA, Glasgow RE. 2020. An extension of RE-AIM to enhance sustainability: addressing dynamic context and promoting health equity over time. *Front. Public Health* 8:134 [PubMed: 32478025]
151. Slater MD, Kelly KJ, Thackeray R. 2006. Segmentation on a shoestring: health audience segmentation in limited-budget and local social marketing interventions. *Health Promot. Pract.* 7:170–73 [PubMed: 16637125]
152. Smith WR, Atala AJ, Terlecki RP, Kelly EE, Matthews CA. 2020. Implementation guide for rapid integration of an outpatient telemedicine program during the COVID-19 pandemic. *J. Am. Coll. Surg.* 231:216–22.e2 [PubMed: 32360960]
153. Serman JD. 2006. Learning from evidence in a complex world. *Am. J. Public Health* 96:505–14 [PubMed: 16449579]
154. Stirman SW, Kimberly J, Cook N, Calloway A, Castro F, Charns M. 2012. The sustainability of new programs and innovations: a review of the empirical literature and recommendations for future research. *Implement. Sci.* 7:17 [PubMed: 22417162]

155. Tabak RG, Stamatakis KA, Jacobs JA, Brownson RC. 2014. What predicts dissemination efforts among public health researchers in the United States? *Public Health Rep.* 129:361–68 [PubMed: 24982539]
156. Turck CJ, Silva MA, Tremblay SR, Sachse SL. 2014. A preliminary study of health care professionals' preferences for infographics versus conventional abstracts for communicating the results of clinical research. *J. Contin. Educ. Health* 34:S36–38
157. Valaitis R, Longaphy J, Ploeg J, Agarwal G, Oliver D, et al. 2019. Health TAPESTRY: co-designing interprofessional primary care programs for older adults using the persona-scenario method. *BMC Fam. Pract.* 20:122 [PubMed: 31484493]
158. Valente TW. 2012. Network interventions. *Science* 337:49–53 [PubMed: 22767921]
159. van Karnebeek CDM, Houben RFA, Lafek M, Giannasi W, Stockler S. 2012. The treatable intellectual disability APP www.treatable-id.org: a digital tool to enhance diagnosis & care for rare diseases. *Orphanet J. Rare Dis.* 7:47 [PubMed: 22824307]
160. Vitale R, Blaine T, Zofkie E, Moreland-Russell S, Combs T, et al. 2018. Developing an evidence-based program sustainability training curriculum: a group randomized, multi-phase approach. *Implement. Sci* 13:126 [PubMed: 30257695]
161. Weiner BJ, Lewis CC, Stanick C, Powell BJ, Dorsey CN, et al. 2017. Psychometric assessment of three newly developed implementation outcome measures. *Implement. Sci.* 12:108 [PubMed: 28851459]
162. Wharf Higgins J 2011. Navigating through translational research: a social marketing compass. *Health Mark. Q.* 28:1–15 [PubMed: 21347939]
163. Williams F, Colditz GA, Hovmand P, Gehlert S. 2018. Combining community-engaged research with group model building to address racial disparities in breast cancer mortality and treatment. *J. Health Disparities Res. Pract.* 11:160–78
164. Willis CD, Mitton C, Gordon J, Best A. 2012. System tools for system change. *BMJ Q. Saf.* 21:250–62
165. WHO (World Health Organ.). 2009. *Practical Guidance for Scaling Up Health Service Innovations*. Geneva: World Health Organ.
166. Zimmerman L, Lounsbury DW, Rosen CS, Kimerling R, Trafton JA, Lindley SE. 2016. Participatory system dynamics modeling: increasing stakeholder engagement and precision to improve implementation planning in systems. *Adm. Policy Ment. Health Ment. Health Serv. Res.* 43:834–49

EXAMPLE D4DS DESIGN PHASE PLANS

Developed and tested using a multiphase approach, the Program Sustainability Action Training Program is a training program designed to improve the sustainability of evidence-based state tobacco control programs (160). The experiential learning framework guides development of a training curriculum protocol and measures to assess long-term program sustainability. Following a group-randomized trial to test the effectiveness of the training and technical assistance in improving sustainability outcomes in 24 state tobacco control programs, final training curricula materials are actively disseminated to a broader public health audience.

Ending the HIV Epidemic in the U.S. (EHE) is a large-scale plan by the US Department of Health and Human Services to address implementation gaps in the use of evidence-based interventions for preventing and treating HIV (113). EHE includes a well-designed dissemination system for distributing metrics on population health outcomes, implementation, and disparities to key stakeholders. Expected outcomes include reduced health disparities, creation of actionable information, and rapid reach/timeliness of population health metrics via publicly available dashboards with interactive data visualizations and social media integration.

DISSEMINATION PRODUCT EXAMPLES

An example of a policy dissemination product, KTPMalawi is a knowledge translation platform consisting of communities of practice that codesign evidence briefs to guide health policy in Malawi (11). Developed using a rapid stakeholder mapping exercise, capacity building workshops, engagement of policy makers in structured deliberative dialogues, and collaboration with public media, KTPMalawi has been applied to evidence-based policy making efforts related to chronic disease management and drug supply chains. An example technology dissemination product, the F-Words Knowledge Hub is a web-based resource for families and service providers to inform people about the F-words in childhood disability (function, family, fitness, fun, friends, future) (42).

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript

LEVERAGING MULTIPLE D4DS PROCESSES

The Health TAPESTRY (Teams Advancing Patient Experience: Strengthening Quality) intervention consists of patient home visits and e-health technology to support interprofessional care for older adults with multiple chronic diseases in Ontario, Canada. The intervention was developed using a modified version of a persona-scenario participatory codesign method (157). An analysis of the intended context used a sequential mixed methods design, with a sustainability questionnaire followed by qualitative interviews, to assess potential for sustainability and scalability, reproducibility, feasibility, and perceived value (77). Questionnaire results showed the intervention was potentially sustainable with improvements to staff involvement and training plus sustainability infrastructure; interviews revealed several themes regarding recommendations for promoting intervention sustainability and scalability, noting that other jurisdictions beyond the pilot site were not ready to adopt Health TAPESTRY. A planned randomized control trial to test reproducibility, implementation, and value for money is under way as of 2020, guided by the D&I frameworks RE-AIM (reach, effectiveness, adoption, implementation, maintenance) and normalization process theory (101).

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript

PACKAGING AND DISTRIBUTION OF A DISSEMINATION PRODUCT

The MOVE! Weight Management Program for veterans in the US Veterans Health Administration (VHA) was designed to translate best practice guidance and evidence on weight loss into practice (81). The program was packaged in the form of a toolkit consisting of patient handouts, promotional brochures, clinical references, and administrative manuals (<https://www.move.va.gov/ReferenceTools.asp>); marketing materials (e.g., posters, banners, pens); and online discipline-specific training modules about weight management with continuing education credit. All VHA networks and medical centers received the packaged intervention. Established VHA policy and clinical practice guidelines now require weight management programs, with MOVE! recommended.

The iCHAMPSS (interactive CHoosing And Maintaining Effective Programs for Sex Education in Schools) program is an online decision support system to help school districts adopt, implement, and maintain sexual health evidence-based practices (131). Guided by the program design and program production steps of the intervention mapping approach, and with support from information technology developers, graphic designers, and video producers, the iCHAMPSS team planned, drafted, pretested, refined, and produced program materials. Materials include a website with a video-based tutorial, a staging tool, a tool library, and an online discussion board.

ITERATIVE DESIGN AND EVALUATION

Deciding on Treatments Together (DOTT) is a decision aid for stroke survivors developed using a user-centered, data-driven design approach including multistakeholder focus groups and interviews to identify needs and priorities, collaborative design, and iterative prototyping (133). Usability and acceptability evaluation (surveys and interviews) of the DOTT prototype showed high usability scores among both stroke survivors and general practitioners; although there was perceived relative advantage compared to usual strategies for treatment decision making, feasibility and appropriateness concerns included time burden and limited scope of patient needs considered.

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript

EXAMPLE PIVOTS IN THE D4DS PROCESS

Craven et al. (40) set out to create a visualization toolbox that could be applied via digital platforms (web- or app-based) to support adults with lived experience of mental health difficulties present and track their personal well-being in a multimedia format. Yet by applying the Double Diamond design participant codesign methodology, the researchers determined that this approach would not be appropriate. Assessment of personal data visualizations created by participants in a codesign workshop revealed inconsistency with visualizations currently described in the literature and those available in existing mental health apps; this finding suggested an authoring approach to visualizations, in which apps allow users to generate their own personalized content, would be preferred by users. The team pivoted to explore delivery of the insights with “experts-by-experience” by leveraging existing tools for user-generated visualizations (e.g., Bitmoji, Mental Snapp, Snapchat) as part of training courses on use of digital tools for mental health recovery.

SUMMARY POINTS

1. The historical context of designing for dissemination and sustainability (D4DS) is based in part on diffusion theory and a push-pull-capacity model.
2. We present a novel D4DS organizing schema that situates a design phase within a logic model format, depicting a path from conceptualization to design to dissemination to impact. The design phase considers both a dissemination product [such as evidence, programs and interventions, technologies, policies and guidelines, dissemination and implementation (D&I) strategies, and methods] and messaging, packaging, and distribution plans.
3. A multipronged approach to design integrates processes from multiple disciplines (e.g., D&I science, systems science, business and marketing, communications and the arts), formally and iteratively assesses and aligns with the context of intended use, and engages stakeholders from the intended audience and setting in all aspects of planning, implementation, and dissemination.
4. The D4DS design phase fits within multiple D&I science and design frameworks that include planning, preparation, preimplementation, and iterative testing and adaptation phases.
5. A D4DS approach should begin with the end in mind, specifically in terms of what is needed to promote high reach, to advance health equity, to achieve a broad set of translational research impacts, and to be sustainable.
6. Recommendations to advance the field of D4DS include the need to shift our thinking to prioritize the needs of stakeholders and value a rapid, iterative approach that welcomes adaptations; to shift the skills and approaches we use in research to emphasize team and systems science; and to allocate resources for building infrastructure and systems that prepare the next generation to approach research from a D4DS perspective.




Figure 1. Designing for dissemination and sustainability (D4DS) organizing schema and logic model. A logic model for D4DS includes conceptualization, design, dissemination, and impact phases. Results of a narrative literature review of D4DS are organized with an emphasis on the design phase and corresponding design processes, products, and outcomes.

Table 1

D4DS: recommendations and answerable questions

Recommendation	Explanation	Specific action or answerable question
Shifting ways of thinking: How to view the world from a D4DS perspective		
Recommendation 1: Begin with dissemination, sustainment, and equitable impact in mind	It is not enough to begin with anticipated health outcomes in mind—begin by asking, Who will influence the decision to adopt and sustain? How will this work ensure equitable impact?	To what extent do specific activities designed to enhance dissemination, sustainability, and equity yield improved health impacts?
Recommendation 2: Prioritize the needs and perspectives of diverse stakeholders at every stage of the process	Involving stakeholders from multiple perspectives, including potential adopters, will help anticipate challenges; keeping stakeholders involved throughout the process should improve quality of adaptations.	To what extent does ongoing involvement—in different ways and at multiple points in time—produce greater impact than more modest or one-time stakeholder engagement?
Recommendation 3: Appreciate the value of a rapid and iterative approach and the need for periodic adaptation	Anticipate and plan for the need to adapt programs or strategies in response to dynamic context over time.	In what ways do approaches that specifically include multiple assessment points for review of results to date and iterative adaptations yield enhanced impact?
Shifting skills and approaches: What we need to do differently to realize the promise of D4DS		
Recommendation 4: Incorporate team science and systems science principles and practices	D4DS is a collaborative enterprise and produces products that influence systems of care and health. Team and systems science best practices can help ensure that teams work well together and that they can produce better products.	To what extent do programs and products that incorporate team science and systems science methods produce greater impact?
Recommendation 5: Employ health communication techniques tailored to the intended audience	One size does not fit all, and framing how programs and products are discussed and promoted has a big impact on adoption.	Do products distributed to intended audiences using health communication and audience-targeted strategies produce greater adoption?
Recommendation 6: Evaluate adoption, equity, and sustainment at scale (21)	Transparent reporting and rigorous evaluation of adoption, equity, and sustainment impacts and relationships among them using both randomized and nonrandomized designs are needed (21).	To what extent can the field be advanced by investigations that provide full reporting on all three of these impacts rather than on health impacts only?
Shifting training and evaluation systems and infrastructure: What we need to build to support shifting views, skills, and approaches		
Recommendation 7: Establish and promote training programs that acculturate trainees to the D4DS perspective and teach D4DS skills	Training in key issues described in this article (e.g., communications training, systems science, user-centered design, in-depth training in stakeholder engagement) helps promote equity.	To what extent do training programs and activities that include key D4DS competencies produce better, more sustainable results than those that do not?
Recommendation 8: Provide resources to assist programs and policies that inform D4DS and develop practice-based evidence (28)	The above recommendations require support and funding. Infrastructure is needed to accommodate emerging D4DS lessons learned.	To what extent do programs and trainings that provide targeted resources and specific responsibilities for D4DS and continuous evaluation produce more sustainable and equitable impacts?

Abbreviation: D4DS, designing for dissemination and sustainability.